

ललितपुर जिल्लाको ज्यालादर तथा निर्माण सामग्रीहरूको स्वीकृत
जिल्ला दररेट



आ.व. ०८३।८४



जिल्ला दररेट निर्धारण समिति

ललितपुर

मिति: २०८३।३।३२

ललितपुर जिल्लाको ज्यालादर तथा निर्माण सामाग्रीहरुको स्वीकृत
जिल्ला दररेट



आ.व. ०८३।८४



जिल्ला दररेट निर्धारण समिति

ललितपुर

मिति: २०८३।३।३२



आज मिति २०८३।३।३२ गते बिहानको ९:०० बजे जिल्ला प्रशासन कार्यालय, काठमाडौंमा आ.व. ०८३।८४ को ललितपुर जिल्लाको जिल्ला दररेट निर्धारण समितिको बैठक प्रमुख जिल्ला अधिकारी श्री नरहरि घिमिरेज्यूको अध्यक्षतामा तपसिल बमोजिमको उपस्थितिमा बसी तपसिल बमोजिमको निर्णय गरियो।

उपस्थिति

- | | |
|--|------------|
| १) प्रमुख जिल्ला अधिकारी, श्री नरहरि घिमिरे, जिल्ला प्रशासन कार्यालय, ललितपुर | अध्यक्ष |
| २) सदस्य श्री सुवेर बहादुर पहरी, जिल्ला समन्वय समिति, ललितपुर | सदस्य |
| ३) जिल्ला समन्वय अधिकारी, श्री हरि नारायण बेल्वासे, जि.स.स. को कार्यालय, ललितपुर | सदस्य |
| ४) प्रमुख कोष नियन्त्रक श्री युवराज आचार्य, कोष तथा लेखा नियन्त्रक कार्यालय, ललितपुर | सदस्य |
| ५) प्रतिनिधि श्री पञ्चराम महर्जन, निर्माण व्यवसायी सङ्घ, ललितपुर | सदस्य |
| ६) प्रतिनिधि श्री भुमिनन्द कर्माचार्य, उद्योग वाणिज्य सङ्घ, ललितपुर | सदस्य |
| ७) श्री राजु श्रेष्ठ, कार्यालय प्रमुख, पूर्वाधार विकास कार्यालय, ललितपुर | सदस्य-सचिव |

आमन्त्रित

- | | |
|--|--|
| १) सहायक प्रजि.अ. श्री सुप्रभा खनाल ढुङ्गेल, जिल्ला प्रशासन कार्यालय, ललितपुर | |
| २) डिभिजन प्रमुख श्री अनिल प्रसाद केसरी, खानेपानी तथा सरसफाई डिभिजन नं. ५, भक्तपुर | |
| ३) डिभिजनल वन अधिकृत श्री पुष्पराज बर्तौला, डिभिजन वन कार्यालय, काठमाडौं | |
| ४) इन्जिनियर श्री रोशन पाठक, पूर्वाधार विकास कार्यालय, ललितपुर | |
| ५) इन्जिनियर श्री पुरुसोत्तम महर्जन, पूर्वाधार विकास कार्यालय, ललितपुर | |
| ६) इन्जिनियर श्री विराज पाण्डे, जिल्ला समन्वय समितिको कार्यालय, ललितपुर | |
| ७) इन्जिनियर श्री रविन खड्का, सडक डिभिजन, ललितपुर | |
| ८) इन्जिनियर श्री हेमराज बोगटी, खानेपानी तथा सरसफाई डिभिजन नं. ५, भक्तपुर | |
| ९) इन्जिनियर श्री त्रिलोक जोशी, शहरी विकास तथा भवन निर्माण विभाग, काठमाडौं | |



1/2

१०) अधिकृत छैटौ श्री विनोद सापकोटा, पूर्वाधार विकास कार्यालय, ललितपुर

1/3

११) सब-इन्जिनियर श्री रुपेश श्रेष्ठ, पूर्वाधार विकास कार्यालय, ललितपुर

1/4

१२) राम बहादुर रावल, जिल्ला प्रशासन कार्यालय, ललितपुर

१३) लोचन बारायण तिवारी, " " "

१४)

१५)

१६)

१७)

१८)

१९)

२०)

२१)

२२)

२३)

२४)

२५)

२६)

२७)



निर्णयहरू:

आर्थिक वर्ष ०८३।८४ को लागि यस जिल्लाको जिल्ला दररेट निर्धारण गर्नका लागि जिल्ला दररेट निर्धारण समितिबाट जिल्ला स्थित सबै सरोकारवालाहरू, विषयगत कार्यालयहरूसँग समन्वयमा तयार गरी पेश हुन आएको कामदारहरूको ज्यालादर, ढुवानी दर, Civil Works, Sanitary Works, Electrical works सम्बन्धी प्रतिवेदन बैठकमा छलफल भयो। उक्त कार्यको लागि बजार सर्वेक्षण, चालु आ.व. को दररेट, राष्ट्र बैंकको Index तथा सरोकारवाला निकायहरूको सुझावलाई समेत आधार मानी देहाय बमोजिम दररेट निर्धारण गर्ने निर्णय गरियो।

निर्णय नं. १:

कामदारको ज्याला दर र ढुवानी दर निर्धारण गर्ने।

निर्णय नं. २:

घर र जग्गा भाडा, दररेट पुस्तिकामा उल्लेख गरिएको।

निर्णय नं. ३:

सिभिल कार्य सम्बन्धी दर रेट निर्धारण गर्ने।

निर्णय नं. ४:

ईलेक्ट्रिकल कार्यको दर रेट निर्धारण गर्ने।

निर्णय नं. ५:

स्यानिटरी कार्य सम्बन्धीको दर रेट निर्धारण गर्ने।

निर्णय नं. ६:

मेशिन, औजार तथा उपकरणहरूको भाडा दर सम्बन्धमा मेशिन प्रयोग गरि सडक निर्माण गर्दा वा अन्य कार्य गर्नु पर्दा डोजर, एक्साभेटर, रोलर, ग्रेडर आदिका दर सडक विभागबाट कायम गरिएको भाडा दर अनुसार नै कायम गर्ने निर्णय गरियो।

प्रमुख जिल्ला अधिकारी



निर्णय नं. ७:

स्थानीय निर्माण सामग्री उपलब्ध हुने खानी क्षेत्र आसपासका महानगरपालिका/नगरपालिका/गाउँपालिका क्षेत्रमा निर्माण कार्य गराउनु पर्ने अवस्थामा सम्बन्धित खानीबाट दररेट लिई खानी देखि निर्माण स्थल सम्मको दुरी (Lead) समावेश गरि दर बिश्लेषण गरि जिल्ला दररेट भन्दा बढी नहुने गरी दररेट कायम गर्ने निर्णय गरियो।

निर्णय नं. ८:

यस जिल्ला दररेटमा उल्लेख नभएका विभिन्न निर्माण सामग्रीहरूको हकमा सम्बन्धित कार्यालयले गुणस्तर र स्पेसिफिकेशन एकिन गरि आयोजना/परियोजनामा आवश्यक निर्माण सामग्रीहरूको दररेट सम्बन्धित उत्पादक वा आधिकारिक विक्रेताबाट संकलन गरी, प्राप्त दररेटको आधारमा कार्यान्वयन गर्न सक्ने निर्णय गरियो।

प्रमुख जिल्ला अधिकारी




विषय सूची

क्र.सं.	विषय	पृष्ठ संख्या
1	अभिकको ज्याला दर	1
2	घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआवजा निर्धारण	2
3	हुवानी दर	3
4	फलाम जन्त्य निर्माण सामग्री	5
5	सडक र पुल सम्बन्धि निर्माण सामग्री	9
6	स्थानीय निर्माण सामग्रीहरू	12
7	प्रिकाष्ट बार, सि.सि.पाईपहरु तथा रिडहरु	14
8	भवन निर्माणमा प्रयोग हुने निर्माण सामग्री	17
9	Aluminum Doors and Windows	23
10	काठ तथा प्लाइवुड संबन्धि निर्माण सामग्री	27
11	UPVC Profile for Door/Window	31
12	छाना छाउने निर्माण सामग्री	33
13	Partition Board and Ceiling	39
14	Prefab Panel for wall Partition	43
15	भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु	48
16	रंगरोगन तथा पुटिका सामानहरु	51
17	Water Proofing Chemicals & Treatment works	56
18	Water Proofing Membrane	63
19	Structural Strengthening & Seismic Retrofitting	64
20	Cement Concrete Block	66
21	Non Destructive test for Forensic Engineering	75
22	Geocell Technology	77
23	WPS/Fibre, Concrete Prefabricated Doors & Windows	80
24	Flooring & Ceiling	81
25	Slope Stabilization Structures	89
26	Railway	93
27	Flooring Room Heating System	94

प्रमुख जिल्ला अभियन्ता

विषय सूची

क्र.सं.	विषय	पृष्ठ संख्या
28	वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु	95
29	पाईप तथा फिटिङहरु	101
30	DI पाईप तथा फिटिङहरु	119
31	PE Electro Fusion Fittings and Combination Accessories	133
32	High Pressure Valves & Fittings	137
33	पोलिप्रोपिलिन रेण्डम (PPR) पाईप तथा फिटिङहरु	140
34	यु.पि.भि.सि. पाईप तथा फिटिङहरु	151
35	पि.भि.सि. पाईप तथा फिटिङहरु	154
36	पि.भि.सि.ओ. पाईप तथा फिटिङहरु	159
37	CP Accessories	163
38	सि.पि.भि.सि. पाईप तथा फिटिङहरु	165
39	GRP and HDPE/DWC Pipes	169
40	किचन र बाथरूममा प्रयोग हुने सामानहरु	176
41	विभिन्न प्रकारका वाटर टैंक र पम्पहरु	183
42	साधारण हाते औजारहरु	186
43	RCC Ring and Boring Work	188
44	Multilayer Composite Pipe	189
45	Rainwater Collection System	194
46	सिचाई संबन्धि कार्य	199
47	Plastic Dustbin, Compost-Bin, Planter & Road Divider	200
48	Sewage Treatment Plant	201
49	मेनहोल कभरहरु	201
50	विद्युतिय सामग्रीहरु	205
51	Solar Power	269




प्रमुख जिल्ला अधिकारी



श्रमिकको ज्याला दर

सि. नं.	कामदारहरूको विवरण	एकाई	ज्याला प्रतिदिन रु.		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१	निर्माणकामको लागि श्रमिक (ज्यामी)	प्रति दिन	९२०.००	९३५.००	१०००.००
२	फोहर ढल सफा गर्ने कामदार	प्रति दिन	१२२५.००	१२४५.००	१३३०.००
३	उच्च माध्यमिक सह उत्तिर्ण गरी ल्याब टेक्निसियनको तालिम प्राप्त गरेको	प्रति दिन	१५००.००	१५२५.००	१६००.००
४	दस (ढकमी, सिकमी, नकमी, चित्रकार, वज्रकर्मी), प्लम्बर, ढुङ्गा र काठ बुझा काट्ने साधारण मूर्तिकार, चित्रकार, आर्टिस्ट आदी।	प्रति दिन	१२२५.००	१२४५.००	१३३०.००
५	अर्थवक्त्र (ढकमी, सिकमी, नकमी), चित्रकार, प्लम्बर, इलेक्ट्रोसियन, आरामाला, सुपरभाइजर, नदी निरीक्षक, क्लास्टर, मेकानिक्स, कालिगढ, डिलर, फोटोग्राफिक्स, फोरमेन आदी।	प्रति दिन	१०२०.००	१०३५.००	११००.००
६	साइक्लो स्टाइल ट्रेसिङ्ग, एमोनिया प्रिन्टीङ्ग फोरमेन, सामाजिक परिचालक, खदेल (खानी सम्बन्धी काम गर्ने कामदार), आदी।	प्रति दिन	८६०.००	८७५.००	९३५.००
७	निर्माण कार्यको क्याम्प चर्कर, जुनियर सुपरभाइजर, सेक्युरेटी गार्ड, नाइट वाचमेन, रोड लेन्थ चर्कर, हेल्पर मेकानिक्स, अफिस असिस्टेन्ट, सर्भ हेल्पर, वेल्डर सहायक, रत्न, गणक चेन म्यान, टेप म्यान, स्टाफ म्यान, डिल हेल्पर, ट्रक हेल्पर, सयस Enumerator आदी।	प्रति दिन	८१०.००	८२५.००	८८०.००
८	माली, सहायक परिचालक, स्वीपर, मेहत्तर, धोबी, वन हेराल, चौकिदार, आदी।	प्रति दिन	७४०.००	७५५.००	८००.००
९	सामान लोड अनलोड गर्ने ज्याला	१०० किलो	२५.००	२६.००	२७.००
	सडकको कामको लागि				
१	पिच स्प्रेयर, पिच ब्यायलर	प्रति दिन	९००.००	९१५.००	९७५.००
२	प्याच चर्कर (दिउसो को समयमा काम गर्ने)।	प्रति दिन	८८५.००	९००.००	९५०.००
३	प्याच चर्कर सुपरभाइजर (दिउसो को समयमा काम गर्ने) सुपरभाइजर सरह।	प्रति दिन	९२५.००	९४०.००	१००५.००
४	प्याच चर्कर (रात्री समयमा काम गर्ने)।	प्रति दिन	१२५५.००	१२७५.००	१३००.००
५	प्याच चर्कर सुपरभाइजर (रात्री समयमा काम गर्ने)	प्रति दिन	१२५५.००	१२७५.००	१३५०.००
६	भरिया (४० के.जी. तौल सम्म)	प्रति दिन	९१०.००	९२५.००	९८०.००
७	४ व्हील (4WD) डबल क्याब पिकअप भाडा ईन्धन र चालक समेत	प्रति दिन	६३५०.००	६३५०.००	६८००.००
	२ व्हील (2WD) डबल क्याब पिकअप भाडा ईन्धन र चालक समेत	प्रति दिन		४५००.००	४९००.००
८	४ व्हील (4WD) जिप भाडा ईन्धन र चालक समेत	प्रति दिन	७६२०.००	७६२०.००	८१००.००
	२ व्हील (2WD) जिप भाडा ईन्धन र चालक समेत	प्रति दिन		६५००.००	७०००.००
नोट १: नेपाल सरकारबाट तलबमान निर्धारण भएका प्राविधिक तथा प्रशासनिक पद सरहको जनशक्ति दैनिक ज्यालादारीमा लिनुपरेमा प्रतिदिन ज्याला निर्धारण गर्दा सो पदको तलबमानलाई २६ दिनले भाग गरी आउने रकमलाई प्रतिदिनको ज्याला कायम गर्ने निर्णय गरियो।					
नोट २: नेपाल सरकारबाट तलबमान निर्धारण नभएका प्राविधिक तथा प्रशासनिक पद सरहको जनशक्ति दैनिक ज्यालादारीमा लिनुपरेमा नेपाल सरकारको स्वामित्व रहेका संस्थानबाट निर्धारण गरिएको सो पदको तलबमानलाई २६ दिनले भाग गरी आउने रकमलाई प्रतिदिनको ज्याला कायम गर्ने निर्णय गरियो।					

प्रमुख जिल्ला अधिकारी

सिद्धि

सिद्धि

आ व २०६२/०८३ को पसल)

सि. नं.	घरको बनावट विवरण	स्तर	ईकाई	व्यवसायिक भवनको हकमा			आवासीय भवनको हकमा			व्यवसायिक भवनको हकमा			आवासीय भवनको हकमा		
				सिम्पल कार्य	विद्युत कार्य	स्वानिटरी कार्य	सिम्पल कार्य	विद्युत कार्य	स्वानिटरी कार्य	सिम्पल कार्य	विद्युत कार्य	स्वानिटरी कार्य	सिम्पल कार्य	विद्युत कार्य	स्वानिटरी कार्य
१	आर.सि.सि.फ्रेम लोकल ईटा (सिमेन्टको जोडाई)	उत्तम	ब.फु.	३६२२.५६	१०९.८८	२७४.६५	२६४८.२४	९३.४०	२३३.४५	३६२२.५६	१०९.८८	२७४.६५	२६४८.२४	९३.४०	२३३.४५
२	आर.सि.सि.फ्रेम लोकल ईटा (सिमेन्टको जोडाई)	मध्यम	ब.फु.	३०६४.१०	७०.२७	११६५.००	२४०९.१५	६०.५८	१७३.२५	३०६४.१०	७०.२७	११६५.००	२४०९.१५	६०.५८	१७३.२५
३	आर.सि.सि.फ्रेम लोकल ईटा (सिमेन्टको जोडाई)	सामान्य	ब.फु.	२७०१.७७	३२.२५	१३५.२४	२१२४.२८	२७.४२	११४.९५	२७०१.७७	३२.२५	१३५.२४	२१२४.२८	२७.४२	११४.९५
४	आर.सि.सि.फ्रेम लोकल ईटा (सिमेन्टको जोडाई)	उत्तम	ब.फु.	३०४४.९३	८९.१९	२२२.९४	२३९४.८६	७७.८१	१८९.५०	३०४४.९३	८९.१९	२२२.९४	२३९४.८६	७७.८१	१८९.५०
५	आर.सि.सि.फ्रेम लोकल ईटा (सिमेन्टको जोडाई)	मध्यम	ब.फु.	२४१९.४३	५७.८५	१६५.४५	१९८०.९०	४९.१७	१४०.९३	२४१९.४३	५७.८५	१६५.४५	१९८०.९०	४९.१७	१४०.९३
६	आर.सि.सि.फ्रेम लोकल ईटा (सिमेन्टको जोडाई)	सामान्य	ब.फु.	२२८६.२८	२६.१८	१०९.७८	१७९७.५८	२२.२५	९३.३१	२२८६.२८	२६.१८	१०९.७८	१७९७.५८	२२.२५	९३.३१
७	आर.सि.सि.फ्रेम लोकल ईटा (सिमेन्टको जोडाई)	उत्तम	ब.फु.	३५५१.५७	१०९.८८	२७४.६५	२७९२.४२	९३.४०	२३३.४५	३५५१.५७	१०९.८८	२७४.६५	२७९२.४२	९३.४०	२३३.४५
८	आर.सि.सि.फ्रेम लोकल ईटा (सिमेन्टको जोडाई)	मध्यम	ब.फु.	२९५८.९३	७१.२७	२०३.८२	२९२९.४६	६०.५८	१७३.२५	२९५८.९३	७१.२७	२०३.८२	२९२९.४६	६०.५८	१७३.२५
९	आर.सि.सि.फ्रेम लोकल ईटा (सिमेन्टको जोडाई)	सामान्य	ब.फु.	२७५४.९१	३२.२५	१३५.२४	२१२४.२८	२७.४२	११४.९५	२७५४.९१	३२.२५	१३५.२४	२१२४.२८	२७.४२	११४.९५
१०	आर.सि.सि.फ्रेम लोकल ईटा (सिमेन्टको जोडाई)	उत्तम	ब.फु.	३४३३.२०	८९.१९	२२२.९४	२६९९.३६	७७.८१	१८९.५०	३४३३.२०	८९.१९	२२२.९४	२६९९.३६	७७.८१	१८९.५०
११	आर.सि.सि.फ्रेम लोकल ईटा (सिमेन्टको जोडाई)	मध्यम	ब.फु.	२४१९.४३	५७.८५	१६५.४५	२४०९.१५	६०.५८	१७३.२५	२४१९.४३	५७.८५	१६५.४५	२४०९.१५	६०.५८	१७३.२५
१२	आर.सि.सि.फ्रेम लोकल ईटा (सिमेन्टको जोडाई)	सामान्य	ब.फु.	२२९९.१०	२६.१८	१०९.७८	१८०९.७२	२२.२५	९३.३१	२२९९.१०	२६.१८	१०९.७८	१८०९.७२	२२.२५	९३.३१
१३	लोट विद्युत लोकल ईटाको गारो (सिमेन्टको जोडाई)	सामान्य	ब.फु.	३२६४.४२	१०९.८८	२७४.६५	२२६९.७१	९३.४०	२३३.४५	३२६४.४२	१०९.८८	२७४.६५	२२६९.७१	९३.४०	२३३.४५
१४	लोट विद्युत लोकल ईटाको गारो (सिमेन्टको जोडाई)	मध्यम	ब.फु.	३०५३.९४	७१.२७	२०३.८२	२९६४.६५	६०.५८	१७३.२५	३०५३.९४	७१.२७	२०३.८२	२९६४.६५	६०.५८	१७३.२५



सि. नं.	घरको बनावट विवरण	भारतीय सरकारको प्रमाणित कानूनको आधारमा	आ. व. २०८३/८४ को दररेट						आ. व. २०८३/८४ को दररेट					
			जम्मा भूमापनको हकमा			आवासीय भवनको हकमा			जम्मा भूमापनको हकमा			आवासीय भवनको हकमा		
			विभिन्न कार्य	विद्युत कार्य	स्वाभित्ती कार्य	निर्माण कार्य	विद्युत कार्य	स्वाभित्ती कार्य	विभिन्न कार्य	विद्युत कार्य	स्वाभित्ती कार्य	निर्माण कार्य	विद्युत कार्य	स्वाभित्ती कार्य
३६	सोड विद्युत लोडको गारो (माटोको जोडाई), टायल छाना तथा माटोको । काठको भुई	म. फु.	३६५७.४८	५७.८५	१६५.४५	२८५५.७०	५६.१७	१४०.६३	३६५७.४८	५७.८५	१६५.४५	२८५५.७०	५६.१७	१४०.६३
३७	सोड विद्युत लोडको गारो (माटोको जोडाई), टायल छाना तथा माटोको । काठको भुई	म. फु.	३७९०.१५	२६.१८	१०९.७८	२७४४.१३	२२.२५	९३.३१	३७९०.१५	२६.१८	१०९.७८	२७४४.१३	२२.२५	९३.३१
३८	सोड विद्युत लोडको गारो (माटोको जोडाई), टायल छाना तथा माटोको । काठको भुई	म. फु.	२६९७.९२	२६.१८	१०९.७८	२७४४.१३	२२.२५	९३.३१	२६९७.९२	२६.१८	१०९.७८	२७४४.१३	२२.२५	९३.३१
३९	सोड विद्युत लोडको गारो (माटोको जोडाई), टायल छाना तथा माटोको । काठको भुई	म. फु.	२९५७.८४	२६.१८	१०९.७८	२७४४.१३	२२.२५	९३.३१	२९५७.८४	२६.१८	१०९.७८	२७४४.१३	२२.२५	९३.३१
४०	सोड विद्युत लोडको गारो (माटोको जोडाई), टायल छाना तथा माटोको । काठको भुई	म. फु.	३६६२.२३	२६.१८	१०९.७८	२८००.८०	२२.२५	९३.३१	३६६२.२३	२६.१८	१०९.७८	२८००.८०	२२.२५	९३.३१
४१	सोड विद्युत लोडको गारो (माटोको जोडाई), टायल छाना तथा माटोको । काठको भुई	म. फु.	४०९०.१५	१०९.७८	२७४४.१३	२८५५.७०	५६.१७	१४०.६३	४०९०.१५	१०९.७८	२७४४.१३	२८५५.७०	५६.१७	१४०.६३
४२	सोड विद्युत लोडको गारो (माटोको जोडाई), टायल छाना तथा माटोको । काठको भुई	म. फु.	३६६२.२३	२६.१८	१०९.७८	२८००.८०	२२.२५	९३.३१	३६६२.२३	२६.१८	१०९.७८	२८००.८०	२२.२५	९३.३१
४३	सोड विद्युत लोडको गारो (माटोको जोडाई), टायल छाना तथा माटोको । काठको भुई	म. फु.	३६६२.२३	२६.१८	१०९.७८	२८००.८०	२२.२५	९३.३१	३६६२.२३	२६.१८	१०९.७८	२८००.८०	२२.२५	९३.३१

सम्बन्धी वनावट र स्थितिस्थिति तथा सामान्य/दुपकरण जडानको आधारमा वर्गीकरण

- क) सिफ्ट जडान भएको हकमा रु १५,४२,५००/०० (प्याट समेत) धप गर्नु पर्नेछ । (६ व्यक्ति क्षमता भएको लिफ्ट)
- ख) सेप्टिक ट्यांक तथा सोक पिट (Soak pit) नभएको हकमा भवनको कुल मुल्यांकनमा रु १५,९००/०० (प्याट बाहेक) घटाउनुपर्नेछ ।
- ग) संयुक्त आवास (Apartment) र Housing का भवनहरूको मुल्यांकन गर्दा भवनले खोटेको जग्गा भवन परिसर भित्र रहेका सडक, Swimming Pool लगायतका पूर्वाधारहरू तथा Land scaping कार्य हरूको मुल्यांकन यस दर रेटमा समावेश गरिएकोले सो को छुट्टै मुल्यांकन गर्नुपर्ने छ ।
- घ) माथीका विभिन्न कार्यका दर रेटहरू सामान्य किसिमका जग्गाहरूको लागि निर्धारण गरिएको हो । अन्य किसिमका जग्गाहरूको हकमा जग्गा complex (combined/ Mix) भएमा वा pile foundation भएमा सोको छुट्टै मुल्यांकन गरी भवनको कुल मुल्यांकनमा समावेश गर्ने ।
- ङ) उपरोक्त अनुसारका दररेट प्रयोग गरी घरको मुल्यांकन गर्दा तलसकरी सगण्यताका मुल्यांकनका विधि र सूत्र (Formula) "भवनको लागत मुल्यांकन कार्य विधि २०७०" ले निर्दिष्ट गरे बमोजिम हुनेछ ।

घरभाडा मुल्यांकन प्रयोजनको लागि मुख्य सडकको बायाँ र दायाँ निर्माण भएको घरहरूको हकमा Internal Rate of Return (IRR) १० प्रतिशत र जग्गाको हकमा IRR ५ प्रतिशत कायम गर्ने र मुख्य सडकसँग जोडिएका सहायक सडक र सो सहायक सडकबाट हाँगा फाँटेका सडकको दायाँ र बायाँ निर्माण भएको घरहरूको हकमा IRR क्रमशः घटाउँदै न्यूनतम ६ प्रतिशत सम्म कायम गर्ने तथा जग्गाको हकमा IRR क्रमशः घटाउँदै न्यूनतम ३ प्रतिशत कायम गर्ने निर्णय गरियो ।


(Signature)


(Signature)

पुनः प्रिण्ट

ढुवानी दर

			प्रशासन ललितपुर		
क. सामान ढुवानी					
सि.नं	विवरण	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रु.)		
			०८१।८२	०८२।८३	०८३।८४
१	सजिलो सामान				
१.१	पक्कि सडक	प्र.कि.मि।प्र.मे.ट		३३.००	३६.००
१.२	ग्राभेल सडक	प्र.कि.मि।प्र.मे.ट		४१.००	४५.००
१.३	कच्ची सडक	प्र.कि.मि।प्र.मे.ट		७४.००	८१.००
२	असजिलो सामान				
२.१	पक्कि सडक	प्र.कि.मि।प्र.मे.ट		३८.००	४१.००
२.२	ग्राभेल सडक	प्र.कि.मि।प्र.मे.ट		४५.००	४९.००
२.३	कच्ची सडक	प्र.कि.मि।प्र.मे.ट		७८.००	८५.००
नोट: असजिलो सामान भन्नाले पशुपञ्छी, एच.डि.पि.ई पाईप, तारजाली, बोट बिरुवा, सिसा, बिजुलिको पोल, आयतन ठुला भएका हलुका सामानहरु ईत्यादि लाई जनाईन्छ					



प्रमुख जिल्ला अधिकारी

फलाम जन्त्य निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१	विभिन्न साइजका TMT Bar				
	a) 8 mm dia	के.जी	९४.००	९४.००	९४.००
	b) 10,12,16,20, mm dia	के.जी	९०.००	९०.००	९०.००
	c) 25 mm dia	के.जी	९४.००	९४.००	९४.००
	c) 28,32 mm dia	के.जी	९४.००	९४.००	९४.००
२	विभिन्न साइजका TMT Bar (FE 500D)				
	a) 8 mm dia	के.जी	१०४.००	१०४.००	१०४.००
	b) 10,12,16,20, mm dia	के.जी	१००.००	१००.००	१००.००
	c) 25 mm dia	के.जी	१०४.००	१०४.००	१०४.००
	c) 28,32 mm dia	के.जी	१०४.००	१०४.००	१०४.००
३	विभिन्न साइजको TOR Steel				
	a) 8mm dia TOR steel	के.जी	९४.००	९४.००	९४.००
	b) 10-25mm TOR steel	के.जी	९१.००	९१.००	९१.००
	c) 28-32mm TOR steel	के.जी	९४.००	९४.००	९४.००
४	TOR kari-4.75, 7 mm dia	के.जी	९६.००	९६.००	९६.००
५	Parallel thread rebars couplers				
	a) 16mm dia		९५.००	९५.००	९५.००
	b) 20mm dia		१८०.००	१८०.००	१८०.००
	c) 25mm dia		२५०.००	२५०.००	२५०.००
	d) 28mm dia		३००.००	३००.००	३००.००
	e) 32mm dia		३८०.००	३८०.००	३८०.००
	f) 36mm dia		४१२.००	४१२.००	४१२.००
	g) 40mm dia		७००.००	७००.००	७००.००
६	Parallel threading of rebars with one thread cap				
	a) 16mm dia		२७.००	२७.००	२७.००
	b) 20mm dia		४०.००	४०.००	४०.००
	c) 25mm dia		७४.००	७४.००	७४.००
	d) 28mm dia		९०.००	९०.००	९०.००
	e) 32mm dia		९९.००	९९.००	९९.००
	f) 36mm dia		१६५.००	१६५.००	१६५.००
	g) 40mm dia		१८०.००	१८०.००	१८०.००
७	ठण्डी बाँधेतार	के.जी	१२०.००	१२०.००	१२०.००
८	एम.एस.सोलिड स्वायर रड	के.जी	८०.००	८०.००	८०.००
९	विभिन्न साइजको एम.एस. एङ्गल	के.जी	९३.००	९३.००	९३.००
१०	विभिन्न साइजको व्याक पाईप	के.जी	९३.००	९३.००	९३.००

फलाम जत्त्य निर्माण सामग्री




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. वस्तुतःको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
११	विभिन्न साइजको एम.एस. च्यानल	के.जी	९६.००	९६.००	९६.००
१२	विभिन्न साइजको आइ.विम	के.जी	९४.००	९४.००	९४.००
१३	विभिन्न साइजको एम.एस. प्लेट	के.जी	१६१.००	१६१.००	१६१.००
१४	विभिन्न मोटाइको एम.एस. कालो सिट	के.जी	१६१.००	१६१.००	१६१.००
१५	G.I. Wire				
	i) Heavy Zinc coated				
	8 gauge	के.जी	१२९.००	१२९.००	१२९.००
	10 gauge	के.जी	१२९.००	१२९.००	१२९.००
	12 gauge	के.जी	१२९.००	१२९.००	१२९.००
	ii) Medium zinc Coated				
	8 gauge	के.जी	१२४.००	१२४.००	१२४.००
	10 gauge	के.जी	१२४.००	१२४.००	१२४.००
	12 gauge	के.जी	१२४.००	१२४.००	१२४.००
	iii) Light Zinc Coated/Commercial				
	8 gauge	के.जी	११७.००	११७.००	११७.००
	10 gauge	के.जी	११७.००	११७.००	११७.००
	12 gauge	के.जी	११७.००	११७.००	११७.००
१६	मेशिनबाट बुनिएका, Mechanically selvaged double Twist wire mesh को हेवि जिङ कोटेड तयारी गेवियन वाक्स mesh size-100x120mm , mesh wire-3.0 mm , selvage wire-3.9mm and lacing wire-2.4mm	व.मि.	२७३.००	२७०.००	२७०.००
१७	मेशिनबाट बुनिएका, Mechanically selvaged double Twist wire mesh को हेवि जिङ कोटेड तयारी गेवियन वाक्स mesh size-80x80mm , mesh wire-2.2 mm , selvage wire-2.7mm and lacing wire-2.2mm	व.मि.	३३२.००	३२८.००	३२८.००
१८	मेशिनबाट बुनिएका, Mechanically selvaged double Twist wire mesh को हेवि जिङ र पि.मि.सि.कोटेड तयारी गेवियन वाक्स mesh size-60x80mm , mesh wire-2.2 mm , selvage wire-2.7mm and lacing wire-2.2mm	व.मि.	५४२.००	५३५.००	५३५.००
१९	मेशिनबाट बुनिएका, Mechanically selvaged double Twist wire mesh को हेवि जिङ र पि.मि.सि.कोटेड तयारी जम्बो गेवियन वाक्स mesh size-100x120mm , mesh wire-3.0 mm , selvage wire-3.9mm and lacing wire-2.4mm	व.मि.	३५८.००	३५३.००	३५३.००
२०	मेशिनबाट बुनिएका, Mechanically selvaged double Twist wire mesh को हेवि जिङ र पि.मि.सि.कोटेड तयारी जम्बो गेवियन वाक्स mesh size-100x120mm , mesh wire-2.70mm , selvage wire-3.40 mm and lacing wire-2.20mm	व.मि.	३२२.००	३१८.००	३१८.००
२१	Barbed Wire (कढितार)				
	12 gauge commercial, Medium duty	के.जी	११५.००	११५.००	११५.००

फलाम जन्त्य निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	U-hook for barbed wire fencing	गोटा	०.८९	०.८९	०.८९
२२	Fabrication of chain link mesh of size				
	1"x1" 12 guage	वर्ग मी.	८२७.००	८२७.००	८२७.००
	1.5"x1.5" 12 guage	वर्ग मी.	७७४.००	७७४.००	७७४.००
	2"x2" 10 guage	वर्ग मी.	६९३.००	६९३.००	६९३.००
	3"x3" 10 guage	वर्ग मी.	५०९.००	५०९.००	५०९.००
	4"x4" 10 guage	वर्ग मी.	३९९.००	३९९.००	३९९.००
२३	विभिन्न प्रकारको जालीहरू				
	मसिनो छालको Mosquito proof जाली	व.मि.	१३७.००	१३७.००	१३७.००
	वालुवा चाल्ने जाली	व.मि.	१४३.००	१४३.००	१४३.००
	कुखुरे जाली (Chicken wire mesh)	व.मि.	८६.००	८६.००	८६.००
	ब्रास क्रसिङ्ग जाली	व.मि.	२२४.००	२२४.००	२२४.००
	स्टील जाली (crossing)	व.मि.	१८०.००	१८०.००	१८०.००
	मसिनो छालको Steel Mosquito proof जाली	व.मि.	३१२.००	३१२.००	३१२.००
	फलामबाट निर्मित सामानहरू				
२४	विभिन्न साइजको एम.एस. फलामे पट्टिको ग्रील बनाई जडान गर्ने काम	के.जी.	१५४.००	१५४.००	१५४.००
२५	सोलिड स्वायर रडको ग्रील बनाई जडान गर्ने काम एककोट प्राईमर समेत	के.जी.	१४९.००	१४९.००	१४९.००
२६	कोल्याप्सीबल गेट बनाई जडान गर्ने	व.फि.	४९४.००	४९४.००	४९४.००
२७	१६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	व.फि.	४९५.००	४९५.००	४९५.००
२८	फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्टीप सटर प्वाल भएको	व.फि.	३३२.००	३३२.००	३३२.००
२९	फलामे रोलिङ्ग सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	व.फि.	४९४.००	४९४.००	४९४.००
३०	१६ गेज पाताबाट कम्पाउण्ड बालको गेट बनाई जडान गर्ने (५० X ५० X ५ mm) को फ्रेम समेत	व.फि.	७७२.००	७७२.००	७७२.००
३१	३"-४" व्यासको Iron Black Pipe मा एङ्गल र पट्टि राखी खुडकिला सहितको घुम्ने भन्याङ्ग (Spiral Staircase) तयार गरी जडान समेत (भन्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	३४९४.००	३४९४.००	३४९४.००
३२	फलामको होल्डफास्ट (७ वटाको १ के.जि.)	के.जी.	१४८.००	१४८.००	१४८.००
३३	विभिन्न साइजको किला काटी	के.जी.	१३२.००	१३२.००	१३२.००
३४	विभिन्न साइजको नट बोल्ट	के.जी.	१९५.००	१९५.००	१९५.००
३५	फलामे सामग्रीको फेब्रिकेशन तथा जडान कार्य	के.जी.	४२.००	४२.००	४२.००
३६	Readymade Black Pipe Tubular Truss fitting & fixing work	के.जी.	१६६.००	१६६.००	१६६.००
३७	Mild Steel Props for Concreting 2" dia 3.5 mm wall thickness and 3.5 m- 4.0 m height	गोटा	२३०४.००	२३०४.००	२३०४.००
३८	स्टेनलेस स्टील पाइप				
	३/४" व्यास भएको १६ गेज मोटाई	मीटर	२२९.००	२२९.००	२२९.००

फलाम जन्य निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.म.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	१" व्यास भएको १६ गेज मोटाई	मीटर	२८८.००	२८८.००	२८८.००
	१ १/४" व्यास भएको १६ गेज मोटाई	मीटर	३६७.००	३६७.००	३६७.००
	१ १/२" व्यास भएको १६ गेज मोटाई	मीटर	४४६.००	४४६.००	४४६.००
	२" व्यास भएको १६ गेज मोटाई	मीटर	६०२.००	६०२.००	६०२.००
३९	Supplying & Installation of light Gauge Steel Structure using light steel sections of (90*45*10/90*37*7.5) mm of steel grade G350 & G350 with zinc coating 150 GSM with variable thickness ranging from 0.55mm to 1.2mm as per engineer's design including all necessary accessories such as anchor bolts, teist tie, screws etc. all complete	के.जी.	४७०.००	४७०.००	४७०.००

प्रमुख जिल्ला अधिकारी

सडक र पुल सम्बन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१	Bitumen				
	VG -10	के.जी	१०५.००	१०८.००	Bitumen र Emulsion को हकमा Nepal Bitumen & Barrel Udhdyog Ltd. लगायत अन्य आधिकारिक नितरकबाट दररेट लिई न्यूनतम दररेटलाई कायम गर्ने
	VG -30	के.जी	१०८.३०	११०.००	
२	CRMB-DIGO 55 Bitumen	के.जी	८९.००	८९.००	
३	Catlonic Bitumen Emulsion				
	छिटो जम्ने (RS 60%)	के.जी	८६.५०	८९.००	
	छिटो जम्ने (RS 65%)	के.जी	९९.६०	९४.००	
	छिटो जम्ने (RS 70%)	के.जी	९६.८०	९९.००	
	मध्यम जम्ने (MS 60%)	के.जी	८७.५०	९०.००	
	मध्यम जम्ने (MS 65%)	के.जी	९९.६०	९४.००	
	ढीलो जम्ने (SS60%)	के.जी	८८.५०	९१.००	
४	Slurry Seal with 60% bitumen	के.जी	९५.७०	९८.००	
५	Hi - seal Redymix	के.जी	११२.००	११२.००	
६	Polymer Bitumen	के.जी	१२५.००	१२५.००	
७	सडक कालोपत्रे गर्दा बिटुमीन नउत्कीनको लागी प्रयोग गर्ने सामान Anti stripping	के.जी	३७०.००	३७०.००	४०५.००
८	कालोपत्रे सडक Pot hole टाँल्नको लागी प्रयोग गरिने Pre-coated Aggregate सामग्री	के.जी	३५.००	३५.००	३५.००
९	कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामग्री				
	a) B.S. Grade	के.जि	१९८.००	१९८.००	१९८.००
	b) Most Grade	के.जी	२१९.००	२१९.००	२१९.००
	c) Glass beads	के.जी	१८०.००	१८०.००	१८०.००
१०	Elastomeric Bearing Pad				
	Free Type	गोटा	२४०३९.२८	२६०००.००	२७०००.००
	Fix end Dowel Type	गोटा	५०९९३.००	५०९९३.००	५०९९३.००
११	Expansion Joint Works				
	Single strip seal	र. मि.	१०९३२.००	११०००.००	१२०००.००
	Slab seal (320*50)	र. मि.	१९९९९.००	२१५००.००	२३०००.००
१२	मोटर ट्रस पुलको लागि स्टील पार्ट फेब्रिकेशन फेब्रिकेशन र हट डिप ग्याल्भनाईजेसन समेत गर्ने काम	टन	१७८५००.००	१७८५००.००	१८७४२५.००
१३	मोटर पुलको लागि स्टील प्लेट गर्डरको फेब्रिकेशन र हट डिप ग्याल्भनाईजेसन समेत गर्ने काम	टन	१७८५००.००	१७८५००.००	१८७४२५.००
१४	High density polyethene geo-membrane				
	1.00 mm thickness	व.मि.	६८४.००	६८४.००	६८४.००
	2.00 mm thickness	व.मि.	१३६४.००	१३६४.००	१३६४.००

सडक र पुल सम्बन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१५	Needle punched non woven geo-textile				
	weight-120gm/sqm	ब.मि.	७७.००	७७.००	७७.००
	weight-150gm/sqm	ब.मि.	८६.००	८६.००	८६.००
	weight-200gm/sqm	ब.मि.	१२६.००	१२६.००	१२६.००
१६	Tendon sheath	मी.	३८८.००	३८८.००	३८८.००
१७	Tendon wire	टन	१५१७९६.००	१५१७९६.००	१६५०००.००
१८	Anchor block with cap	गोटा	१०४४७.००	१०४४७.००	१०४४७.००
१९	Road divider (polythene)	गोटा	१७३२.००	१७३२.००	१७३२.००
२०	Dust bin (polythene) 165 ltr	गोटा	३२९१.००	३२९१.००	३२९१.००
२१	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइपको PDA Test गर्ने काम पाइल हेड तयार गर्ने र प्रतिवेदन समेत तयार गर्ने काम	गोटा	१९३८००.००	१९३८००.००	१९३८००.००
२२	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइलको Entrigrety Test गरी प्रतिवेदन समेत तयार गर्ने काम	गोटा	६२४०.००	६२४०.००	६२४०.००
२३	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइलको Cross hole ultrasonic monitor (CHUM) Test गरी प्रतिवेदन समेत तयार गर्ने काम	गोटा	१०९२०.००	१०९२०.००	१०९२०.००
२४	Geogrids	ब. मि.	१४०.००	१४०.००	१४०.००
२५	Pot Bearing				
	Fixed Pot Bearing	गोटा			११२५.००.००
	Long Guided Pot Bearing	गोटा			११७०००.००
२६	Anchorage Assembly	सेट			९४५०.००
२७	Cats eye with shank	गोटा			५२५.००
२८	Cats eye without shank	गोटा			५००.००
२९	Median Reflector	गोटा			५४०.००
	झोलुङ्गे पुल सम्बन्धि				
१	Φ 13 mm thimble	गोटा	७९.००	७९.००	७९.००
२	Φ 28 mm thimble	गोटा	४०१.००	४०१.००	४०१.००
३	Φ 32 mm thimble	गोटा	६८७.००	६८७.००	६८७.००
४	Φ 36 mm thimble	गोटा	१३७३.००	१३७३.००	१३७३.००
५	Φ 40 mm thimble	गोटा	१७१६.००	१७१६.००	१७१६.००
६	Wire mesh netting -10 SWG 50x50 mesh size	ब. मि.	४५७.००	४५७.००	४५७.००
७	Sign Board with Fittings (Size - 60cm X 90cm)	गोटा	७२२३.००	७२२३.००	७२२३.००
८	Hot deep galvanized Bolts, Nuts & Washers	के.जी.	३१२.००	३१२.००	३१२.००
९	Bolts, Nuts & Washers (Hotdip friction Grip)	के.जी.	४१०.००	४१०.००	४१०.००

सडक र पुल सम्बन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१०	High tensile friction grip nut bolts	के.जी.	३७७.००	३७७.००	३७७.००
११	Hot deep galvinazation	के.जी.	५१.००	५१.००	५५.००
१२	3D Semi Flexible Galvanized steel Mat; Panels size (80x115x3000) 3D; , Approx. Wt. 3.0 kg/m2	व. मि.	३८९८.००	३८९८.००	३८९८.००
१३	Binding loops stainless steel , approx wt 6.0 Kg/Bundle	प्रति बण्डल	२२९००.००	२२९००.००	२२९००.००







प्रमुख जिल्ला अधिकारी


स्थानीय निर्माण सामाग्रीहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेककितपरेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१	मेशिनबाट उत्पादित ईटा (१-नं.)	प्रति हजार	१६५०८.००	१६५०८.००	१६५०८.००
२	चिमनी भट्टाको ईटा	प्रति हजार	१५१४५.००	१५१४५.००	१५१४५.००
३	तराई को १ नं.ईटा	प्रति हजार	१७४००.००	१७४००.००	१७४००.००
४	दुका ईटा	घ.मि.	२६२५.००	२६२५.००	२६२५.००
५	सिमेन्टको ईटा				
	BK108N	प्रति हजार	१५४५०.००	१५४५०.००	१५४५०.००
	BK118As	प्रति हजार	१६२७४.००	१६२७४.००	१६२७४.००
	Autoclaved Aerated Concrete Blocks(Sand based)				
	Size 2'8"4"	गोटा	१३७.००	१३७.००	१३७.००
	Size 2'8"6"	गोटा	२०५.००	२०५.००	२०५.००
	Size 2'8"8"	गोटा	२७६.००	२७६.००	२७६.००
	ECO BRICK (Sada)	गोटा	१९.००	१९.००	१९.००
	ECO BRICK (Colour)	गोटा	२१.००	२१.००	२१.००
६	खानीको ढुंगा	घ.फि.	७३.००	७३.००	७८.००
७	विभिन्न प्रकारको खानीको मालुवा	घ.फि.	९०.००	९०.००	९६.००
८	क्रसरबाट उत्पादित ६-१० मी. मी. साइजको गिट्टि	घ.फि.	९०.००	९०.००	९६.००
९	क्रसरबाट उत्पादित १०-२० मी. मी. साइजको गिट्टि	घ.फि.	९५.००	९५.००	१००.००
१०	क्रसरबाट उत्पादित २०-४० मी. मी. साइजको गिट्टि	घ.फि.	९०.००	९०.००	९५.००
११	क्रसरबाट उत्पादित ६ मी.मी. भन्दा कमको गिट्टि	घ.फि.	८४.००	८४.००	८९.००
१२	Crusher run sub-base material	घ.फि.	७०.००	७०.००	७४.००
१३	CRM Base material	घ.फि.	८२.००	८२.००	८६.००
१४	छानामा छाउने क्ले टायलहरु				
	मेशिनबाट उत्पादित टायल	गोटा	१९.००	१९.००	२०.००
	चिमनी भट्टाको टायल	गोटा	१७.००	१७.००	१८.००
	मेशिनबाट उत्पादित धुरी	गोटा	३४.००	३४.००	३६.००
	चिमनी भट्टाको धुरी	गोटा	२८.००	२८.००	२९.००
१५	भुईँमा/ कौसीमा छाप्ने क्ले टायलहरु				
	मेशिनबाट उत्पादित क्ले टायल	गोटा	१०.००	१०.००	११.००
	चिमनी भट्टाको क्ले टायल	गोटा	९.००	९.००	९.७०
१६	छाप्ने ढुङ्गा (Flag stone)				
	१" सम्म बाक्लो सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	व.फि.	८२.००	८२.००	८७.००
	१ १/४" सम्म बाक्लो " "	व.फि.	९४.००	९४.००	१००.००
	२ सम्म बाक्लो ढुङ्गा " "	व.फि.	१११.००	१११.००	११८.००
	२.५ सम्म बाक्लो ढुङ्गा " "	व.फि.	११९.००	११९.००	१२७.००
	२.५" - ३" सम्म बाक्लो ढुङ्गा " "	व.फि.	१४८.००	१४८.००	१५८.००
१७	खोलाको वोल्डर कोवल १०० मि.मि. सम्म	घ.फि.	११३.००	११३.००	१२०.००

स्थानीय निर्माण सामग्रीहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१८	स्थानीय स्तरमा पाउने ग्राभेल (मेलम्ची, टिकाभैरव, भकृष्ण बेसि खानी बाहेकको) (Capping Layer 0-75 mm समेत)	घ.फि.	६१.००	६१.००	६३.००
१९	पहाडी भागमा स्थानीय ढुङ्गा (औसत दुरी ८०० मिटर सम्म)	घ.फि.	७०.००	७०.००	७२.००
२०	भवनको भुईँ कोठाभा पुर्न, सोलिङ्गको Void filling गर्न प्रयोग गरिने बालुवा	"	४८.००	४८.००	५०.००
२१	ढुगाको धुलो (Stone dust)	घ.फि.	३५.००	३५.००	३७.००
२२	लिउन राख्ने माटो (ट्रक ढुङ्गानी बाहेक)	घ.मि.	३१८.००	३१८.००	३१८.००
२३	सफेदमा राख्ने माटो (Granular soil)	घ.मि.	५५०.००	५५०.००	५८५.००
२४	भुस	के.जि.	५.००	५.००	५.००
२५	गोबर	के.जि.	५.००	५.००	५.००
२६	निर्माण कार्यको लागी पानी				
	३ कि.मा. सम्म को दुरीमा	लिट्र	०.२८	०.२८	०.२८
	३ कि.मा. दाख भाषाका दुरीमा	लिट्र	०.३३	०.३३	०.३३
२७	५०० गज प्लाष्टिक सिट	व.मी.	३३.००	३३.००	
२८	Plastic film (२०मा. × १मा.)	रोल	२५४१.००	२५४१.००	२५४१.००
२९	१८-२० फिट लामा बास	गोटा	२४०.००	२४०.००	२४०.००
३२	Compressed Stabilized Earthen Block (CSEB)				
	300x150x100 mm	गोटा	५०.००		५०.००
	230x110x60 mm	गोटा	१४.००	१४.००	१४.००





प्रमुख जिल्ला अधिकारी

प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिडहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.व. २०८१/०८२	आ.व. २०८२/०८३	आ.व. २०८३/८४
१	NP-2 Class Pipes(Plain)				
	150 mm dia.	र.मि	५७०.००	५७०.००	५७०.००
	200 mm dia.	र.मि	७४०.००	७४०.००	७४०.००
	250 mm dia.	र.मि	९२५.००	९२५.००	९२५.००
	300 mm dia.	र.मि	१२६०.००	१२६०.००	१२६०.००
	350 mm dia.	र.मि	१३२५.००	१३२५.००	१३२५.००
	375 mm dia.	र.मि	१५२०.००	१५२०.००	१५२०.००
	400 mm dia.	र.मि	१७५०.००	१७५०.००	१७५०.००
	450 mm dia.	र.मि	१८५२.००	१८५२.००	१८५२.००
	500 mm dia.	र.मि	२०८०.००	२०८०.००	२०८०.००
	600 mm dia.	र.मि	२७४०.००	२७४०.००	२७४०.००
	700 mm dia.	र.मि	३५७५.००	३५७५.००	३५७५.००
	750 mm dia.	र.मि	३८७०.००	३८७०.००	३८७०.००
	800 mm dia.	र.मि	४३२०.००	४३२०.००	४३२०.००
	900 mm dia.	र.मि	५८३५.००	५८३५.००	५८३५.००
	1000 mm dia.	र.मि	६८०५.००	६८०५.००	६८०५.००
	1200 mm dia.	र.मि	८३०१.००	८३०१.००	८३०१.००
	1500 mm dia.	र.मि	१७४५०.००	१७४५०.००	१७४५०.००
२	NP-3 Class Pipes(Plain)				
	150 mm dia.	र.मि	१३१०.००	१३१०.००	१३१०.००
	200 mm dia.	र.मि	१७४५.००	१७४५.००	१७४५.००
	250 mm dia.	र.मि	२१८५.००	२१८५.००	२१८५.००
	300 mm dia.	र.मि	३१४०.००	३१४०.००	३१४०.००
	350 mm dia.	र.मि	३५२०.००	३५२०.००	३५२०.००
	375 mm dia.	र.मि	३७६०.००	३७६०.००	३७६०.००
	400 mm dia.	र.मि	४०१०.००	४०१०.००	४०१०.००
	450 mm dia.	र.मि	४५००.००	४५००.००	४५००.००
	500 mm dia.	र.मि	५०२०.००	५०२०.००	५०२०.००
	600 mm dia.	र.मि	६२००.००	६२००.००	६२००.००
	700 mm dia.	र.मि	७४८५.००	७४८५.००	७४८५.००
	750 mm dia.	र.मि	८६००.००	८६००.००	८६००.००
	800 mm dia.	र.मि	९३८५.००	९३८५.००	९३८५.००
	900 mm dia.	र.मि	१२१७२.००	१२१७२.००	१२१७२.००
	1000 mm dia.	र.मि	१३५२५.००	१३५२५.००	१३५२५.००
	1200 mm dia.	र.मि	१६१००.००	१६१००.००	१६१००.००
	1500 mm dia.	र.मि	२५३००.००	२५३००.००	२५३००.००
३	NP-2 RCC Collar				
	150 mm dia	गोटा	१४५.००	१४५.००	१४५.००
	200 mm dia	गोटा	१९३.००	१९३.००	१९३.००

प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिडहरु


सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/०८२	आ.व. २०८२/०८३	आ.व. २०८३/८४
	250 mm dia	गोटा	२३९.००	२३९.००	२३९.००
	300 mm dia	गोटा	३२४.००	३२४.००	३२४.००
	350 mm dia	गोटा	३५७.००	३५७.००	३५७.००
	375 mm dia	गोटा	३९२.००	३९२.००	३९२.००
	400 mm dia	गोटा	४५१.००	४५१.००	४५१.००
	450 mm dia	गोटा	४७६.००	४७६.००	४७६.००
	500 mm dia	गोटा	५३५.००	५३५.००	५३५.००
	600 mm dia	गोटा	७०६.००	७०६.००	७०६.००
	700 mm dia	गोटा	९२०.००	९२०.००	९२०.००
	750 mm dia	गोटा	९९५.००	९९५.००	९९५.००
	800 mm dia	गोटा	१११०.००	१११०.००	१११०.००
	900 mm dia	गोटा	१५००.००	१५००.००	१५००.००
	1000 mm dia	गोटा	१७५२.००	१७५२.००	१७५२.००
	1200 mm dia	गोटा	२१३७.००	२१३७.००	२१३७.००
	1500 mm dia	गोटा	४४९२.००	४४९२.००	४४९२.००
४	NP-3 Class Collars				
	150 mm dia.	गोटा	३२७.००	३२७.००	३२७.००
	200 mm dia.	गोटा	४३६.००	४३६.००	४३६.००
	250 mm dia.	गोटा	५४४.००	५४४.००	५४४.००
	300 mm dia.	गोटा	७८३.००	७८३.००	७८३.००
	350 mm dia.	गोटा	८७९.००	८७९.००	८७९.००
	375 mm dia.	गोटा	९४०.००	९४०.००	९४०.००
	400 mm dia.	गोटा	१०००.००	१०००.००	१०००.००
	450 mm dia.	गोटा	११२५.००	११२५.००	११२५.००
	500 mm dia.	गोटा	१२५५.००	१२५५.००	१२५५.००
	600 mm dia.	गोटा	१५५०.००	१५५०.००	१५५०.००
	700 mm dia.	गोटा	१८७१.००	१८७१.००	१८७१.००
	750 mm dia.	गोटा	२१५०.००	२१५०.००	२१५०.००
	800 mm dia.	गोटा	२३४४.००	२३४४.००	२३४४.००
	900 mm dia.	गोटा	३०४२.००	३०४२.००	३०४२.००
	1000 mm dia.	गोटा	३३८२.००	३३८२.००	३३८२.००
	1200 mm dia.	गोटा	४०२४.००	४०२४.००	४०२४.००
	1500 mm dia.	गोटा	६३२४.००	६३२४.००	६३२४.००
५	NP-3 Pipes Socket and Spigot				
	150 mm dia.	र.मि	१४८०.००	१४८०.००	१४८०.००
	200 mm dia.	र.मि	२०१०.००	२०१०.००	२०१०.००
	250 mm dia.	र.मि	२५१०.००	२५१०.००	२५१०.००
	300 mm dia.	र.मि	३६०५.००	३६०५.००	३६०५.००
	400 mm dia.	र.मि	४६१०.००	४६१०.००	४६१०.००
	450 mm dia.	र.मि	५१८०.००	५१८०.००	५१८०.००

प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिडहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/०८२	आ.व. २०८२/०८३	आ.व. २०८३/८४
	500 mm dia.	र.मि	५७७०.००	५७७०.००	५७७०.००
	600 mm dia.	र.मि	७१३०.००	७१३०.००	७१३०.००
	700 mm dia.	र.मि	८६१०.००	८६१०.००	८६१०.००
	800 mm dia.	र.मि	१०७९०.००	१०७९०.००	१०७९०.००
	900 mm dia.	र.मि	१४०००.००	१४०००.००	१४०००.००
	1000 mm dia.	र.मि	१४८१४.००	१४८१४.००	१४८१४.००
	1200 mm dia.	र.मि	१८६००.००	१८६००.००	१८६००.००
	1400 mm dia.	र.मि	२५७५०.००	२५७५०.००	२५७५०.००
	1600 mm dia.	र.मि	३२६००.००	३२६००.००	३२६००.००
	1800 mm dia.	र.मि	४३६००.००	४३६००.००	४३६००.००







प्रमुख जिल्ला अधिकारी

भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. नाहेको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१	नेपालबाट उत्पादित विभिन्न ओ.पि.सि सिमेन्ट	ब्याग			
	53 grade		६००.००	६६०.००	६६०.००
	43 grade		५८५.००	६४०.००	६४०.००
२	नेपालबाट उत्पादित विभिन्न पि.पि.सि सिमेन्ट	ब्याग	५००.००	५५०.००	५५०.००
३	सेतो सिमेन्ट (40kg/bag)	ब्याग	१२३०.००	१२३०.००	१२३०.००
४	Ready Made dry mortar (40kg/bag)	ब्याग	१२००.००	१२००.००	१२००.००
५	सिमेन्ट लोड र अनलोड	ब्याग	११.५५	११.५५	११.५५
६	Ready Mix Concrete (चक्रपथबाट १ कि.मि. बाहिर सम्म)				
	M 10 Grade	घ. मि	११६००.००	११६००.००	११६००.००
	M 15 Grade	घ. मि	१२३८८.५०	१२३८८.५०	१२३८८.५०
	M 20 Grade	घ. मि	१३३९२.४५	१३३९२.४५	१३३९२.४५
	M 25 Grade	घ. मि	१४३९३.००	१४३९३.००	१४३९३.००
	M 30 Grade	घ. मि	१७०००.००	१७०००.००	१७०००.००
	M 35 Grade	घ. मि	१७४६०.००	१७४६०.००	१७४६०.००
	M 40 Grade	घ. मि	१८९८९.००	१८९८९.००	१८९८९.००
	Ready Mix- Concrete Premix M45 -KTM	घ. मि	२१०००.००	२१०००.००	२१०००.००
६	स्टेनलेस स्टील रेलीङको कार्य- २ इन्च पाईपको ठाडो पोष्ट, २ इन्चको हेण्डरेल तथा १ इन्च व्यासको तिन तह तैसा पाईप राखी तयार गरि जडान गर्ने काम (उचाई ९० से.मि.)	र.फी.	१२६०.००	१२६०.००	१२६०.००
७	स्टेनलेस स्टील रेलीङको कार्य- २ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको दुई तह तैसा पाईप राखी तयार गरि जडान गर्ने काम	र.फी.	११०२.००	११०२.००	११०२.००
८	स्टेनलेस स्टील रेलीङको कार्य- १.५ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको तिन तह तैसा पाईप राखी तयार गरि जडान गर्ने काम	र.फी.	१०१६.००	१०१६.००	१०१६.००
९	सादा सेतो सिसा				
	३ मी.मी.	व.फि.	५२.००	५२.००	५२.००
	३.५ मी.मी.	व.फि.	५९.००	५९.००	५९.००
	४ मी.मी.	व.फि.	६९.००	६९.००	६९.००
	५ मी.मी.	व.फि.	७९.००	७९.००	७९.००
	६ मी.मी.	व.फि.	१०६.००	१०६.००	१०६.००
	८ मी.मी.	व.फि.	१५९.००	१५९.००	१५९.००
	१० मी.मी.	व.फि.	२०२.००	२०२.००	२०२.००
	१२ मी.मी.	व.फि.	२३४.००	२३४.००	२३४.००
१०	बुट्टेदार सिसा				
	३ मी.मी.	व.फि.	५१.००	५१.००	५१.००
	४ मी.मी.	व.फि.	६०.००	६०.००	६०.००
११	पोलि फाईबर ग्लास				
	६ मी.मी.	व.फि.	१६४.००	१६४.००	१६४.००

भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१२	कालो रङ्गको सिसा				
	३.मी.मी.	व.फि.	१०२.००	१०२.००	१०२.००
	४ मी.मी.	व.फि.	१०९.००	१०९.००	१०९.००
	५ मी.मी.	व.फि.	१२७.००	१२७.००	१२७.००
	६ मी.मी.	व.फि.	१८४.००	१८४.००	१८४.००
	८ मी.मी.	व.फि.	२६४.००	२६४.००	२६४.००
	१० मी.मी.	व.फि.	३७३.००	३७३.००	३७३.००
	१२ मी.मी.	व.फि.	४२६.००	४२६.००	४२६.००
१३	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने				
	५ मि.मि बाक्लो	व.फि.	१२३.००	१२३.००	१२३.००
१४	छानामा प्रयोग गरिने बुझ्दोर ऐना Itching Glass with simple shade and texture -४ मी.मी. बाक्लो	व.मि.	६५१०.००	६५१०.००	६५१०.००
१५	विभिन्न रंगको Reflector Glass (शिशु) -५ मी.मी मोटो	व.फि.	१९६.००	१९६.००	१९६.००
१६	Readymade Plaster of Parish cornice and molding				
	POP Molding 1" to 1½"	र.मि	२५३.००	२५३.००	२५३.००
	Up to 5" wide	र.मि	३०३.००	३०३.००	३०३.००
	Up to 8" wide	र.मि	४१९.००	४१९.००	४१९.००
	Above 8" wide	र.मि	१७१.००	१७१.००	१७१.००
१७	Plaster of paris	कि.ग्रा.	२४.००	२४.००	२४.००
१८	Wall putty-Normal	कि.ग्रा.	३७.००	३७.००	३७.००
१९	Wall putty-water proof	कि.ग्रा.	६३.००	६३.००	६३.००
२०	राजस्थानी मार्बल				
	१३ मी.मी बाक्लो राजस्थानी	व.फि.	१७९.००	१७९.००	१७९.००
	१६ मी.मी बाक्लो राजस्थानी	व.फि.	१९६.००	१९६.००	१९६.००
२१	ग्रेनाइट				
	१२ मी.मी बाक्लो ग्रेनाइट	व.फि.	२७९.००	२७९.००	२७९.००
	१६ मी.मी बाक्लो ग्रेनाइट	व.फि.	३६६.००	३६६.००	३६६.००
	१८ मी.मी बाक्लो ग्रेनाइट	व.फि.	४२१.००	४२१.००	४२१.००
२२	कोटा स्टोन				
	1" thick	व.फि.	१५९.००	१५९.००	१५९.००
	3/4" thick	व.फि.	१४६.००	१४६.००	१४६.००
२३	Porcelain Glazed Tiles (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Thal Tiles	व.फि.	१३४.००	१३४.००	१३४.००
	floor tile	व.फि.	९०.००	९०.००	९०.००
	Ordinary Floor and Wall tiles	व.फि.	५७.००	५७.००	५७.००
	Border Tile - 2"x8"	र.फि.	४५.००	४५.००	४५.००
	Ceramic Wall Tile (31"x45cm)	व.फि.	१९१.००	१९१.००	१९१.००

भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको लिस्ट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Ceramic Floor Tile (31"45cm)	व.फि.	१५५.००	१५५.००	१५५.००
	24" x 24" GVT	व.फि.	१५५.००	१५५.००	१५५.००
	24" x 24" GRES Vitrified (Digital Floor)	व.फि.	१५३.००	१५३.००	१५३.००
	12" x 12" GRES homogenous Vitrified parking Tile	व.फि.	१०६.००	१०६.००	१०६.००
	24" x 24" Vitrified	व.फि.	११८.००	११८.००	११८.००
	Floor tiles-				
	16"X16"	व.फि.	१०३.००	१०३.००	१०३.००
	12"x12"	व.फि.	९२.००	९२.००	९२.००
	12"X12" (White / Ivory)	व.फि.	८१.००	८१.००	८१.००
	24"x24" (Digital)	व.फि.	१२७.००	१२७.००	१२७.००
	12"x24" (Walls)	व.फि.	१३५.००	१३५.००	१३५.००
	12"x18"(wall)	व.फि.	१०७.००	१०७.००	१०७.००
	Artificial Granite (800mmx2600mm)	व.फि.	४७९.००	४७९.००	४७९.००
	GVT Floor Tile (900mm x 1800mm)	व.फि.	३७३.००	३७३.००	३७३.००
	Double Charge Floor tile (800mmx800mm)	व.फि.	१५८.००	१५८.००	१५८.००
	Double Charge Floor tile (600mmx600mm)	व.फि.	१२७.००	१२७.००	१२७.००
	GVT Floor Tile (800mm x 1800mm)	व.फि.	२१३.००	२१३.००	२१३.००
	10"x24" (Walls)	व.फि.	१३३.००	१३३.००	१३३.००
	(600mmx1200mm) Homogeneous Floor Tile (Full Body)	व.फि.	२३७.००	२३७.००	२३७.००
	(600mmx600mm) Homogeneous Floor Tile (Full Body)	व.फि.	१७०.००	१७०.००	१७०.००
	Planks Tile-GVT (200mm x 1200mm)	व.फि.	२३३.००	२३३.००	२३३.००
	Planks tile-Ceramic (148mm x 600mm)	व.फि.	१५८.००	१५८.००	१५८.००
	SST Vitrified Tile-Ivory (600mm x 600mm)	व.फि.	१२०.००	१२०.००	१२०.००
	Parking Tiles-Digital Vitrified (300mm x 300mm)	व.फि.	१२०.००	१२०.००	१२०.००
	Ceramic Floor-(600mm x 600 mm)	व.फि.	११५.००	११५.००	११५.००
	Ceramic Floor-Terrace/Kitchen (397mm x 397mm)	व.फि.	१२०.००	१२०.००	१२०.००
	Parking Tiles-Digital Vitrified(12mm) (400mm x 400mm)	व.फि.	१४०.००	१४०.००	१४०.००
	GVT Floor Tile(Glazed Vitrified Tile) (600mm x 600mm)	व.फि.	१५३.००	१५३.००	१५३.००
	GVT Floor Tile(Glazed Vitrified Tile) (600mm x1200mm)	व.फि.	१९७.००	१९७.००	१९७.००
	GVT Floor Tile(Glazed Vitrified Tile) (800mm x 800mm)	व.फि.	१६७.००	१६७.००	१६७.००
	DCH Floor Tile(Double Charge) (600mm x 1200mm)	व.फि.	१७८.००	१७८.००	१७८.००
	Bathroom/Kitchen Wall-Ceramic (300mm x 600mm)	व.फि.	१४७.००	१४७.००	१४७.००
	Vitrified Elevation Tile (300mm x 600mm)	व.फि.	१५७.००	१५७.००	१५७.००
	Vitrified Floor-Matte (600mm x 600mm)	व.फि.	१४८.००	१४८.००	१४८.००

भवन निर्माणमा प्रयोग हुने निर्माण सामग्री


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
२४	छानामा टाइलको बुट्टा काट्ने र पानी पट्टी कार्य				
	१.४ भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १" बाक्लो प्लाष्टरमा रुफिङ टाइलको बुट्टा काट्ने सामान सहित	व.मि.	६६४.००	६६४.००	६६४.००
	१" साइजको १:३ भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम	र.मी	७९.००	७९.००	७९.००
२५	Heritage Wall Surface Texture (Interior and Exterior) including the cost of supplying and fitting				
	Heritage granular	व.फि	९२.००	९२.००	९२.००
	Heritage flakes	व.फि	११४.००	११४.००	११४.००
	Heritage granite finish	व.फि	९२.००	९२.००	९२.००
	Heritage Top coat (plastic lamination)	व.फि	२३.००	२३.००	२३.००
	Plastic Sheet 500 guage	व.मि	४०.००	४०.००	४४.००
	Plastic Tripal 500 guage	व.मि	४३.००	४३.००	४७.००
२८.०	Sandwitch/EPS Non burn Panel				
२८.१	Ivory colour Flat Wall Panel(0.4*1040) -50 mm	व.फि	२१६.००	२१६.००	२१६.००
	Ivory colour Flat Wall Panel(0.4*1040) -75 mm	व.फि	२५२.००	२५२.००	२५२.००
	Ivory colour Wall Panel(0.4*1040) -100 mm	व.फि	२८८.००	२८८.००	२८८.००
२८.२	Gray colour R.P Wall Panel(0.4*1105) -50 mm	व.फि	२४०.००	२४०.००	२४०.००
	Gray colour R.P Wall Panel(0.4*1105) -75 mm	व.फि	२७६.००	२७६.००	२७६.००
	Gray colour R.P Wall Panel(0.4*1105) -100 mm	व.फि	३१२.००	३१२.००	३१२.००
२८.३	Wooden Colour Sliding Wall Panel(0.4*1219) -75mm	व.फि	३००.००	३००.००	३००.००
	Wooden Colour Sliding Wall Panel(0.4*1219) -100mm	व.फि	३३६.००	३३६.००	३३६.००
२८.४	Black colour Zing Wall & Roof Panel(0.4*1219) -50mm	व.फि	२८८.००	२८८.००	२८८.००
	Black colour Zing Wall & Roof Panel(0.4*1219) -75mm	व.फि	३२४.००	३२४.००	३२४.००
	Black colour Zing Wall & Roof Panel(0.4*1219) -100mm	व.फि	३६०.००	३६०.००	३६०.००
२८.५	Roof Blue & Orange colour (0.4*1219) -50mm	व.फि	२५२.००	२५२.००	२५२.००
	Roof Blue & Orange colour (0.4*1219) -75mm	व.फि	२८८.००	२८८.००	२८८.००
	Roof Blue & Orange colour (0.4*1219) -100mm	व.फि	३२४.००	३२४.००	३२४.००
२८.६	Steel Door (900*2100) 80 T	गोटा	१५२७४.३४	१५२७४.३४	१५२७४.३४
	Steel Door (1000*2100) 80 T	गोटा	१६१५९.२९	१६१५९.२९	१६१५९.२९
२८.७	ABS Door (900*2100) 80 T	गोटा	१३५०४.४२	१३५०४.४२	१३५०४.४२
२८.८	Panel Door (900*2100) 80 T	गोटा	११७३४.५१	११७३४.५१	११७३४.५१
२८.९	Window (115mm)	व.फि	७६६.०२	७६६.०२	७६६.०२
	Steel door				
	Providing and fitting 30 Minute Fire-Resistance Steel Door with all complete set of frame 1.6mm EGI Steel, leaf 0.8~0.5mm EGI Steel, core insulation Honey comb, 50 mm Thickness of Steel Door	व.फि	११००.००	११००.००	११००.००


भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Providing and fitting 60 Minute Fire-Rated Steel Door (1000x2100 mm) with all complete set of frame 1.6mm GI/EGI Sheet, leaf 0.8mm GI/EGI Steel on both side, core insulation Honey comb/glass wool fire rated material.	व.फि	२५२५.००	२५२५.००	२५२५.००
	Providing and fitting 60 Minute Fire-Rated Steel Emergency Door (1000x2100 mm) with all complete set of frame 1.6mm GI/EGI Sheet, leaf 0.8mm GI/EGI Steel on both side, core insulation Honey comb/glass wool fire rated material.	व.फि	३४००.००	३४००.००	३४००.००
	Providing and fitting Lead Line Radiation Proof Door (1000x2100 mm) with all complete set of frame 1.6mm GI/EGI sheet and 2mm lead sheet frame inside its section, 2 mm lead sheet pasted inside the door leaf.	व.फि	६७००.००	६७००.००	६७००.००
	Panel door				
	Providing and fitting Steel Panel Door all complete set of frame 0.4mm Aluminum, leaf Nonburn EPS Panel framed by 0.4mm Aluminum	व.फि	७२०.००	७२०.००	७२०.००
	UPVC Window				
	Providing and fitting 115mm thick multi-chamber frame thick UPVC Window all complete set along with frame having wall thickness of 2.0mm~3.0mm and 1.5(+0.2)mm thick galvanized mild steel section. Fitting materials and accessories for window, sliding windows with stainless insect screen.	व.फि	८८८.००	८८८.००	८८८.००
	CLADDING				
१	MCM Brick Cladding	व.फि	४०५.००	४०५.००	४०५.००
२	MCM Slate Stone Cladding	व.फि	४७९.००	४७९.००	४७९.००
३	MCM Oasis Stone Cladding	व.फि	५२२.००	५२२.००	५२२.००
४	MCM Wood Cladding	व.फि	५९७.००	५९७.००	५९७.००
५	MCM Travertine Stone Cladding	व.फि	७३५.००	७३५.००	७३५.००
	Laminates				
१	Liner 0.7mm	per sheet (8'X4')	१११९.००	१११९.००	१११९.००
२	0.8 mm SUD		१५९९.००	१५९९.००	१५९९.००
३	Texture code: UBL, WWS, VEC, FLU, BST, FLK, PAR 0.8		१८१२.००	१८१२.००	१८१२.००
४	PGL 0.8 mm		१८१२.००	१८१२.००	१८१२.००
५	Marker Grade MGD 0.8 mm		१९१९.००	१९१९.००	१९१९.००
६	SUD 0.8 mm		१५९९.००	१५९९.००	१५९९.००
७	Texture code: LMN, TWL, AQU, CLG, CRI, CRB, CRO, MBR, MAT, OSS, WDP 0.8 mm		१८१२.००	१८१२.००	१८१२.००
८	gloss PRG 0.8 mm		१८१२.००	१८१२.००	१८१२.००
९	marker grade MGD 0.8 mm		१९१९.००	१९१९.००	१९१९.००
१०	metal ZRL 0.8 mm		५८६४.००	५८६४.००	५८६४.००
११	Plain 1mm		२६६५.००	२६६५.००	२६६५.००
१२	Texture 1mm		३१९८.००	३१९८.००	३१९८.००
१३	SUD 1mm		२७७२.००	२७७२.००	२७७२.००
१४	Texture code: ASH/CHS,CTR,EMI,HSC,PTR,RAF, 1mm SGL, NLT, OLM, SAN, STC, SPK, SRA, STN, TST, TXM		३७३१.००	३७३१.००	३७३१.००

भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. नाहेको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१५	Special Texture code:SYN, VRB, ARA, SAT, TRC 1mm		४२६४.००	४२६४.००	४२६४.००
१६	HDG 1mm		४७९७.००	४७९७.००	४७९७.००
१७	Unicore 1mm		७९९६.००	७९९६.००	७९९६.००
१८	Metal 1mm		७९९६.००	७९९६.००	७९९६.००
१९	EXTERIOR FAÇADE				
	Clads Solids 6mm	व.फि	६९३.००	६९३.००	६९३.००
	Clads Wood Grains 6mm	व.फि	७७२.००	७७२.००	७७२.००
२०	Ceramic, glazed & glossy bathroom wall tiles size of 30X60 cm of 9mm thickness	व.फि	१०५.००	१०५.००	१०५.००
२१	Porcelain, unglazed, matte & unpolished bathroom floor tiles sizes of 30X30 cm of 8mm thickness	व.फि	८०.००	८०.००	८०.००
२२	Ceramic, glazed, matte, glossy kitchen wall tile size of 30X45cm of 9mm thickness	व.फि	८०.००	८०.००	८०.००
२३	Porcelain unglazed & unpolished kitchen floor tile size of 60X60 cm of 10mm thickness	व.फि	१०५.००	१०५.००	१०५.००
२४	Porcelain unglazed & unpolished Indoor Floor Area/Corridor Tile sizes of 60X60 cm of 10mm thickness	व.फि	१०५.००	१०५.००	१०५.००
२५	Vitrified body unglazed, matt outdoor floor area tile sizes of 60X60 cm of 10mm thickness	व.फि	१३५.००	१३५.००	१३५.००
२६	Vitrified body unglazed, matt Terrace/Balcony Tile sizes of 40X40 cm of 10 mm thickness	व.फि	१३५.००	१३५.००	१३५.००
२७	Vitrified body unglazed Parking tile sizes of 30X30 cm of thickness 10 mm thickness	व.फि	१२५.००	१२५.००	१२५.००
२८	Vitrified body unglazed facade tile size of 30X60 cm of thickness 10 mm thickness	व.फि	१६०.००	१६०.००	१६०.००
२९	Ceramic matte facade tile size of 30X45 cm of thickness of 9 mm thickness	व.फि	११०.००	११०.००	११०.००
३०	Vitrified body unglazed matt tile of size 60X120 cm of 10 mm thickness	व.फि	१७५.००	१७५.००	१७५.००
३१	Vitrified body unglazed matt tile of size 60X60 cm of 10 mm thickness	व.फि	१३५.००	१३५.००	१३५.००





पल्लु जिल्ला अधिकारी

Aluminum Doors and Windows



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	102 SERIES WINDOWS				
१	Providing and fixing Single Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer).	Sq.ft.	६८९.००	६८९.००	७५७.००
२	Providing and fixing Double Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer).	Sq.ft.	७५९.००	७५९.००	८३४.००
३	Providing and fixing Single Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	Sq.ft.	८७७.००	८७७.००	९६४.००
४	Providing and fixing Double Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	Sq.ft.	९६६.००	९६६.००	१०६२.००
५	Supply and installation for pre-engineered System Slide window with 6063-TS Aluminium alloy anodized conforming to JIS 4100 with Texgaard coating of 20 microns (± 2 microns) , available in 8 standard shades, All Thai Sections are directly shall be come from factory to site in a packed boxes. The system comprising of aluminium outer frame profiles & shutter (Sash) profiles packed separately in two boxes for each window as per drawings provided by client. All Profile Dim - Frame 72X35mm, Sash bottom 19X39.5mm with (Min Height :400mm Max :1600 mm) and (Min: Width 700mm max: 2400 mm) along with Mesh along with Toughened Glass upto 8 mm Thickness and 789 grade weather silicon. All necessary ZDC handle, POM bearing roller upto 200 kg ,SUS430 grade assembly screws, mechanical End Connection having special nano seal for superior sealing at all 04 corners with pvc gasket, shall be of original manufacturer make. Such material supplied is ready to glaze & assemble with all hardwares,weather seals ,nano gasket ,air piece etc. prefitted from the factory All System Certified by ASTM E330:2000Pa for Wind Pressure, Water Tightness penetration test ASTM E300:300 Pa, Air Infiltration Test ASTM E283:10.7m3/h.m, Noise insulation performance test JIS 25dB (A4706 and A4702) Along with Proof load test ASTM E330-02 in pressure at +/-3000Pa. The crescent handle /lock & rollers shall be tested for 30,000 & 100,000 cycles of operation respectively conforming to JIS A4706 .The interlock section shall be housing antilift mechanism to enhance security.Contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified installer.	Sq Mtr	१५६६६.००	१५६६६.००	१५६६६.००
	90 SERIES WINDOWS				
१	Providing and fixing 2 or 3 Panel Sliding Window of aluminum section in naturally anodized or Black anodized/powder coated color, Section size (87x56x1.20 mm) fitted with 5 mm clear glass without fly mesh shutter. (window size 6' x 5' or average area 30 sq. feet per window).	Sq.ft.	५५०.००	५५०.००	६०५.००
२	Providing and fixing 2 or 3 panel sliding window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x56x1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	६३४.००	६३४.००	६९७.००

Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बहिर्की दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
३	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x65x1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	४९९.००	४९९.००	६४८.००
४	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x56x1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	६९०.००	६९०.००	७५९.००
५	Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x25+12x1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel).	Sq.ft.	४५६.००	४५६.००	५०९.००
६	Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x25+12x1.5 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel).	Sq.ft.	४२४.००	४२४.००	४७६.००
७	Providing and fixing Fly Mesh Shutter with stainless steel fly mesh in 90 series for sliding window. (Section thickness 1 mm)	Sq.ft.	२००.००	२००.००	२२०.००
102 SERIES PARTITION					
१	Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102x45x1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 8.00 Sq.ft).	Sq.ft.	४५३.००	४५३.००	६०८.००
२	Providing and fixing Half Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102x45x1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft).	Sq.ft.	६००.००	६००.००	६६०.००
64 SERIES PARTITION					
१	Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized color Section size (64x38x1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 8.00 Sq.ft).	Sq.ft.	४९४.००	४९४.००	४५६.००
२	Providing and fixing low height partition of aluminum section in naturally anodized or black anodized color Section size (64x38x1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft).	Sq.ft.	५०९.००	५०९.००	४४९.००
३	Providing and fixing Doors on Partition of aluminium section in natural/black anodized or powder-coated color (64*38*1.1 mm) frame size and suitable panel size fitted with 5 mm clear glass or 9 mm Both Side Laminated (BSL) board. (average panel area 21.00 Sq.ft)	Sq.ft.			८७५.००
ACOUSTIC PARTITION					
	SLIDING AND FOLDING ACOUSTIC PARTITION Providing and fixing operable partition consisting of series of individual flat elements of 100 mm thick travelling along the ceiling track assembled to form a solid wall. The sound insulation of the operable partition should be 50db.	Sq.m.	४६८००.००	४६८००.००	४६८००.००
STRUCTURAL GLAZING					
१	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x50+13x1.3 mm) fitted with 5 mm color glass. (average panel area 6.00 Sq.ft.)	Sq.ft.	५८४.००	५८४.००	६४२.००

Aluminum Doors and Windows



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
२	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x75+13x1.6 mm) fitted with 5 mm color glass . (average panel area 6.00 Sq.ft.)	Sq.ft.	६७८.००	६७८.००	७४५.००
३	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x100+13x2 mm) fitted with 5 mm color glass . (average panel area 6.00 Sq.ft.)	Sq.ft.	८२४.००	८२४.००	९०६.००
४	Providing and fixing Structural Glazing of Aluminium Section with Pressure Plate in Natural or Color (Anodized/Powder Coated) Section Size 60x75+13x1.3 mm fitted with 5 mm color glass (Average panel area 6.00 sq.ft).	Sq.ft.			११५०.००
५	Providing and fixing Structural Glazing of Aluminium Section with Pressure Plate in Natural or Color (Anodized/Powder Coated) Section Size 60x100+13x2 mm fitted with 5 mm color glass (Average panel area 6.00 sq.ft).	Sq.ft.			१५००.००
६	Providing and fixing Structural Glazing of Aluminium Section with Pressure Plate in Natural or Color (Anodized/Powder Coated) Section Size 60x80+32x2 mm fitted with 5+10+5 mm Double Glazed Toughened glass (Average panel area 6.00 sq.ft).	Sq.ft.			२१००.००
GLASS DOOR & PARTITION					
१	Providing and fixing Fixed Glass Door of 12 mm Clear Toughened Glass with Stainless Steel patches or Aluminium Frame (Ground Floor).	Sq.ft.	१३२१.००	१३२१.००	१४५३.००
२	Providing and fixing Fixed Glass Partition of 12 mm Clear Toughened Glass with Stainless Steel patches or Aluminium Frame (Ground Floor).	Sq.ft.	८७१.००	८७१.००	९४८.००
३	Providing and fixing Fixed Glass Partition of 12 mm Clear Toughened Glass with Spider Fitting.	Sq.ft.	१४२१.००	१४२१.००	१५६३.००
Aluminium Composite Panel (ACP).					
१	Providing and fixing ACP Cladding on wall (Exterior) 3 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x38 mm Aluminium Tube framing.	Sq.ft.	३५५.००	३५५.००	३७५.००
२	Providing and fixing ACP Cladding on wall (Exterior) 4 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x38 mm Aluminium Tube framing.	Sq.ft.	४७६.००	४७६.००	५०५.००
FABRIC LINED ACOUSTIC PANEL					
१	DEMOUNTABLE FABRIC LINED ACOUSTIC PANEL: Providing and fixing of fabric panel made with 12mm thick marine ply (BWP) with a top layer of 3mm thick layer of TECSOUND50 soundproofing membrane, then a layer of 50mm Infill of resin bonded glass wool (24 kg/cum), wrapped in tissue fiber matt supported suitably with a layer of perforated 12 mm marine ply(BWP) (perforation to be 20% of the surface area).	Sq.m	२६०००.००	२६०००.००	२८६००.००


प्रमुख जिल्ला अधिकारी

Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको लिस्तेनुई		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	ALUMINIUM DOOR & WINDOW				
१	Supply and installation for Casement door & Window pre-engineered System with 6063-TS Aluminium alloy anodized conforming to JIS 4100 with Texguard coating of 20 microns (± 2 microns), available in 6 standard shades, All 11thai Sections are directly shall be come from factory to site in a packed boxes. The system comprising of aluminium outer frame profiles & shutter (Sash) profiles packed separately in two boxes for each window as per drawings provided by client. All Profile Dim - Frame 72X35mm, Sash bottom 19X39.5mm with (Min Height :400mm Max :1600 mm) and (Min: Width 700mm max: 2400 mm) with Toughened Glass upto 8 mm Thickness and 789 grade weather silicon. All necessary ZDC handle, POM bearing roller upto 200 kg, SUS430 grade assembly screws, mechanical End Connection having special nano seal for superior sealing at all 04 corners with pvc gasket, shall be of original manufacturer make. Such material supplied is ready to glaze & assemble with all hardware, weather seals, nano gasket, air piece etc. prefitted from the factory All System Certified by ASTM E330:2000Pa for Wind Pressure, Water Tightness penetration test ASTM E300:300 Pa, Air Infiltration Test ASTM E283:10.7m ³ /h.m, Noise insulation performance test JIS 25dB (A4706 and A4702) Along with Proof load test ASTM E330-02 in pressure at +/-3000Pa. The crescent handle /lock & rollers shall be tested for 30,000 & 100,000 cycles of operation respectively conforming to JIS A4706. The interlock section shall be housing and lift mechanism to enhance security. Contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer.	Sq Mtr	१६९००.००	१६९००.००	१६९००.००
२	EXTERNAL / INTERNAL GLAZED DOOR (FIRE RATED AND ACOUSTICALLY TREATED) ALUMINIUM WITH THERMAL BREAK (CASEMENT- NC 65 HDS): Providing and fixing 46mm thk. TGU with a configuration of 8mm thk. TG+12mm air gap+6mm thk. TG+14 mm air gap+ 6mm TG with performance parameter of the composite	Sq.m	१०२०००.००	१०२०००.००	१०२०००.००
३	Steel Door & Windows				
	Steel Door (a set with frame)				
	900x2100	set	२१८४०.००	२१८४०.००	२४०२४.००
	1000x2100	set	२२८८०.००	२२८८०.००	२४१६८.००
	ABS Door				
	900x2100	set	१८७२०.००	१८७२०.००	२०४९२.००
	Panel Door				
	900x2100	set	१४४६०.००	१४४६०.००	१६०१६.००
	Window				
	115mm	set	९३२.००	९३२.००	१०२४.००

प्रमुख जिल्ला अधिकारी



नेपाल सरकार
रुह मन्त्रालय
जिल्ला प्रशासन कार्यालय

काठ तथा प्लाइउड संवन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको लिबर्टी		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१	६' सम्मको सालकाठ	घ. फि	४८८०.००	४८८०.००	४८८०.००
२	६' देखि ८' सम्मको सालकाठ	घ. फि	६०९०.००	६०९०.००	६०९०.००
३	८' देखि १२' सम्मको सालकाठ	घ. फि	६५६२.००	६५६२.००	६५६२.००
४	१२ फिट देखि माथिको साल काठ	घ. फि	६९३०.००	६९३०.००	६९३०.००
५	साज काठ	घ. फि	३५१७.००	३५१७.००	३५१७.००
६	जामुन काठ	घ. फि	२२५७.००	२२५७.००	२२५७.००
७	सल्लाको काठ	घ. फि	१६२७.००	१६२७.००	१६२७.००
८	सिसौ काठ	घ. फि	३६७५.००	३६७५.००	३६७५.००
९	जंगली सिसौ काठ	घ. फि	५५३३.००	५५३३.००	५५३३.००
१०	उतीस को काठ	घ. फि	६६८.००	६६८.००	६६८.००
११	काठ दाउरा	के.जी	१९.००	१९.००	१९.००
१२	३८ मि.मि. मोटाईको केमिकल्ली ट्रिटेड मेसिनमेड वाटरप्रूफ, बोरेर फि सोलीडकोर फ्लसडोर सटर				
	साधारण				
	Plain	व.फि	२५३.००	२५३.००	२५३.००
	Ordinary-one side teak water proof	व.फि	३०१.००	३०१.००	३०१.००
	Both side teak water Proof	व.फि	३५०.००	३५०.००	३५०.००
	वाटर प्रूफ गरिएको				
	Plain	व.फि	२६४.००	२६४.००	२६४.००
	One side teak	व.फि	३१०.००	३१०.००	३१०.००
	Both side teak	व.फि	३५८.००	३५८.००	३५८.००
१३	कुदिएको काठको काम तयारी				
	भन्याङ्को रेलिङ तथा बार्दली आदिमा कुदिएको स्थानीय सीसौ काठको हुक्का (२'-६"x३"x३")	गोटा	१०८०.००	१०८०.००	१०८०.००
	भन्याङ्को रेलिङ तथा बार्दली आदिमा कुदिएको जंगली स्पेशल सीसौ काठको हुक्का (२'-६"x३"x३")	गोटा	१३२३.००	१३२३.००	१३२३.००
	भन्याङ्को रेलिङ तथा बार्दली आदिमा कुदिएको सीसौ काठको हेण्ड रेल (३"x४")	र.फि.	७२४.००	७२४.००	७२४.००
	भन्याङ्को रेलिङको घुम्ने ठाउँमा कुदिएको सीसौ काठको गोसो हेण्ड रेल (३"x४")	गोटा	२३६२.००	२३६२.००	२३६२.००
	देवी देवताको मुर्ति कुदिएको ४' देखि ५' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	गोटा	१३५००.००	१३५००.००	१३५००.००
	देवी देवताको मुर्ति कुदिएको ६' देखि ७' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	गोटा	२२५००.००	२२५००.००	२२५००.००
	विभिन्न ऋहा तथा देवी देवताको मुर्ति कुदिएको साल काठको भ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म)	व.फि.	३१५०.००	३१५०.००	३१५०.००
	घोडाको आकृति गरि कुदिएको ४"x ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम।	गोटा	७२८०.००	७२८०.००	७२८०.००
	सामान्य प्रकारको कुदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	१३५०.००	१३५०.००	१३५०.००

प्रमुख जिल्ला अधिकारी


नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय

काठ तथा प्लाइउड संवन्धि निर्माण सामाग्री

सि.न.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दरिष्ठपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	मध्यम प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	१६२०.००	१६२०.००	१६२०.००
	विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक सहीत	व.फि.	२३६२.००	२३६२.००	२३६२.००
	विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक नभएको	व.फि.	१९८०.००	१९८०.००	१९८०.००
	३"X १.५" साइजको सालको काठको कुँदिएको पली तयारी गर्ने काम	र.फि.	३६०.००	३६०.००	३६०.००
	कुँदिएको विभिन्न बुझा राखी बनाएको साल काठको ४"X ५"को कार्नेस बिम आदि तयारी गर्ने कार्य	र.फि.	१६२०.००	१६२०.००	१६२०.००
	४"X ५"को साल काठको नाग बुझा कुँद तयारी गरी जडान गर्ने कार्य	र.फि.	१७१०.००	१७१०.००	१७१०.००
१४	Wooden Parquet Flooring				
	Shisam wooden parqueting 150mm*30mm*8mm	व.फि.	२२०.००	२२०.००	२२०.००
१५	विभिन्न मोटाईको प्लाइउडहरू				
	साधारण प्लाइउड				
	३ मी.मी	व.फि.	३६.००	३६.००	३६.००
	३.५ मी.मी.	व.फि.	२६.००	२६.००	२६.००
	४ मी.मी	व.फि.	२८.००	२८.००	२८.००
	६ मी.मी	व.फि.	५३.००	५३.००	५३.००
	८ मी.मी	व.फि.	५७.००	५७.००	५७.००
	१२ मी.मी	व.फि.	८०.००	८०.००	८०.००
	१९ मी.मी B/B	व.फि.	११२.००	११२.००	११२.००
	१८ मी.मी PLY	व.फि.	११५.००	११५.००	११५.००
१६	वाटर प्रुफ प्लाइउड				
	४ मी.मी	व.फि.	५२.००	५२.००	५२.००
	६ मी.मी	व.फि.	६५.००	६५.००	६५.००
	८ मी.मी.	व.फि.	६७.००	६७.००	६७.००
	९ मी.मी.	व.फि.	८९.००	८९.००	८९.००
	१२ मी.मी	व.फि.	९९.००	९९.००	९९.००
	१५ मी.मी PLY	व.फि.	११३.००	११३.००	११३.००
	१८ मी.मी B/B	व.फि.	१३९.००	१३९.००	१३९.००
१७	Natural Teak Plywood				
	३ मी.मी	व.फि.	५१.००	५१.००	५१.००
	४ मी.मी (Group Match of in 5 pcs)	व.फि.	७४.००	७४.००	७४.००
	४ मी.मी (Regular)	व.फि.	६४.००	६४.००	६४.००
	४ मी.मी (Crown)	व.फि.	४६.००	४६.००	४६.००
	४ मी.मी (Berri)	व.फि.	५२.००	५२.००	५२.००

पञ्च जिल्ला अधिकारी


काठ तथा प्लाइउड संबन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	४ मी. मी (Whitest line)	व.फि	४२.००	४२.००	४२.००
	४ मी. मी (Beach)	व.फि	४९.००	४९.००	४९.००
	४ मी. मी (Recon 18 No.)	व.फि	३९.००	३९.००	३९.००
१८	सनमाईका तथा फरमाईका				
	सनमाईका (4' x 8')	व.फि	१८.००	१८.००	१८.००
	फोरमाईका	व.फि	८०.००	८०.००	८०.००
	हार्डबोर्ड (Hard board) 12 mm thick	व.फि	४७.००	४७.००	४७.००
१९	DECORATIVE (THICKER)				
	6 OST	व.फि	१३५.००	१३५.००	१३५.००
	6 BST	व.फि	१७२.००	१७२.००	१७२.००
	9 OST	व.फि	१५०.००	१५०.००	१५०.००
	9 BST	व.फि	१८६.००	१८६.००	१८६.००
	12 OST	व.फि	१६४.००	१६४.००	१६४.००
	12 BST	व.फि	२०१.००	२०१.००	२०१.००
	19 B/B OST	व.फि	१७७.००	१७७.००	१७७.००
	19 B/B BST	व.फि	२१५.००	२१५.००	२१५.००
	18 OST	व.फि	२०१.००	२०१.००	२०१.००
	18 BST	व.फि	२३८.००	२३८.००	२३८.००
२०	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)				
	Readymade door shutter Recon, ordinary (1 side teak)	व.फि	१८७.००	१८७.००	१८७.००
	Readymade door shutter Recon, Special (1 side teak)	व.फि	२५५.००	२५५.००	२५५.००
	Oneside water proof ply fitting				
	Readymade door shutter Recon, ordinary (1 side teak)	व.फि	२१४.००	२१४.००	२१४.००
	Readymade door shutter Recon, Special (1 side teak)	व.फि	२८८.००	२८८.००	२८८.००
२१	काठको लिष्टि				
	1/2" wide	र.फि.	१५.००	१५.००	१५.००
	3/4" wide	र.फि.	१७.००	१७.००	१७.००
	1.5" wide	र.फि.	२९.००	२९.००	२९.००
	Decorative	र.फि.	४०.००	४०.००	४०.००
२२	Infill Material				
	Frame C - Studs(0.55mm*0.75mm*3m)	गोटा	४०९.००	४०९.००	४०९.००
	Frame U - Studs(0.55mm*0.75mm*3m)	गोटा	४०९.००	४०९.००	४०९.००
	Board 9 mm	गोटा	२४००.००	२४००.००	२४००.००
	Fiber mess tape (for 90mm/roll)	गोटा	३२३.००	३२३.००	३२३.००
	PU sasuage rod	गोटा	१८९०.००	१८९०.००	१८९०.००
२३	Parquet(sisam,saa) & Teak)				

काठ तथा प्लाइउड संवन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	1"x3"x6mm thickness	व.फि.	२१५.००	२१५.००	२१५.००
	1"x6"x8mm thickness	व.फि.	३२३.००	३२३.००	३२३.००
	2"x10"x10mm thickness	व.फि.	४३१.००	४३१.००	४३१.००
	3"x14"x12mm thickness	व.फि.	५८८.००	५८८.००	५८८.००
	3"x18"x14mm thickness	व.फि.	६९५.००	६९५.००	६९५.००
24	Tounge & Groove(T.G.)Flooring	व.फि.			
	Sisam/ Saj / Teak wood Parquet of 18mm Thickness: Color: Natural	व.फि.	७४९.००	७४९.००	७४९.००
	Sisam/ Saj wood Parquet of 18mm Thickness: Color: Stain/ Mix	व.फि.	६९५.००	६९५.००	६९५.००
25	Wall panelling	व.फि.			
	pine	व.फि.	५३५.००	५३५.००	५३५.००
	saj, Teak	व.फि.	६४२.००	६४२.००	६४२.००
	Sisam	व.फि.	७४९.००	७४९.००	७४९.००
	3"Skirting				
	pine	र.फि.	१६१.००	१६१.००	१६१.००
	saj, Teak	र.फि.	२१५.००	२१५.००	२१५.००
	Sisam	र.फि.	३२३.००	३२३.००	३२३.००
	4"Skirting	र.फि.			
	pine	र.फि.	२१५.००	२१५.००	२१५.००
	saj, Teak	र.फि.	२६९.००	२६९.००	२६९.००
	Sisam	र.फि.	३७७.००	३७७.००	३७७.००
	5"Skirting				
	pine	र.फि.	२६९.००	२६९.००	२६९.००
	saj, Teak	र.फि.	३२३.००	३२३.००	३२३.००
	Sisam	र.फि.	४३१.००	४३१.००	४३१.००






प्रमुख जिल्ला अधिकारी

UPVC Profile for Door/Window

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drainage cover, etc.				
A	Single glazing				
१	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	व.मि	७५.७५.००	७५.७५.००	७५.७५.००
२	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	व.मि	६९९७.००	६९९७.००	६९९७.००
३	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	व.मि	७८६७.००	७८६७.००	७८६७.००
४	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	व.मि	७८६७.००	७८६७.००	७८६७.००
५	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	व.मि	८६२४.००	८६२४.००	८६२४.००
६	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	व.मि	८७४४.००	८७४४.००	८७४४.००
७	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	व.मि	९३२८.००	९३२८.००	९३२८.००
८	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	व.मि	९३२८.००	९३२८.००	९३२८.००
९	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	व.मि	९०३६.००	९०३६.००	९०३६.००
१०	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	व.मि	१०४९०.००	१०४९०.००	१०४९०.००
११	UPVC 88x60mm Sliding white colour window with 5mm glass	व.मि	९०५७.००	९०५७.००	९०५७.००
११	UPVC 80x64mm white colour casement window with 5mm glass pannele	व.मि	१०२८५.००	१०२८५.००	१०२८५.००
१२	UPVC110x64mm x9mmthick board and 5mm tjick glass pannel white colour	व.मि	१०७६७.००	१०७६७.००	१०७६७.००
१२	UPVC60x60mm x9mmthick white colour partition board with 5mm glass	व.मि	१११४५.००	१११४५.००	१११४५.००
१३	UPVC60x60mm white colour swing door with 5mm glass pannel	व.मि	७०६३.००	७०६३.००	७०६३.००
B	Double glazing				
१	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	व.मि	९९०६.००	९९०६.००	९९०६.००
२	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	व.मि	९३८१.००	९३८१.००	९३८१.००
३	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	व.मि	१०२०३.००	१०२०३.००	१०२०३.००
४	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	व.मि	१०२०३.००	१०२०३.००	१०२०३.००
५	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	व.मि	१०८५६.००	१०८५६.००	१०८५६.००
६	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	व.मि	१०९६८.००	१०९६८.००	१०९६८.००
७	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	व.मि	११५४७.००	११५४७.००	११५४७.००
८	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	व.मि	११२५८.००	११२५८.००	११२५८.००
९	Supply & fixing of 80*50 mm white colour casement window	व.मि	१००९१.००	१००९१.००	१००९१.००

UPVC Profile for Door/Window

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Supplying and installation of RoHS Compliant, 100% lead free, 100% recyclable UPVC profile:sliding window frame 50*80mm;sash 58*36mm, Sliding Door Frame 52*88; sash 80*42 ,Casement window frame 60*60;sash 60*104mm white colour with reinforcement,5mm thick clear float glass ,insect net,patented standard hard ware like :rollers,gaskets,brush,scal,moon locks,push locks,drining cover.etc.				
	Single glazing				
1	upvc sliding window with net (frame 50x80mm,sash 58x36mm , whit colour with 5mm glass)	व.मि	१४६०९.००	१४६०९.००	१४६०९.००
2	upvc sliding window without net (frame 60x60mm,sash 66x42mm,white colour with 5 mm glass)	व.मि	१४१५९.००	१४१५९.००	१४१५९.००
3	upvc top hung window (frame 60x60mm ,sash 60x78mm, white colour with 5mm glass)	व.मि	१४८६७.००	१४८६७.००	१४८६७.००
4	upvc casement window (fream 60x60mm ,sash 60x78mm ,white colour with 5mm glass)	व.मि	१४८६७.००	१४८६७.००	१४८६७.००
5	upvc single door with half pannel half glass (fream 60x60mm , sash 60x104mm ,white colour with 5mm glass)	व.मि	१५०४४.००	१५०४४.००	१५०४४.००
6	upvc single door with full pannel (fream 60x60mm ,sash 60x104mm ,white colour)	व.मि	१५०४४.००	१५०४४.००	१५०४४.००
7	upvc double door (fream 60x60mm,sash 60x104mm ,white colour with 5mm glass)	व.मि	१५४८६.००	१५४८६.००	१५४८६.००
8	upvc sliding door with net (fream 52x88mm,sash 88x42mm ,white colour with 5mm glass)	व.मि	१५४८६.००	१५४८६.००	१५४८६.००
9	upvc sliding door without net (fream60x60mm,sash 88x42mm, white colour with 5mm glass)	व.मि	१४१५९.००	१४१५९.००	१४१५९.००
10	upvc swing door with half glass half upvc pannel (fream 60x60mm)	व.मि	१५९२९.००	१५९२९.००	१५९२९.००
11	upvc 88x60 mm sliding white colour window with 5mm glass pannel.	व.मि	१५४८६.००	१५४८६.००	१५४८६.००
12	upvc 60x64mm white colour casement window with 5mm glass pannel.	व.मि	१५९२९.००	१५९२९.००	१५९२९.००
13	upvc 110x64 mm x9mm thick board and 5mm tijck glass pannel with white colour.	व.मि	१६८१४.००	१६८१४.००	१६८१४.००
14	upvc 60x60mm x 9mm thick white colour partition board with 5mm glass colour.	व.मि	१७२५६.००	१७२५६.००	१७२५६.००
15	upvc 60x60mmx white colour swing door with 5mm glass pannel.	व.मि	१४१५९.००	१४१५९.००	१४१५९.००
	Double glazing				
1	upvc sliding window with net (fream 50x80mm,sash 58x 36mm,white colour with 5mm double glass)	व.मि	१५७५२.००	१५७५२.००	१५७५२.००
2	upvc sliding window without net (fream 60x60mm, sash 66x42mm ,white colour with 5mm double glass)	व.मि	१५४८६.००	१५४८६.००	१५४८६.००
3	upvc tophung window (fream 60x60mm ,sash 60x78mm,white colour with 5mm double glass)	व.मि	१५९२९.००	१५९२९.००	१५९२९.००
4	upvc casement window (fream 60x60mm,sash 60x78mm,white colour with 5mm double glass)	व.मि	१५९२९.००	१५९२९.००	१५९२९.००
5	upvc single door with half pannel half glass (fream 60x60mm,sash 60x104mm ,white colour with 5mm double glass)	व.मि	१७०७९.००	१७०७९.००	१७०७९.००
6	upvc double door (fream 60x60mm,sash60x78mm, white colour with 5mm double glass)	व.मि	१७२५६.००	१७२५६.००	१७२५६.००
7	upvc sliding dooe with net (fream 52x88mm,sash 88x42mm,white colour with 5mm double glass)	व.मि	१७६९९.००	१७६९९.००	१७६९९.००
8	upvc sliding door without net (fream 60x60 mm,sash 88x42mm,white colour with 5mm double glass)	व.मि	१७२५६.००	१७२५६.००	१७२५६.००
9	supply and fixing of 80x50mm white colour casement window	व.मि	१५९२९.००	१५९२९.००	१५९२९.००



छाना छाउने निर्माण सामाग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	ललितपुर २०८३/८४
१	ग्याल्मनाइज सेतो सादा जस्तापाता				
	0.20 mm (30 guage light)	बण्डल	४७८१.००	४७८१.००	४७८१.००
	0.22 mm (30 guage Medium)	बण्डल	४२३९.००	४२३९.००	४२३९.००
	0.24 mm (30 guage Heavy)	बण्डल	४४९२.००	४४९२.००	४४९२.००
	0.26 mm (28 guage light)	बण्डल	४८९०.००	४८९०.००	४८९०.००
	0.28 mm (28 guage Medium)	बण्डल	६२७७.००	६२७७.००	६२७७.००
	0.31 mm (28 guage Heavy)	बण्डल	६८६०.००	६८६०.००	६८६०.००
	0.35 mm (26 guage light)	बण्डल	७६०३.००	७६०३.००	७६०३.००
	0.37 mm (26 guage Medium)	बण्डल	८०९७.३५	८०९७.३५	८०९७.३५
	0.41 mm (26 guage Heavy)	बण्डल	८७४३.००	८७४३.००	८७४३.००
	0.45 mm (24 guage light)	बण्डल	९४८५.००	९४८५.००	९४८५.००
	0.50 mm (24 guage Medium)	बण्डल	१०४३३.००	१०४३३.००	१०४३३.००
	0.52 mm (24 guage Heavy)	बण्डल	१०७९८.००	१०७९८.००	१०७९८.००
	0.75 mm	बण्डल	१५५०२.००	१५५०२.००	१५५०२.००
२	कोरुगेटेड रंगिन जस्तापाता				
	0.20 mm (30 guage light)	बण्डल	६९५१.००	६९५१.००	६९५१.००
	0.22 mm (30 guage Medium)	बण्डल	६५७८.००	६५७८.००	६५७८.००
	0.24 mm (30 guage Heavy)	बण्डल	७०४३.००	७०४३.००	७०४३.००
	0.26 mm (28 guage light)	बण्डल	७४१५.००	७४१५.००	७४१५.००
	0.28 mm (28 guage Medium)	बण्डल	७८०५.००	७८०५.००	७८०५.००
	0.31 mm (28 guage Heavy)	बण्डल	८३८९.००	८३८९.००	८३८९.००
	0.35 mm (26 guage light)	बण्डल	९२७३.००	९२७३.००	९२७३.००
	0.37 mm (26 guage Medium)	बण्डल	९९२३.००	९९२३.००	९९२३.००
	0.41 mm (26 guage Heavy)	बण्डल	१०४८२.००	१०४८२.००	१०४८२.००
	0.45 mm (24 guage light)	बण्डल	११३६६.००	११३६६.००	११३६६.००
	0.50 mm (24 guage Medium)	बण्डल	१२४१५.००	१२४१५.००	१२४१५.००
	0.52 mm (24 guage Heavy)	बण्डल	१२८७५.००	१२८७५.००	१२८७५.००
	0.55 mm (24 guage Medium)	बण्डल	१३४८३.००	१३४८३.००	१३४८३.००
	0.75 mm	बण्डल	१८११२.००	१८११२.००	१८११२.००
३	ग्याल्मनाइज कोरुगेटेड जस्तापाता				
	0.20 mm (30 guage light)	बण्डल	४८२५.००	४८२५.००	४८२५.००
	0.22 mm (30 guage Medium)	बण्डल	४२३३.००	४२३३.००	४२३३.००
	0.24 mm (30 guage Heavy)	बण्डल	४६२३.००	४६२३.००	४६२३.००
	0.26 mm (28 guage light)	बण्डल	४९५०.००	४९५०.००	४९५०.००
	0.28 mm (28 guage Medium)	बण्डल	६२९५.००	६२९५.००	६२९५.००
	0.31 mm (28 guage Heavy)	बण्डल	६८४८.००	६८४८.००	६८४८.००
	0.35 mm (26 guage light)	बण्डल	७५९२.००	७५९२.००	७५९२.००
	0.37 mm (26 guage Medium)	बण्डल	८२३६.००	८२३६.००	८२३६.००
	0.41 mm (26 guage Heavy)	बण्डल	८७८०.००	८७८०.००	८७८०.००
	0.45 mm (24 guage light)	बण्डल	९५९६.००	९५९६.००	९५९६.००

छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	0.50 mm (24 guage Medium)	बण्डल	१०६०३.००	१०६०३.००	१०६०३.००
	0.52 mm (24 guage Heavy)	बण्डल	१०९८४.००	१०९८४.००	१०९८४.००
	0.75 mm	बण्डल	१५८०१.००	१५८०१.००	१५८०१.००
४	जस्ता पाताको छुरी				
	0.20 mm base metal	बण्डल	१६४९.००	१६४९.००	१६४९.००
	0.22 mm base metal	बण्डल	१७९५.००	१७९५.००	१७९५.००
	0.24 mm base metal	बण्डल	१९२३.००	१९२३.००	१९२३.००
	0.26 mm base metal	बण्डल	२०३२.००	२०३२.००	२०३२.००
	0.28 mm base metal	बण्डल	२१५१.००	२१५१.००	२१५१.००
	0.31 mm base metal	बण्डल	२३३३.००	२३३३.००	२३३३.००
	0.35 mm base metal	बण्डल	२५८८.००	२५८८.००	२५८८.००
	0.38 mm base metal	बण्डल	२७९८.००	२७९८.००	२७९८.००
	0.41 mm base metal	बण्डल	२९८०.००	२९८०.००	२९८०.००
५	४ फिट X ८ फिट को जि.आई. प्लेन सिट				
	1.1 mm base metal	पिस	३३९६.००	३३९६.००	३३९६.००
	0.90 mm base metal	पिस	२८०७.००	२८०७.००	२८०७.००
	0.80 mm base metal	पिस	२५३०.००	२५३०.००	२५३०.००
	0.75 mm base metal	पिस	२३७४.००	२३७४.००	२३७४.००
	0.70 mm base metal	पिस	२२१८.००	२२१८.००	२२१८.००
	0.62 mm base metal	पिस	१९८७.००	१९८७.००	१९८७.००
	0.55 mm base metal	पिस	१७७६.००	१७७६.००	१७७६.००
	0.50 mm base metal	पिस	१६१९.००	१६१९.००	१६१९.००
	0.48 mm base metal	पिस	१५५५.००	१५५५.००	१५५५.००
	0.45 mm base metal	पिस	१४७२.००	१४७२.००	१४७२.००
	0.42 mm base metal	पिस	१३८०.००	१३८०.००	१३८०.००
	0.40 mm base metal	पिस	१३१६.००	१३१६.००	१३१६.००
	0.37 mm base metal	पिस	१२२४.००	१२२४.००	१२२४.००
	0.35 mm base metal	पिस	११७८.००	११७८.००	११७८.००
	0.30 mm base metal	पिस	१०३०.००	१०३०.००	१०३०.००
	0.28 mm base metal	पिस	९६६.००	९६६.००	९६६.००
६	४ X ८ फिट को रङ्गिन प्लेन सिट				
	0.90 mm base metal	पिस	३०७१.००	३०७१.००	३०७१.००
	0.80 mm base metal	पिस	२७८९.००	२७८९.००	२७८९.००
	0.75 mm base metal	पिस	२६१६.००	२६१६.००	२६१६.००
	0.70 mm base metal	पिस	२५०६.००	२५०६.००	२५०६.००
	0.62 mm base metal	पिस	२२४२.००	२२४२.००	२२४२.००
	0.55 mm base metal	पिस	२०१४.००	२०१४.००	२०१४.००
	0.50 mm base metal	पिस	१८४१.००	१८४१.००	१८४१.००
	0.48 mm base metal	पिस	१७६८.००	१७६८.००	१७६८.००
	0.45 mm base metal	पिस	१६६८.००	१६६८.००	१६६८.००

छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	0.42 mm base metal	पिस	१५५८.००	१५५८.००	१५५८.००
	0.40 mm base metal	पिस	१५३१.००	१५३१.००	१५३१.००
	0.37 mm base metal	पिस	१४३१.००	१४३१.००	१४३१.००
	0.35 mm base metal	पिस	१३६७.००	१३६७.००	१३६७.००
	0.30 mm base metal	पिस	१२१२.००	१२१२.००	१२१२.००
	0.28 mm base metal	पिस	११४८.००	११४८.००	११४८.००
७	GI Expanded metal Mesh				
	1.20 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	१५९.००	१५९.००	१५९.००
	1.20 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	२१२.००	२१२.००	२१२.००
	1.00 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	१३२.००	१३२.००	१३२.००
	1.00 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	१७६.००	१७६.००	१७६.००
	0.90 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	१२३.००	१२३.००	१२३.००
	0.90 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	१५९.००	१५९.००	१५९.००
८	UPVC Roofing Sheet (3mm thick)				
	PMMA coating & Mesh (Regular)	व.मि.	१५८१.००	१५८१.००	१५८१.००
	Stone coated (18 inch* 4 feet)	व.मि.	१२६०.००	१२६०.००	१२६०.००
	Ridge cover Regular Profile 1.10 R.m.	र.मि.	२०२१.००	१६०५.००	१६०५.००
	Ridge cover Tile Profile 1.05 R.m.	र.मि.	२०२१.००	१६०५.००	१६०५.००
	UPVC Clip	गोटा	२७.००	२०.००	२०.००
	self tapping screw 3"	गोटा	३१.००	१५.००	१५.००
	self tapping screw 2.2"	गोटा	२१.००	१५.००	१५.००
	self tapping screw 2"	गोटा	११.००	१०.००	१०.००
	self tapping screw 1.5"	गोटा	९.००	९.००	९.००
	UPVC Roofing Sheet Double Mesh (Tile or regular)	व.मि.	१५२५.००	१५२५.००	१५२५.००
	UPVC Roofing Sheet Single Mesh (Tile or regular)	व.मि.	१३५५.००	१३५५.००	१३५५.००
	UPVC Roofing Sheet No Mesh (Tile or regular)	व.मि.	११८६.००	११८६.००	११८६.००
	Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (In Tile and Regular Shape)	व.मि.	१४७०.००	१४७०.००	१४७०.००
	Non Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	व.मि.	१३६५.००	१३६५.००	१३६५.००
९	UPVC Roofing Sheet				
	Corrugated sheets(2mm)	व.फि.	७०.००	७०.००	७०.००
	Corrugated ridge (2mm) (3*1.4')	गोटा	७९४.००	७९४.००	७९४.००
	Corrugated ridge side(2mm)(3*1.4')	गोटा	४७७.००	४७७.००	४७७.००
	Spanish tile without fiber mesh(3mm)	व.फि.	१०८.००	१०८.००	१०८.००
	Spanish tile with fiber mesh(3mm)	व.फि.	११७.००	११७.००	११७.००
	Spanish ridge(3mm)(3*1.4')	गोटा	१४१०.००	१४१०.००	१४१०.००
	Spanish ridge side(3mm)	गोटा	७९४.००	७९४.००	७९४.००
	Spanish tile tripod(3mm)	गोटा	१०६२.००	१०६२.००	१०६२.००
	Clip Set	गोटा	९.००	९.००	९.००
१०	एल्युमिनियम प्लेन सिट				
	(क) २६ गेज	व.फि.	३०.००	३०.००	३०.००

छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	(ख) ३० गेज	व.फि.	२८.००	२८.००	२८.००
११	Corrugated/Plain Fiber Glass Sheet				
	०.८ मी. मी. मोटो प्लेन	व.फि.	१२२.००	१२२.००	१२२.००
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	१३५.००	१३५.००	१३५.००
	१.२ मी.मी. मोटो प्लेन	व.फि.	१३५.००	१३५.००	१३५.००
	१.२ मी.मी. मोटो कोरोगेटेड	व.फि.	१५५.००	१५५.००	१५५.००
	२ मी.मी. मोटो प्लेन	व.फि.	२३०.००	२३०.००	२३०.००
	२ मी.मी. मोटो कोरोगेटेड	व.फि.	२७१.००	२७१.००	२७१.००
	३ मी. मी. मोटो प्लेन	व.फि.	३१२.००	३१२.००	३१२.००
	३ मी. मी. मोटो कोरोगेटेड	व.फि.	४०७.००	४०७.००	४०७.००
१२	ASP Corrugated roofingSheet (L-6,8,10,12,14,16,18 ft W-3ft				
	Corrugated steel Sheet-Thickness-1 mm , Weight-5.5Kg/sqm)	व.मिटर	११२९.००	११२९.००	११२९.००
	Ridge Cover corrugated	र.मिटर	१६२७.००	१६२७.००	१६२७.००
	Self tapping screw 75mm with clip set	गोटा	२१.००	२१.००	२१.००
	Ridge Cover regular Profile 1.10 RM	र.मिटर	१६८०.००	१६८०.००	१६८०.००
	Ridge Cover regular Profile 1.05 RM	र.मिटर	१६८०.००	१६८०.००	१६८०.००
	Self tapping screw 3" with clip set	गोटा	३१.००	३१.००	३१.००
	Self tapping screw 2.2" with clip set	गोटा	२६.००	२६.००	२६.००
१३	Fiber Glass छाँनाको लागि Alumunium strip (25 x 1.5) mm	र.मि.	७१.००	७१.००	७१.००
१४	Fiber Glass छाँनाको लागि Ribet nut	गोटा	७.००	७.००	७.००
१५	विभिन्न साईजको जे-हुक, यु-हुक	केजी	१४६.००	१४६.००	१४६.००
१६	२" साइज रुफिङ नेल्स	गोटा	७.००	७.००	७.००
१७	३" साइज रुफिङ नेल्स	गोटा	१०.००	१०.००	१०.००
१८	Roofing Material				
	Stone Coated Roofing having 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	व.मि	४२००.००	४२००.००	४२००.००
	Stone Coated Roofing Sheet 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	व.मि	३१५०.००	३१५०.००	३१५०.००
१९	Fiber Plain Sheet				
	(Thickness : 1.2 mm)-Red, Blue, Green and Clear	व.फि.	१०६.००	१०६.००	१०६.००
	(Thickness : 1.5 mm)-Red, Blue, Green and Clear	व.फि.	१२७.००	१२७.००	१२७.००
	(Thickness : 1.8 mm)-Red, Blue, Green and Clear	व.फि.	१५४.००	१५४.००	१५४.००
	(Thickness : 2 mm)-Red, Blue, Green and Clear	व.फि.	१६५.००	१६५.००	१६५.००
	(Thickness : 2.5 mm)-Red, Blue, Green and Clear	व.फि.	२०७.००	२०७.००	२०७.००
	(Thickness : 3 mm)-Red, Blue, Green and Clear	व.फि.	२५५.००	२५५.००	२५५.००
२०	Fiber Corrugated Sheet				
	Fiber S span Thickness 2mm, width 42"	र. फि	६८२.००	६८२.००	६८२.००
	Normal Corrugation (Thickness : 0.6 mm)-Clear	र. फि	१३३.००	१३३.००	१३३.००
	Normal Corrugation (Thickness : 0.8 mm)-Clear	र. फि	१८१.००	१८१.००	१८१.००
	Fiber Heritage Sheet Width 34" Thickness 2 mm	र. फि	५१७.००	५१७.००	५१७.००

छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
21	Providing and installing roofing shingles made with resilient, heavyweight fiberglass mat and reinforces the roofing shingles along with required accessories & fittings like roof starter, Ridge Cap Shingles, Screws, Sealant etc. Their premium laminated fiberglass mat is saturated and stabilized with IKO SBS modified asphalt for exceptional flexibility in all types of weather which gives Cambridge IR collection exceptional flexibility, tear- resistance and a UL 2218/FM 4473 Class 4 Impact Resistance rating. It Includes up to 110 mph (177 km/h) Limited Wind Warranty, Which constructed with one of the heaviest mats in the industry for their class, Cambridge is engineered to withstand the elements for years. For superior weather and impact resistance, Cambridge collections are built-in algae-resistant granules.	ब.मी.	३१०८.००	३१०८.००	३१०८.००
22	Roof Gard-cool Grey or Stormtite underlayment is an innovative RoofGard/ Stormtite synthetic underlayment for giving total deck protection.	ब.मी.	४२६.००	४२६.००	४२६.००
23	Providing and installing 12mm thick Cement Fiber Board complying with standards for the required test value, Density = 1260 kg/cubic meter (ASTM C 1185 standard), water absorption should be less than or equal to 34% and water expansion rate equal to 0.12%, complying with JIS A 5420 standard, providing sound resistant (STC) up to 38dB as per BS 2750 standard for laying over the fabricated ceiling of GI to support roofing shingles.	ब.मी.	१६३८.००	१६३८.००	१६३८.००
24	Providing and fitting EPS Sandwich Panel, FR 3 rated, Exterior & Interior Skin of 0.3~0.4mm PPGI with flame retardant EPS core insulation, Base Metal 1105mm and effective width 1,000mm, length 2m~13m with specified color and thickness with its accessories such as (ubar, joint bar, corner bar, screw, screw cap, color piece, projection gable, sealing materials)				
२४.१	Black Color/Combat Color Zinc Panel for wall & Roof				
	50mm	ब.फी.	४८६.००	४८६.००	४८६.००
	75mm	ब.फी.	४९३.००	४९३.००	४९३.००
	100mm	ब.फी.	५४५.००	५४५.००	५४५.००
	125mm	ब.फी.	६४८.००	६४८.००	६४८.००
	150mm	ब.फी.	६९५.००	६९५.००	६९५.००
२४.२	Blue & Orange Color Roofing Panel				
	50mm	ब.फी.	४२४.००	४२४.००	४२४.००
	75mm	ब.फी.	४७६.००	४७६.००	४७६.००
	100mm	ब.फी.	५७१.००	५७१.००	५७१.००

छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	125mm	ब.फी.	५८१.००	५८१.००	५८१.००
	150mm	ब.फी.	६३२.००	६३२.००	६३२.००








प्रमुख जिल्ला अधिकारी

Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. नाहेको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१	Plain Particle Board (Exteriors Grade)				
	९ मी.मी	व.फि	४०.००	४०.००	४०.००
	१२ मी.मी	व.फि	४५.००	४५.००	४५.००
	१८ मी.मी	व.फि	५८.००	५८.००	५८.००
	२५ मी.मी	व.फि	७८.००	७८.००	७८.००
२	PPB One side lamination Melaminated faced (Exterior Grade)				
	९ मी.मी	व.फि	८२.००	८२.००	८२.००
	१२ मी.मी	व.फि	९१.००	९१.००	९१.००
	१८ मी.मी	व.फि	१०८.००	१०८.००	१०८.००
	२५ मी.मी	व.फि	१४०.००	१४०.००	१४०.००
३	PPB Both side lamination Melaminated faced (Exteriors Grade)				
	९ मी.मी	व.फि	९१.००	९१.००	९१.००
	१२ मी.मी	व.फि	१०५.००	१०५.००	१०५.००
	१८ मी.मी	व.फि	१२१.००	१२१.००	१२१.००
	२५ मी.मी	व.फि	१५४.००	१५४.००	१५४.००
४	Plain Particle Board (Interiors Grade)				
	९ मी.मी	व.फि	२९.००	२९.००	२९.००
	१२ मी.मी	व.फि	३४.००	३४.००	३४.००
	१८ मी.मी	व.फि	५१.००	५१.००	५१.००
	२५ मी.मी	व.फि	६५.००	६५.००	६५.००
५	PPB One side lamination Melaminated faced (Interior Grade)				
	३ मी.मी	व.फि	४४.००	४४.००	४४.००
	६ मी.मी	व.फि	६२.००	६२.००	६२.००
	९ मी.मी	व.फि	७२.००	७२.००	७२.००
	१२ मी.मी	व.फि	८२.००	८२.००	८२.००
	१८ मी.मी	व.फि	९४.००	९४.००	९४.००
	२५ मी.मी	व.फि	११८.००	११८.००	११८.००
६	PPB Both side lamination Melaminated faced (Interiors Grade)				
	३ मी.मी	व.फि	५१.००	५१.००	५१.००
	६ मी.मी	व.फि	६८.००	६८.००	६८.००
	९ मी.मी	व.फि	८२.००	८२.००	८२.००
७	PPB One side lamination Melaminated faced (Interior Grade)				
	३ मी.मी	व.फि	५१.००	५१.००	५१.००
	४ मी.मी	व.फि	५८.००	५८.००	५८.००
	६ मी.मी	व.फि	७२.००	७२.००	७२.००
	९ मी.मी	व.फि	९३.००	९३.००	९३.००
	१२ मी.मी	व.फि	१०५.००	१०५.००	१०५.००
	१८ मी.मी	व.फि	१३५.००	१३५.००	१३५.००
	२५ मी.मी	व.फि	१८७.००	१८७.००	१८७.००

Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
८	PPB Both side lamination Melaminated faced - Hybrid board (WPC Board)				
	३ मी.मी	व.फि	५८.००	५८.००	५८.००
	४ मी.मी	व.फि	६५.००	६५.००	६५.००
	६ मी.मी	व.फि	८१.००	८१.००	८१.००
	९ मी.मी	व.फि	१०१.००	१०१.००	१०१.००
	१२ मी.मी	व.फि	१११.००	१११.००	१११.००
	१८ मी.मी	व.फि	१४१.००	१४१.००	१४१.००
	२५ मी.मी	व.फि	१९१.००	१९१.००	१९१.००
९	Alstone Hybrid Board (WPC Board)				
	६ मी.मी (१२२० X २४४०)	व.फि	१८६.००		
	१२ मी.मी	व.फि	२९८.००		
	१८ मी.मी	व.फि	४५९.००		
१०	Alstone Hybrid Board				
	४ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	८९.००		
	६ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	१२७.००		
	१२ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	२३५.००		
	१८ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	३२५.००		
	६ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि	३९४.००		
	१२ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि	५८९.००		
	१८ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि	७६०.००		
	WPC door frame 100*50 mm upto ht 7 ft	व.फि	४०५.००		
	WPC door shutter 30 mm th. (7*3) size	व.फि	५७५.००		
	18 mm th. WPC OLIGO (colour)	व.फि	६१३.००		
११	Alstone Hybrid Board (WPC Board) ,				
	६ मी.मी size (1220*2440) mm	व.फि	१७९.००		
	१२ मी.मी size (1221*2440) mm	व.फि	३४०.००		
	१८ मी.मी size (1222*2440) mm	व.फि	४७३.००		
१२	Supplying and fixing of gypsum board				
	Wall partition	व.फि	१३२.००	१३२.००	१३२.००
	Wall paneling	व.फि	८७.००	८७.००	८७.००
	12.5mm thick Gypsum Board False ceiling	व.फि	८८.००	८८.००	८८.००
१३	Fiber cement board (Wall)				
	3.2 MM (2'x2')	व.फि.	२७.००	२७.००	२७.००
	3.2 MM (4'x8')	व.फि.	२९.००	२९.००	२९.००
	3.5 MM (4'x8')	व.फि.	३४.००	३४.००	३४.००
	4MM (4'x8')	व.फि.	३५.००	३५.००	३५.००
	6MM (4'x8')	व.फि.	५०.००	५०.००	५०.००
	8MM (4'x8')	व.फि.	६७.००	६७.००	६७.००







Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	9MM (4'x8')	व.फि.	७५.००	७५.००	७५.००
	10MM (4'x8')	व.फि.	८५.००	८५.००	८५.००
	12MM (4'x8')	व.फि.	९४.००	९४.००	९४.००
	Fiber cement board (Floor)				
	15MM (4'x8')	व.फि.	१४३.००	१४३.००	१४३.००
	18MM (4'x8')	व.फि.	१७१.००	१७१.००	१७१.००
	20MM (4'x8')	व.फि.	१९२.००	१९२.००	१९२.००
	Fiber cement board (Cassiano)				
	8MM (4'x8')	व.फि.	९४.००	९४.००	९४.००
१४	Fiber Cement Board (Planck)				
	8MM (3"x 9'-10") 9'-10"Rft	व.फि.	३४.००	३४.००	३४.००
	8MM (6"x 9'-10") 9'-10"Rft	व.फि.	५५.००	५५.००	५५.००
	8MM (8"x 9'-10") 9'-10"Rft	व.फि.	७४.००	७४.००	७४.००
	8MM Coloured Teak Texture Walnut (6"x 9'-10") 9'-10"Rft	व.फि.	६९.००	६९.००	६९.००
	8MM Coloured Teak Texture GST (6"x 9'-10") 9'-10"Rft	व.फि.	६९.००	६९.००	६९.००
	8MM Coloured Teak Texture Cherry Red (6"x 9'-10") 9'-10"Rft	व.फि.	६९.००	६९.००	६९.००
	8MM Coloured Teak Texture Afrosia -Brown (6"x 9'-10") 9'-10"Rft	व.फि.	६९.००	६९.००	६९.००
१५	Infill wall Partition using 6mm Board on 74mm Stud	ब.मि	५२४७.००	५२४७.००	५२४७.००
	Infill wall Partition using 10mm Board on 74mm Stud	ब.मि	६२६९.००	६२६९.००	६२६९.००
	Infill wall Partition using 6mm Board on 50mm Stud	ब.मि	४२५९.००	४२५९.००	४२५९.००
	Dry wall Partition using 10mm Board on 74mm Stud	ब.मि	५२६४.००	५२६४.००	५२६४.००
१६	Vinyl Laminated gypsum ceiling board (7 mm thick)	व.फि.	९५.००	९५.००	९५.००
१७	Material for wall				
	Mural Wall: 20-25mm thk. Cement tile from Craft Betton of approved colour, shade, pattern, achieved by mixing cement with matching colour pigment as directed, curing, acid cleaning as applicable, laid to required pattern on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointed with white cement slurry mixed with pigment.	ब.मि	१५६००.००	१५६००.००	१५६००.००
18	Providing and fitting EPS Sandwich Panel, FR 3 rated, Exterior & Interior Skin of 0.3-0.4mm PPGI with flame retardant EPS core insulation, Base Metal 1105mm and effective width 1,000mm, length 2m-13m with specified color and thickness with its accessories such as (ubar, joint bar, corner bar, screw, screw cap, color piece, projection gable, sealing materials)				
१८.१	Ivory Color Flat Wall Panel				
	50mm	व.फि.	३६५.००	३६५.००	३६५.००

Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	75mm	ब.फी.	३७३.००	३७३.००	३७३.००
	100mm	ब.फी.	४२४.००	४२४.००	४२४.००
	125mm	ब.फी.	४२८.००	४२८.००	४२८.००
	150mm	ब.फी.	४८१.००	४८१.००	४८१.००
१८.२	Gray Color RP Wall Panel				
	50mm	ब.फी.	३९९.००	३९९.००	३९९.००
	75mm	ब.फी.	४०७.००	४०७.००	४०७.००
	100mm	ब.फी.	४५९.००	४५९.००	४५९.००
	125mm	ब.फी.	४६२.००	४६२.००	४६२.००
	150mm	ब.फी.	६१४.००	६१४.००	६१४.००
१८.३	Wooden Color Siding Wall Panel				
	75mm	ब.फी.	४९३.००	४९३.००	४९३.००
	100mm	ब.फी.	५४५.००	५४५.००	५४५.००
	125mm	ब.फी.	६०५.००	६०५.००	६०५.००
	150mm	ब.फी.	६५०.००	६५०.००	६५०.००





प्रमुख जिल्ला अधिकारी

Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
1	Supply and erection of different mm th. cement base prefabricated solid wall panel non asbestos including 1.1 mm thick GI channel (50*25*20) mm with necessary accessories and fittings charge in partition wall all complete				
	a) 75 mm thick	व.फि	३२१.००	३२१.००	३२१.००
	b) 50 mm thick	व.फि	२५४.००	२५४.००	२५४.००
2	False Ceiling/Partition/External cladding Fiber Board				
	Supplying, making, fixing of false ceiling with fibre designer board in E-rod	व.फि	९९.००	९९.००	९९.००
	Supplying, making, fixing of 70mm thick exterior with full height of partition with fibre cement board	व.फि	२९७.००	२९७.००	२९७.००
	Supplying, making, fixing of 66mm thick exterior with full height of partition with fibre cement board	व.फि	२६०.००	२६०.००	२६०.००
	Supplying, making, fixing of 91mm thick exterior with full height of partition with fibre cement board	व.फि	३३१.००	३३१.००	३३१.००
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm sliding board	व.फि	२९२.००	२९२.००	२९२.००
	Supplying, making, fixing of 50mm thick full height of partition with wall panel	व.फि	२३१.००	२३१.००	२३१.००
	Supplying, making, fixing of 75mm thick full height of partition with wall panel	व.फि	३०७.००	३०७.००	३०७.००
	6 mm thick Water proof cement board 6mm thick for false ceiling	व.फि	३७.००	३७.००	३७.००
	TEAK TILE CLADDING: CNC cut or hand made engraving on 8 mm thick teak tile fixed on 12mm thick marine plywood(BWP) base fixed to wall with adequate hardware/fixing arrangement as/design.				
	150X150Tile	गोटा	२९४०.००	२९४०.००	२९४०.००
	150X300 Tile	गोटा	३६७५.००	३६७५.००	३६७५.००
	300X300 Tile	गोटा	४२००.००	४२००.००	४२००.००
3	Cement board				
	6 mm thick	व.फि	३६.००	३६.००	३६.००
	8 mm thick	व.फि	४४.००	४४.००	४४.००
	10 mm thick	व.फि	४६.००	४६.००	४६.००
	12 mm thick	व.फि	६८.००	६८.००	६८.००
4	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire				
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	४१९.००	४१९.००	४१९.००
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	४५२.००	४५२.००	४५२.००
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	५५८.००	५५८.००	५५८.००
	Joint less false ceiling channel 0.55mm thick flange of 20 mm and another flange 30mm (conform to IS 4862 : 2000) all complete work	व.फि	११९.००	११९.००	११९.००
	solid wall panel 50/75 mm thick conform to IS 14862 (density more than 1200kg /m3)				
	50 mm thick	व.फि	२८०.००	२८०.००	२८०.००
	75 mm thick	व.फि	३६९.००	३६९.००	३६९.००
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	व.फि	३००.००	३००.००	३००.००

Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	व.फि	३०४.००	३०४.००	३०४.००
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	व.फि	२६६.००	२६६.००	२६६.००
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO	व.फि	३४०.००	३४०.००	३४०.००
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) confirming to IS 14862 : 2000	व.फि	३८२.००	३८२.००	३८२.००
5	EPS (Expanded Polystyrene) and Cement Base Light Weight Sandwich Panel with 4.5mm thick Calcium Silicate Board (Non Asbestos) as face board on both sides (Size 2270*610mm)- excluding installation				
	50mm thickness	व.फि	१९१.००	१९१.००	१९१.००
	60mm thickness	व.फि	२९३.००	२९३.००	२९३.००
	75mm thickness	व.फि	३५१.००	३५१.००	३५१.००
	90mm thickness	व.फि	४१०.००	४१०.००	४१०.००
	120mm thickness	व.फि	४९५.००	४९५.००	४९५.००
	Installation charge	व.फि	२६.००	२६.००	२६.००
	Other Accessories	व.फि	४७.००	४७.००	४७.००
6	Precast boundary wall, Precast slab, Precast Beam				
	H-beam	र.फि	१९७.००	१९७.००	१९७.००
	50 mm wall slab	व.फि	१७०.००	१७०.००	१७०.००
	120 mm floor slab (with installation)	व.फि	३७३.००	३७३.००	३७३.००
	70 mm water permeable				
	Color Block	व.फि	१४३.००	१४३.००	१४३.००
	Non Color Block	व.फि	१२७.००	१२७.००	१२७.००
7	PUF रुफिङ प्यानल				
	३० मि.मि.मोटाई,रङ्गिन	व.फि	२५०.००	२५०.००	२५०.००
	४० मि.मि.मोटाई,रङ्गिन	व.फि	२७१.००	२७१.००	२७१.००
	५० मि.मि.मोटाई,रङ्गिन	व.फि	२९९.००	२९९.००	२९९.००
	६० मि.मि.मोटाई,रङ्गिन		३४५.००	३४५.००	३४५.००
8	PUF बाल प्यानल				
	४० मि.मि.मोटाई,रङ्ग किम	व.फि	२५५.००	२५५.००	२५५.००
	५० मि.मि.मोटाई,रङ्ग किम	व.फि	२७६.००	२७६.००	२७६.००
	६० मि.मि.मोटाई,रङ्ग किम	व.फि	३४५.००	३४५.००	३४५.००
	७५ मि.मि.मोटाई,रङ्ग किम	व.फि	३५८.००	३५८.००	३५८.००
	८० मि.मि.मोटाई,रङ्ग किम	व.फि	४००.००	४००.००	४००.००
	१०० मि.मि.मोटाई,रङ्ग किम	व.फि	४२५.००	४२५.००	४२५.००
	१२५ मि.मि.मोटाई,रङ्ग किम	व.फि	५३८.००	५३८.००	५३८.००
	१५० मि.मि.मोटाई,रङ्ग किम	व.फि	५२२.००	५२२.००	५२२.००
9	गफ स्लेब सिट				
	४० मि.मि.मोटाई,रङ्ग किम	व.फि	१७५.००	१७५.००	१७५.००

Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	५० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	२००.००	२००.००	२००.००
	६० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	२२५.००	२२५.००	२२५.००
	८० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	२८५.००	२८५.००	२८५.००
	१०० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	३४०.००	३४०.००	३४०.००
10	EPE Sandwich Pannel (Puff Density=20kg±2)				
	४० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	२४५.००	२४५.००	२४५.००
	५० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	२८०.००	२८०.००	२८०.००
	६० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	३१५.००	३१५.००	३१५.००
	८० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	३७०.००	३७०.००	३७०.००
	१०० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	४३०.००	४३०.००	४३०.००
11	PUF ब्रिक बाल प्यानल				
	४० मि.मि.मोटाई,रङ्ग दुवै तर्फ ब्रिक(इष्ट)	व.फि	२९८.००	२९८.००	२९८.००
	५० मि.मि.मोटाई,रङ्ग दुवै तर्फ ब्रिक(इष्ट)	व.फि	३१९.००	३१९.००	३१९.००
	७५ मि.मि.मोटाई,रङ्ग दुवै तर्फ ब्रिक(इष्ट)	व.फि	३९९.००	३९९.००	३९९.००
	१०० मि.मि.मोटाई,रङ्ग दुवै तर्फ ब्रिक(इष्ट)	व.फि	४९०.००	४९०.००	४९०.००
	१५० मि.मि.मोटाई,रङ्ग दुवै तर्फ ब्रिक(इष्ट)	व.फि	५७०.००	५७०.००	५७०.००
12	PUF ब्रिक बाल प्यानल				
	४० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इष्ट) अर्का तर्फ क्रिम	व.फि	२७१.००	२७१.००	२७१.००
	५० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इष्ट) अर्का तर्फ क्रिम	व.फि	२९३.००	२९३.००	२९३.००
	७५ मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इष्ट) अर्का तर्फ क्रिम	व.फि	३७३.००	३७३.००	३७३.००
	१०० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इष्ट) अर्का तर्फ क्रिम	व.फि	४६३.००	४६३.००	४६३.००
	१५० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इष्ट) अर्का तर्फ क्रिम	व.फि	५४९.००	५४९.००	५४९.००
13	पोलिकार्बोनेट रुफिङ सिट				
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाई ०.८ मि.मि चौडाई ३२ इन्च	व.फि	१२६.००	१२६.००	१२६.००
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाई १ मि.मि चौडाई ३२ इन्च	व.फि	१५८.००	१५८.००	१५८.००
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाई १.२ मि.मि चौडाई ४२ इन्च	व.फि	१८८.००	१८८.००	१८८.००
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाई १.५ मि.मि चौडाई ४३ इन्च	व.फि	२३८.००	२३८.००	२३८.००
14	पोलिकार्बोनेट प्लेन तथा किस्टल सिट				
	नर्मल तथा किस्टल सिट मोटाई १.५ मि.मि चौडाई ३२ इन्च	व.फि	१९७.००	१९७.००	१९७.००
	नर्मल तथा किस्टल सिट मोटाई २ मि.मि चौडाई ३२ इन्च	व.फि	२६३.००	२६३.००	२६३.००
	नर्मल तथा किस्टल सिट मोटाई १ मि.मि चौडाई ३२ इन्च	व.फि	१६५.००	१६५.००	१६५.००
	टायल प्रोफायल मेटल रुफिङ सिट सिट मोटाई ०.५ मि.मि चौडाई ३२ इन्च	व.फि	१२७.००	१२७.००	१२७.००
15	सि एण्ड जेड पर्लिन				
	सि एण्ड जेड पर्लिन(२१० मि.मि. सिट),मोटाई १.८ मि.मि ग्याल्फनाइज्ड	प्रति केजी	१५८.००	१५८.००	१५८.००
	सि एण्ड जेड पर्लिन(३२०/३६०/४१० मि.मि. सिट),मोटाई २ मि.मि ग्याल्फनाइज्ड	प्रति केजी	१५६.००	१५६.००	१५६.००


Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
16	अल्युमिनियम				
	पेन्टेड अल्युमिनियम एस स्पात सिट मोटाई ०.६ मि.मि	प्रति वण्डल	१९२४०.००	१९२४०.००	१९२४०.००
	पेन्टेड अल्युमिनियम एस स्पात सिट नर्मल मोटाई ०.६ मि.मि	प्रति वण्डल	१५०८०.००	१५०८०.००	१५०८०.००
	पेन्टेड अल्युमिनियम एस स्पात सिट मोटाई ०.५ मि.मि	प्रति वण्डल	१७९६०.००	१७९६०.००	१७९६०.००
	पेन्टेड अल्युमिनियम नर्मल सिट मोटाई ०.५ मि.मि	प्रति वण्डल	१३०००.००	१३०००.००	१३०००.००
17	Metal Tile Roofing Sheet				
	0.45 Thickness - (Red, Green, Blue)	वण्डल	२३०३६.००	२३०३६.००	२३०३६.००
	0.5 Thickness - (Chocolate)	वण्डल	२५५३२.००	२५५३२.००	२५५३२.००
18	Ridge Cap(0.4 Thickness)	र फि	२००.००	२००.००	२००.००
	Gutter				
	0.50 mm Thickness (Size- 12")	र फि	१०१.००	१०१.००	१०१.००
	0.50 mm Thickness (Size- 16")	र फि	१२५.००	१२५.००	१२५.००
	0.50 mm Thickness (Size- 18")	र फि	१७५.००	१७५.००	१७५.००
	0.40 mm Thickness (Size- 12")	र फि	१२२.००	१२२.००	१२२.००
	0.40 mm Thickness (Size- 16")	र फि	१३०.००	१३०.००	१३०.००
	0.40 mm Thickness (Size- 12")	र फि	१७५.००	१७५.००	१७५.००
19	Polycarbonate Corrugated Sheet				
	0.8 mm Thickness	व.फि	१०५.००	१०५.००	१०५.००
	1 mm Thickness	व.फि	१०८.००	१०८.००	१०८.००
	1.25mm Thickness	व.फि	१३०.००	१३०.००	१३०.००
	1.5 mm Thickness	व.फि	१५७.००	१५७.००	१५७.००
	1.75mm Thickness	व.फि	१७९.००	१७९.००	१७९.००
	2mm Thickness	व.फि	२०६.००	२०६.००	२०६.००
	2.5 mm Thickness	व.फि	२५०.००	२५०.००	२५०.००
	3 mm Thickness	व.फि	३८५.००	३८५.००	३८५.००
20	Polycarbonate Plain Sheet				
	1 mm Thickness	व.फि	९०.००	९०.००	९०.००
	1.5 mm Thickness	व.फि	१३८.००	१३८.००	१३८.००
	2 mm Thickness	व.फि	१९०.००	१९०.००	१९०.००
	2.5 mm Thickness	व.फि	२२९.००	२२९.००	२२९.००
	3 mm Thickness	व.फि	२५५.००	२५५.००	२५५.००
	4 mm Thickness	व.फि	३६०.००	३६०.००	३६०.००
	5 mm Thickness	व.फि	४२०.३५	४२०.३५	४२०.३५
	6 mm Thickness	व.फि	५०८.८५	५०८.८५	५०८.८५
	7 mm Thickness	व.फि	६०६.९९	६०६.९९	६०६.९९
	8 mm Thickness	व.फि	७६९.००	७६९.००	७६९.००
	9 mm Thickness	व.फि	८२९.००	८२९.००	८२९.००
	10 mm Thickness	व.फि	९५७.००	९५७.००	९५७.००
	12 mm Thickness	व.फि	११२९.००	११२९.००	११२९.००
21	Angle & U channel				
	CZU Non Galvanized 2mm thickness	के जी	१५९.००	१५९.००	१५९.००

Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	CZU Galvanized 2mm thickness	के.जी.	२३८.००	२३८.००	२३८.००
	Angle ०.५ mm thickness	र.फि.	९.००	९.००	९.००
22	False Ceiling boards and zinc coated metal profile 120 GSM				
	Standard plaster board plain 12.5 mm thick	ब.मि.	२९८.००	२९८.००	२९८.००
	Metal ceiling section 80x26x51x0.5x3660 mm	गोटा	३२७.००	३२७.००	३२७.००
	Intermediate Channel 45x15x15x0.9x3660 mm	गोटा	३१४.००	३१४.००	३१४.००
	Perimeter channel 20x28x30x0.5x3660 mm	गोटा	१९५.००	१९५.००	१९५.००
	Ceiling Angle 25x10x0.5x3660 mm	गोटा	१०९.००	१०९.००	१०९.००
23	Thermal and Acoustic Insulation for roofing & Drywall				
	Roofing Insulation				
	Glass wool 50 mm thickness	ब.फि.	५०.००	५०.००	५०.००
	Stone wool 50mm thickness	ब.फि.	६५.००	६५.००	६५.००
	Stone wool 100mm thickness	ब.फि.	११५.००	११५.००	११५.००
	Drywall Insulation				
	Stone wool 50mm thickness	ब.फि.	६०.००	६०.००	६०.००
	Stone wool 75mm thickness	ब.फि.	१००.००	१००.००	१००.००
	Stone wool 100mm thickness	ब.फि.	१२०.००	१२०.००	१२०.००





प्रमुख जिल्ला अधिकारी

भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१	फलामको कब्जा				
	(क) ३" साइज	गोटा	१५.००	१५.००	१५.००
	(ख) ४" साइज	गोटा	२९.००	२९.००	२९.००
	(ग) ५" साइज	गोटा	४५.००	४५.००	४५.००
	(घ) ६" साइज	गोटा	५९.००	५९.००	५९.००
२	Locking Set (L-drop)				
	300 mm	गोटा	२७७.००	२७७.००	२७७.००
	225 mm	गोटा	२४२.००	२४२.००	२४२.००
	150 mm	गोटा	२०७.००	२०७.००	२०७.००
३	Aluminum Towerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा	२९.००	२९.००	२९.००
	(ख) ४" लामो	गोटा	४२.००	४२.००	४२.००
	(ग) ६" लामो	गोटा	७९.००	७९.००	७९.००
	(घ) ८" लामो	गोटा	८५.००	८५.००	८५.००
	(ङ) १०" लामो	गोटा	१००.००	१००.००	१००.००
	(च) १२" लामो	गोटा	११४.००	११४.००	११४.००
४	Aluminum Handle (हतकल)				
	Ordinary	गोटा	३४.००	३४.००	३४.००
	Special	गोटा	५०.००	५०.००	५०.००
५	बासको कब्जा				
	2" x 1/2"	गोटा	६७.००	६७.००	६७.००
	2 1/2" x 3/4"	गोटा	७५.००	७५.००	७५.००
	3" x 3/4"	गोटा	९२.००	९२.००	९२.००
	2" x 3/4"	गोटा	७५.००	७५.००	७५.००
	2 1/2" x 3/4"	गोटा	८४.००	८४.००	८४.००
	3" x 3/4"	गोटा	९२.००	९२.००	९२.००
	3" x 1"	गोटा	२०९.००	२०९.००	२०९.००
	4" x 1"	गोटा	३०२.००	३०२.००	३०२.००
	5" x 1"	गोटा	४०४.००	४०४.००	४०४.००
	6" x 1"	गोटा	४८८.००	४८८.००	४८८.००
६	Brass Towerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा	१५९.००	१५९.००	१५९.००
	(ख) ४" लामो	गोटा	२०९.००	२०९.००	२०९.००
	(ग) ६" लामो	गोटा	३०२.००	३०२.००	३०२.००
	(घ) ८" लामो	गोटा	४०४.००	४०४.००	४०४.००
	(ङ) १०" लामो	गोटा	५०४.००	५०४.००	५०४.००
	(च) १२" लामो	गोटा	६०५.००	६०५.००	६०५.००

भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. नाहेको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
७	Brass Handle (हतकल)				
	6" Brass handle	गोटा	१५९.००	१५९.००	१५९.००
	8" Brass handle	गोटा	४८८.००	४८८.००	४८८.००
	10" Brass handle	गोटा	१००९.००	१००९.००	१००९.००
८	Brass Locking Set (L-drop)				
	(क) ८" लामो	गोटा	१००९.००	१००९.००	१००९.००
	(ख) १०" लामो	गोटा	१६४०.००	१६४०.००	१६४०.००
	(ग) १२" लामो	गोटा	१८२१.००	१८२१.००	१८२१.००
	Special Fittings				
९	एल ड्रप				
	८" लामो	गोटा	१११५.००	१११५.००	१११५.००
	१०" लामो	गोटा	१२५८.००	१२५८.००	१२५८.००
	१२" लामो	गोटा	१३११.००	१३११.००	१३११.००
१०	ह्याण्डल ८" लामो	गोटा	१३११.००	१३११.००	१३११.००
११	टावर बोल्ट				
	६" लामो	गोटा	२३९.००	२३९.००	२३९.००
	८" लामो	गोटा	३१९.००	३१९.००	३१९.००
	१०" लामो	गोटा	३९९.००	३९९.००	३९९.००
१२	डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)				
	एल ड्रप				
	८" लामो	गोटा	९५१.००	९५१.००	९५१.००
	१०" लामो	गोटा	११८६.००	११८६.००	११८६.००
	१२" लामो	गोटा	१३११.००	१३११.००	१३११.००
	ह्याण्डल				
	६" लामो	गोटा	२६६.००	२६६.००	२६६.००
	८" लामो	गोटा	३९९.००	३९९.००	३९९.००
	मोर्टिस लक				
	Ordinary	गोटा	६६६.००	६६६.००	६६६.००
	Chinese	गोटा	४४३.००	४४३.००	४४३.००
	Indian Godrej Company	गोटा	२६८४.००	२६८४.००	२६८४.००
	Brass		११८६.००	११८६.००	११८६.००
१३	Door Spring (Door Closer)				
	Ordinary	गोटा	१८९.००	१८९.००	१८९.००
	hydraulic	गोटा	१९६७.००	१९६७.००	१९६७.००
	Window I-hook	गोटा	१९.००	१९.००	१९.००
१४	Gate Hook				
	4" Gate hook	गोटा	३३.००	३३.००	३३.००
	5" Gate hook	गोटा	३७.००	३७.००	३७.००
	6" Gate hook	गोटा	४४.००	४४.००	४४.००
	Brass Gate hook	गोटा	७९.००	७९.००	७९.००

भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१५	Door stopper				
	Butterfly	गोटा	१५७.००	१५७.००	१५७.००
	Bell catch 2" size	गोटा	२०८.००	२०८.००	२०८.००
	C.P. handle	गोटा	४५३.००	४५३.००	४५३.००
	Power coated handle	गोटा	४३२.००	४३२.००	४३२.००
	Brass coated handle	गोटा	९३९.००	९३९.००	९३९.००
	Door stopper, single brass stopper	गोटा	१०६.००	१०६.००	१०६.००
	Door stopper double brass stopper	गोटा	१८९.००	१८९.००	१८९.००
१६	Screw Brass				
	20mm	गोटा	२.००	२.००	२.००
	25mm	गोटा	२.००	२.००	२.००
	35mm	गोटा	४.००	४.००	४.००
	50mm	गोटा	१२.००	१२.००	१२.००
	75mm	गोटा	१६.००	१६.००	१६.००
१७	Screw Steel				
	20mm	गोटा	१.००	१.००	१.००
	25mm	गोटा	२.००	२.००	२.००
	35mm	गोटा	२.००	२.००	२.००
	50mm	गोटा	७.००	७.००	७.००
	75mm	गोटा	८.००	८.००	८.००
१८	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	९८.००	९८.००	९८.००
१९	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	१०४.००	१०४.००	१०४.००





प्रमुख जिल्ला अधिकारी

रंगरोगन तथा पुटिका सामानहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१	सिमेन्ट पेन्ट	के.जि.	६९.००	६९.००	६९.००
२	सिमेन्ट प्राइमर सेतो	के.जि.	२८८.००	२८८.००	२८८.००
३	उड प्राइमर	लिटर	३८९.००	३८९.००	३८९.००
४	सेन्थेटिक इनामेल पेन्ट	लिटर	५४२.००	५४२.००	५४२.००
५	नेपाल रेडको म्याट फिनिसिङ	लिटर	५२३.००	५२३.००	५२३.००
६	कोरुगेटेड रुफ पेन्ट	लिटर	४९२.००	४९२.००	४९२.००
७	तयारी अल्मुनियम पेन्ट	लिटर	५६५.००	५६५.००	५६५.००
८	तयारी बार्नेस	लिटर	४५५.००	४५५.००	४५५.००
९	तयारी बार्नेर सेन्थेटिक	लिटर	३५९.००	३५९.००	३५९.००
१०	भारतीय धिनर	लिटर	२३८.००	२३८.००	२३८.००
११	उड एण्ड ग्लास पुटिन	के.जी	१३६.००	१३६.००	१३६.००
१२	मेटल पुटिन	के.जी	१६०.००	१६०.००	१६०.००
१३	चुना पेन्ट गर्न राख्ने गम	के.जी	२१०.००	२१०.००	२१०.००
१४	नेपाली धिनर	लिटर	२२४.००	२२४.००	२२४.००
१५	तारपिन तेल	लिटर	२२१.००	२२१.००	२२१.००
१६	रेड अकसाइड पेन्ट	लिटर	२७०.००	२७०.००	२७०.००
१७	उड पिजरभेटिब पेन्ट	लिटर	२३६.००	२३६.००	२३६.००
१८	व्याक जापान	लिटर	४९६.००	४९६.००	४९६.००
१९	राम तिलक	के.जि.	५७.००	५७.००	५७.००
२०	गेरु रंग	के.जि.	१४१.००	१४१.००	१४१.००
२१	चप्रा	के.जि.	१३४४.००	१३४४.००	१३४४.००
२२	फिट	लिटर	९२.००	९२.००	९२.००
२३	वासेबल डिस्टेम्पर	लिटर	२३१.००	२३१.००	२३१.००
२४	प्लास्टिक्स इमल्सन पेन्ट (interior)	लिटर	५४४.००	५४४.००	५४४.००
२५	वेदरकोट पेन्ट (exterior)	लिटर	६५२.००	६५२.००	६५२.००
२६	प्लास्टिक ईमल्सन पेन्ट	लिटर	६९३.००	६९३.००	६९३.००
२७	लिनसिड आयल	लिटर	२०३.००	२०३.००	२०३.००
२८	स्थानीय स्पीट	लिटर	१२१.००	१२१.००	१२१.००
२९	मोबिकल/फेबिकल	के.जि.	२७१.००	२७१.००	२७१.००
३०	मैन पालिस	के.जि.	३६७.००	३६७.००	३६७.००
३१	अक्जालिक एसिड	के.जि.	१२५.००	१२५.००	१२५.००
३२	१" चौडा पेन्ट ब्रस	गोटा	७४.००	७४.००	७४.००
३३	२" चौडा पेन्ट ब्रस	गोटा	१४९.००	१४९.००	१४९.००
३४	३" चौडा पेन्ट ब्रस	गोटा	२२३.००	२२३.००	२२३.००
३५	४" चौडा पेन्ट ब्रस	गोटा	२९८.००	२९८.००	२९८.००
३६	रङ्ग लगाउने रोलर	गोटा	४२६.००	४२६.००	४२६.००
३७	Sand paper	गोटा	६.००	६.००	६.००

रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको लिस्टिङ		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
३८	Wall putty plain	के.जि.	३८.००	३८.००	३८.००
३९	Wall putty- water Proof	के.जि.	६३.००	६३.००	६३.००
४०	Plaster of Parish (POP)	के.जि.	२३.००	२३.००	२३.००
४१	Redoxide zink cromate primer For Bridge	लिटर	४७९.००	४७९.००	४७९.००
४३	Epoxy Paint for Operation theater	व.मी.	१२१७४.००	१२१७४.००	१२१७४.००
४४	Exterior Primer	लिटर	२४८.००	२४८.००	२४८.००
४५	Interior Primer	लिटर	१७९.००	१७९.००	१७९.००
४६	Enamel Paints	लिटर	४३४.००	४३४.००	४३४.००
	Decorative Painting Material				
A	Specialized paints				
१	Anti bacterial Hospital Paint	लिटर	११५३.००	११५३.००	११५३.००
२	Anti carbonisation paint	लिटर	८१२.००	८१२.००	८१२.००
३	Heat Reflecting Energy Saving Insulation Paint	लिटर	११८६.००	११८६.००	११८६.००
४	Intumescent weather resistant chlorinated rubber fire resistant retardant coating	लिटर	११६६.००	११६६.००	११६६.००
५	Silver Ion higelnic Coating Paint	के.जि.	९७०.००	९७०.००	९७०.००
६	Self Sanitizing Silver Ion Higienic Coating	लिटर	९७०.००	९७०.००	९७०.००
B	Texture paints				
१	Mediterrano	के.जि.	१८७.००		
२	Stucco Veneziano	के.जि.	१३१६.००		
३	Velvetino	के.जि.	४५२०.००		
४	Travertino	के.जि.	३६२.००		
५	Gtone plaster	के.जि.	१२९.००		
६	Colorato (Multi color)	के.जि.	९५०.००		
७	Pearl skin texture	के.जि.	१५८.००		
८	TS 52 Spray white	के.जि.	२१२.००		
९	Rustic	के.जि.	१९९.००		
१०	Rockart	लिटर	१९६.००		
११	Manhattan	के.जि.	२४०.००		
१२	Sabbia	के.जि.	२४०.००		
१३	Sandy Stone	के.जि.	१८४.००		
१४	Insulplast	के.जि.	२३७.००		
१५	Poly Under White	के.जि.	२८१.००		
१६	Antica(Top coat)	के.जि.	१३३०.००		
१७	T.C 100(Top coat)	के.जि.	७६४.००		
१८	Dekorica White	के.जि.	२७५७.००		
१९	Poly Plaster	के.जि.	११२.३५		
२०	Granite tone	के.जि.	१७०.००		
२१	Graffiato	के.जि.	१६५.००		
२२	Elligance stone	के.जि.	१९२.००		
२३	Marmorino Base	के.जि.	४१२.००		
२४	Acro fine	लिटर	१८६.००		

रंगरोगन तथा पुटिका सामानहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
२५	Marmocastro base	के.जि.	१४६.००		
२६	Selva Granite	के.जि.	२९५.००		
२७	Romart	के.जि.	२३९.००		
२८	Renstu plaster putty	के.जि.	९९.००		
२९	Hyperion base putty	के.जि.	५०७.००		
३०	Cementzio base putty	के.जि.	२४५.००		
३१	Helios base putty	के.जि.	४९७.००		
३२	Cratere base putty	के.जि.	४८८.००		
३३	Cerrotta base putty	के.जि.	४८८.००		
३४	Coppotto Di cemento	के.जि.	१७०८.००		
३५	Muroplast putty	के.जि.	७५.००		
३६	Acro pure (PU top coat)	के.जि.	११४५.००		
३७	Satenatto emulsion	लिटर	६३०.००		
३८	StuccoPlaster	लिटर	२८९.००		
३९	Elegantile	के.जि.	१९९.५०		
४०	Multi Granite	के.जि.	१९९.५०		
४१	Hermes Base	के.जि.	२४६.७५		
४२	Botticelli Base	के.जि.	२९६.९०		
४३	Granito Wall	के.जि.	१६०.००		
C	Weather coat paints				
१	Guard	लिटर	५३६.००		
२	Guard -3x	लिटर	६२६.००		
३	Shield	लिटर	३४३.००		
४	Acrotex matt	लिटर	५२०.००		
५	Ext wall Primer	लिटर	२५३.००		
६	SPC ExterShield Premium	लिटर	६१४.००		
७	SPC ExterShield Smooth	लिटर	५२५.००		
८	SPC ExterShield Standard	लिटर	३३६.००		
D	Emulsion Paints/Distemper				
१	silk Emulsion paints	लिटर	५५६.००		
२	Aqualin Int.Emulsion	लिटर	२९८.००		
३	pearl Emulsion paints	लिटर	८२३.००		
४	int. wall Primer	लिटर	१८३.००		
५	Acrylic Washable Distemper	लिटर	१५९.००		
६	Gold Enamel	लिटर	५४५.००		
७	Universal primer (wood primer)	लिटर	३३३.००		
८	Red oxide metal primer	लिटर	२९४.००		
९	Water seal stretch (Damp coat)	लिटर	५२७.००		
१०	Construction Chemical / waterproof coating system				
	crack sill	लिटर	४९२.००		
	crack fill A+B	लिटर	१८९.००		
१०	Silicon Bases water repellent impregnation				


रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Acropreg	लिटर	४९६.००		
	Acropreg W	लिटर	६५९.००		
	Wall putty	के.जि.	४०.००		
११	Premium Emulsion	लिटर	७५४.००		
१२	Smooth Emulsion	लिटर	५४५.००		
१३	Standard Emulsion	लिटर	२९२.००		
E	Wall Paper				
	Wall paper (10m.x 0.53m)	रोल	१३१७.००	१३१७.००	१३१७.००
	Fittings for wall paper	ब.फि	७.००	७.००	७.००
	White glue for wall paper	लि.	११५.००	११५.००	११५.००
F	Pro Plaster Material	के.जी	३४.००	३४.००	३४.००
	Environment Friendly Paints				
1	Eco - Friendly High glossy Exterior Wall Paint	20 L	२१५०६.००	२१५०६.००	२१५०६.००
		10 L	११७८३.००	११७८३.००	११७८३.००
		4 L	४७१७.००	४७१७.००	४७१७.००
		1 L	११८४.००	११८४.००	११८४.००
2	Environmentally Friendly Natural Exterior Paint	20 L	१४२१४.००	१४२१४.००	१४२१४.००
		10 L	७३१३.००	७३१३.००	७३१३.००
		4 L	३०६९.००	३०६९.००	३०६९.००
		1 L	८४४.००	८४४.००	८४४.००
3	Environmentally Friendly Constant Color Exterior Paint	20 L	११२०६.००	११२०६.००	११२०६.००
		10 L	६११८.००	६११८.००	६११८.००
		4 L	२६५७.००	२६५७.००	२६५७.००
		1 L	६६९.००	६६९.००	६६९.००
4	Eco - Friendly Dark Color Interior and Exterior Wall Paint	20 L	१२१५४.००	१२१५४.००	१२१५४.००
		10 L	६५९२.००	६५९२.००	६५९२.००
		4 L	२८४२.००	२८४२.००	२८४२.००
		1 L	७२१.००	७२१.००	७२१.००
5	Eco - Friendly High glossy Interior Wall Paint	20 L	१९३६४.००	१९३६४.००	१९३६४.००
		10 L	१०१९७.००	१०१९७.००	१०१९७.००
		4 L	४०७८.००	४०७८.००	४०७८.००
		1 L	१०१९.००	१०१९.००	१०१९.००
6	Environmentally Friendly Natural Interior Wall paint	20 L	१३१८४.००	१३१८४.००	१३१८४.००
		10 L	६७९८.००	६७९८.००	६७९८.००
		4 L	२८४२.००	२८४२.००	२८४२.००
		1 L	७४१.००	७४१.००	७४१.००
7	Environmentally Friendly Constant Interior wall Paint				

रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
		20 L	१००९४.००	१००९४.००	१००९४.००
		10 L	५२५३.००	५२५३.००	५२५३.००
		4 L	२२२४.००	२२२४.००	२२२४.००
		1 L	५९७.००	५९७.००	५९७.००
8	Eco Friendly Interior Wall Paint				
		20 L	६०७७.००	६०७७.००	६०७७.००
		10 L	३२४४.००	३२४४.००	३२४४.००
		4 L	१४२९.००	१४२९.००	१४२९.००
		1 L	४९२.००	४९२.००	४९२.००
9	Environmentally Efficient Exterior Wall Primer				
		20 L	१११२४.००	१११२४.००	१११२४.००
		10 L	६७९८.००	६७९८.००	६७९८.००
		4 L	४०७८.००	४०७८.००	४०७८.००
		1 L	१२७७.००	१२७७.००	१२७७.००
10	Environmentally Friendly Alkali Resistant wall primer interior				
		20 L	८६५२.००	८६५२.००	८६५२.००
		10 L	४३५६.००	४३५६.००	४३५६.००
		4 L	२६३६.००	२६३६.००	२६३६.००
		1 L	१११२.००	१११२.००	१११२.००
11	Eco Friendly Primer				
		20 L	६५९२.००	६५९२.००	६५९२.००
		10 L	४४२९.००	४४२९.००	४४२९.००
		4 L	२२६६.००	२२६६.००	२२६६.००
		1 L	९०६.००	९०६.००	९०६.००
12	Granite texture Spray / Imitation Stone Paint				
		1 sq ft	१४९.००	१४९.००	१४९.००
13	Water in Water Colorfull Paint Four in one				
	Granite Primer	6 kg	५९९४.००	५९९४.००	५९९४.००
	Intermediate Coating Paint	7 Kg	७२९०.००	७२९०.००	७२९०.००
	Granite Surface Paint	9 kg	१५४५०.००	१५४५०.००	१५४५०.००
	Dust proof Surface Paint	3 kg	५९२९.००	५९२९.००	५९२९.००





प्रमुख जिल्ला अधिकारी

Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दरललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
A	CONCRETE ADMIXTURES (Chemical)				
१	Form Oil	लिट्र	१०६.००	१०६.००	१०६.००
२	Polymer for M35, M 40 or higher concrete	लिट्र	३७३.००	३७३.००	३७३.००
३	Epoxy Bonding agent for old and new construction	लिट्र	२१००.००	२१००.००	२१००.००
४	Damp Proof and hardening compound safe mite.	लिट्र	२५०.००	२५०.००	२५०.००
५	(Damp proof, Anti Termite, Anti Fungal, Anti Saltpetre and benefit of High Compressive Strength)				
	Waterproof Coating With Latex	के.जी.	३७३.००	३७३.००	३७३.००
	Waterproof Coating with Polymer	के.जी.	४७९.००	४७९.००	४७९.००
६	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] ASTM C 494 -(Type A,B&D) IS	के.जी.	१५९.००	१५९.००	१५९.००
७	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Napthalene Formldehyde Based] ASTM C 494 -(Type A,C,E & F) IS 9103-79 /1999 Dose 0.2 to 3% by wt of	के.जी.	२६६.००	२६६.००	२६६.००
८	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] ASTM C 494 -(Type A,F& G) IS 9103-1999 /1981	के.जी.	४७९.००	४७९.००	४७९.००
९	Integral Waterproofing Additive for Concrete & Plaster .ASTM C 494 IS 2645-75 (Type G) , IS 9103-2007 / IS 2645	के.जी.	३१९.००	३१९.००	३१९.००
१०	Integral Crystalline Waterproofing Powder Admixture STD . Conformance : ASTM C 494, IS 3085-1997, DIN 1048 -1991 Part 5	के.जी.	१०५०.००	१०५०.००	१०५०.००
११	Integral Crystalline Waterproofing Liquid Admixture STD Conformance : ASTM C 494 IS 3085 -1997 , DIN 1048-1991	के.जी.	१०५०.००	१०५०.००	१०५०.००
१२	Integral Crystalline Waterproofing Powder Admixture STD . Conformance : ASTM C 494, IS 3085-1997, DIN 1048 -1991	के.जी.	१३१२.००	१३१२.००	१३१२.००
१३	Integral Waterproofing Powder Admixture for Mortars Std. Coformance : ASTM C 494, IS 3085-1997, DIN 1048-1991 Part	के.जी.	१९९.००	१९९.००	१९९.००
१४	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	के.जी.	२६६.००	२६६.००	२६६.००
१५	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	के.जी.	३७३.००	३७३.००	३७३.००
१६	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free] ASTM C 1240, IS 15388-2003	के.जी.	३७३.००	३७३.००	३७३.००
१७	Retarding Superplasticizer for Concrete [Napthalene Based] ASTM C 494-1981 (TYPE G/D), IS 9103-2007	के.जी.	२६६.००	२६६.००	२६६.००
१८	Retarding Superplasticizer for Concrete [Polycarboxylate Ether Based] ASTM C 494-1981 (Type G)	के.जी.	४७९.००	४७९.००	४७९.००
B	CONCRETE ADMIXTURES (Mineral)				
१	Silica Cement Admixture (Volcanic Product Inorganic)	के.जी.	३५१.००	३५१.००	३५१.००
२	Micro Silica for High Performance Concrete ASTM C 1240 - 2005 , IS 15388-2003.	के.जी.	११७.००	११७.००	११७.००
३	Processed FA Based Mineral Additives	के.जी.	९०.००	९०.००	९०.००
C	FOR JOINT SEALANTS & SYSTEMS				
१	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	के.जी.	१८९०.००	१८९०.००	१८९०.००
२	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	के.जी.	१८९०.००	१८९०.००	१८९०.००
३	One Component Low Viscosity Primer For Polysulfide Sealant	के.जी.	३१५०.००	३१५०.००	३१५०.००
४	Two Component Pour Grade Polyurethane Sealant for Joints	के.जी.	२१००.००	२१००.००	२१००.००
५	Low Viscosity Primer For Polyurethane Sealant	के.जी.	३१५०.००	३१५०.००	३१५०.००
६	High Performance Hybrid Silyl Sealant (290 ml per-set)	सेट	१२६०.००	१२६०.००	१२६०.००



नेपाल सरकार
शह मन्त्रालय
जिल्ला प्रशासन कार्यालय

Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट ललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
७	HOT APPLIED Bituminous Sealing Compound Sealant [TYPE A]	के.जी.	३७३.००	३७३.००	३७३.००
८	HOT APPLIED Bituminous Sealing Compound Sealant [TYPE B]	के.जी.	४७९.००	४७९.००	४७९.००
९	Butyl Tape for various Applications	र. मि.	१३३.००	१३३.००	१३३.००
१०	Waterproofing Joint Tape [120 mm]	र. मि.	५८६.००	५८६.००	५८६.००
११	Waterproofing Joint Tape [200 mm]	र. मि.	७९९.००	७९९.००	७९९.००
१२	NBR based Waterproofing Joint Tape [200 mm]	र. मि.	४२००.००	४२००.००	४२००.००
१३	Joint Tape Epoxy Adhesive	के.जी.	३१५०.००	३१५०.००	३१५०.००
१४	Glass Fiber Joint Tape	र. मि.	२९३.००	२९३.००	२९३.००
१५	Waterproofing / Expansion Joint Taps [100 mm]	र. मि.	१५७५.००	१५७५.००	१५७५.००
१६	Waterproofing / Expansion Joint Tape [200 mm]	र. मि.	२८३५.००	२८३५.००	२८३५.००
१७	Construction Joint Tape [100 mm]	र. मि.	८५२.००	८५२.००	८५२.००
१८	Cross Linked Premoulded Compressive Joint Filler [25 mm]	ब. मि.	२५७२.००	२५७२.००	२५७२.००
१९	Cross Linked Premoulded Compressive Joint Filler [50 mm]	ब. मि.	५०९२.००	५०९२.००	५०९२.००
२०	Closed Cell Polymerbased Joint Filler [25 mm]	ब. मि.	८५२.००	८५२.००	८५२.००
२१	Closed Cell Polymerbased Joint Filler [50 mm]	ब. मि.	१५७५.००	१५७५.००	१५७५.००
२२	Compressable Resilint Non- Extrudible Joint EXJO FILLER [12 mm (4' X 4'')]	ब. मि.	२६२५.००	२६२५.००	२६२५.००
२३	Compressable Resilint Non- Extrudible Joint EXJO FILLER [18 mm (4' X 4'')]	ब. मि.	३६७५.००	३६७५.००	३६७५.००
२४	Compressable Resilint Non- Extrudible Joint EXJO FILLER [25 mm (4' X 4'')]	ब. मि.	४७२५.००	४७२५.००	४७२५.००
D INDUSTRIAL FLOORING SOLUTIONS					
१	Hardwearing, abrasion resistant monolithic industrial flooring compound [Metallic]	के.जी.	१२७.००	१२७.००	१२७.००
२	Liquid Concrete Hardener & Dust Proofer	के.जी.	४७९.००	४७९.००	४७९.००
३	Anti Bacterial Wall Coating [Walgard WBA]	के.जी.	७४६.००	७४६.००	७४६.००
४	Anti Bacterial Wall Coating [Polyurethane] Walgard WBA	के.जी.	१०९७.००	१०९७.००	१०९७.००
५	Anti bacterial Wall Coating Clearseal	के.जी.	८३६.००	८३६.००	८३६.००
६	Self Levelling Flooring System [Epoxy] Florgard SL	के.जी.	१३७०.००	१३७०.००	१३७०.००
७	Flooring System [Polyurethane] Florthane	के.जी.	१३७०.००	१३७०.००	१३७०.००
८	Anti Bacterial Floor & Wall Coating [Epoxy]	के.जी.	२६२५.००	२६२५.००	२६२५.००
९	Anti Bacterial Floor & Wall Coating [Polyurethane]	के.जी.	३१५०.००	३१५०.००	३१५०.००
१०	Anti bacterial Floor & Wall Coating [Acrylic]	के.जी.	२१००.००	२१००.००	२१००.००
११	Self Levelling Flooring System [Epoxy]	के.जी.	२२००.००	२२००.००	२२००.००
१२	Self Levelling Flooring System [Polyurethane]	के.जी.	३०००.००	३०००.००	३०००.००
१३	Self Levelling Cementitious Flooring System	के.जी.	५००.००	५००.००	५००.००
E ENGINEERING GROUTS					
१	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [M40]	के.जी.	११७.००	११७.००	११७.००
२	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	के.जी.	१३३.००	१३३.००	१३३.००
३	Hard wearing cementitious tile grout	के.जी.	१७०.००	१७०.००	१७०.००
४	Hard wearing epoxy based tile grout	के.जी.	१०५०.००	१०५०.००	१०५०.००
५	Super Plasticizer, Shrinkage Compensating Grout Admixture	के.जी.	५३३.००	५३३.००	५३३.००
६	High Strength Precision Grade, Non Shrink Structural Epoxy Anchor Grout	के.जी.	२६२५.००	२६२५.००	२६२५.००

प्रमुख जिल्ला अधिकारी



नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय

Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट ललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
७	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [400 MI Cartridge]	मिलि लिटर	४७२५.००	४७२५.००	४७२५.००
८	Low Viscosity Injection Epoxy Grout	के.जी.	७८७५.००	७८७५.००	७८७५.००
९	Low Viscosity Polyurethane Injection Grout	के.जी.	१३०००.००	१३०००.००	१३०००.००
१०	Low Viscosity Acrylate Gel Injection Grout	के.जी.	८९२५.००	८९२५.००	८९२५.००
११	Low Viscosity Soil Stabilization Hydrophobic one component Injection Grout	के.जी.	१४५६०.००	१४५६०.००	१४५६०.००
१२	Low Viscosity Soil Stabilization Hydrophobic, water reactive, solvent and phthalate free Injection Grout	के.जी.	९९७५.००	९९७५.००	९९७५.००
१३	Resin Capsule (32*300mm)	पिस	१३८.००	१३८.००	१३८.००
१४	Cement Capsule(32*300mm)	पिस	६३.००	६३.००	६३.००
१५	Microfine Cement (MFC)	के.जी.	२६६.००	२६६.००	२६६.००
१६	Durasport (Sport court coating)		१३७०.००	१३७०.००	१३७०.००
१७	Eposeal (for water storage tanks)		१३७०.००	१३७०.००	१३७०.००
१८	Duraseal WB (Water Base/Weather proofing & decorative coating for buildings)		७४२.००	७४२.००	७४२.००
१९	Duraseal SB (Solvent Base/Weather proofing & decorative coating for buildings exterior)		७४२.००	७४२.००	७४२.००
२०	K10 Sovacryl (Waterproofs external surfaces)		१०९७.००	१०९७.००	१०९७.००
२१	Zinc Rich Primer (Cathodic protection to the base metal)		८३६.००	८३६.००	८३६.००
२२	Coal tar Epoxy (Excellent resistance to water and alkali in steel surface)		४१७.००	४१७.००	४१७.००
२३	Epilux 44 Enamel (Suitable for protection of metallic objects and structures in oil refineries, paper, etc)		८३६.००	८३६.००	८३६.००
२४	Epilux 610 prime (anti-corrosive nature suitable for steel surfaces)		७४२.००	७४२.००	७४२.००
२५	Ferrotol HR Aluminium paints (Excellent durability and weather resistant properties)		७४२.००	७४२.००	७४२.००
२६	ROZC Primer (Exterior and interior surfaces subjected to humidity condensation and industrial environments)		३७१.००	३७१.००	३७१.००
F	BONDING ADHESIVES FOR CONCRETE & MORTAR (Polymer & Epoxy Resin)				
१	Acrylic Bonding Agent For Concrete & Mortar	के.जी.	७९९.००	७९९.००	७९९.००
२	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	के.जी.	१०१२.००	१०१२.००	१०१२.००
३	High Performance Pure Acrylic Polymer for Concrete & Mortar Modification & Bonding Adhesive	के.जी.	१२६०.००	१२६०.००	१२६०.००
४	Two Component Epoxy Resin Bonding Agent [For bonding new to old concrete]	के.जी.	१८९०.००	१८९०.००	१८९०.००
G	FIBERS (Steel & Polypropylene)				
१	FIBERMESH MF [Monofilament PP Fibers]	के.जी.	१२६०.००	१२६०.००	१२६०.००
२	FIBERMESH FB [Collated PP Fibers]	के.जी.	१५७५.००	१५७५.००	१५७५.००
३	FIBERMESH MACRO [Structural PP Fibers]	के.जी.	२१००.००	२१००.००	२१००.००
४	Loose steel Fibers	के.जी.	२६६.००	२६६.००	२६६.००
५	Glued Steel Fibers	के.जी.	३७३.००	३७३.००	३७३.००
६	Crimped Steel Fibers	के.जी.	२६६.००	२६६.००	२६६.००
H	SURFACE TREATMENT				
१	Protective, Decorative Anti Carbonation Coating	के.जी.	१२६०.००	१२६०.००	१२६०.००
२	Protective, Decorative Insulating Anti Carbonation Coating	के.जी.	१४१७.००	१४१७.००	१४१७.००
३	Concrete Penetrating Corrosion Inhibitor	के.जी.	४७२५.००	४७२५.००	४७२५.००
४	Protective Acrylic Sealer	के.जी.	१५७५.००	१५७५.००	१५७५.००

प्रमुख जिल्ला अधिकारी

Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेटललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
५	Protective Polyurethane Sealer	के.जी.	१८९०.००	१८९०.००	१८९०.००
६	Water Based Fire Retardant Coating	के.जी.	१५७५.००	१५७५.००	१५७५.००
७	High Performance Water Repellent Paint	लिट्र	९५९.००	९५९.००	९५९.००
८	Concentrated & Emulsified Chemical Mould Release Agent	लिट्र	५३३.००	५३३.००	५३३.००
९	Ready to use Chemical Mould Release Agent	लिट्र	५३३.००	५३३.००	५३३.००
१०	Concrete Curing Aid	के.जी.	४७९.००	४७९.००	४७९.००
I	CONCRETE REPAIRS				
१	Rust Remover & Passivator	लिट्र	१०५०.००	१०५०.००	१०५०.००
२	Corrosion Inhibitor	के.जी.	१२६०.००	१२६०.००	१२६०.००
३	Micro Concrete [M60] for Permanent Repairs	के.जी.	१४९.००	१४९.००	१४९.००
४	Single Component Polymer Modified Cementitious Repair Mortar	के.जी.	१८६.००	१८६.००	१८६.००
५	Two Component Polymer Modified Cementitious Repair Mortar	के.जी.	२६६.००	२६६.००	२६६.००
६	Cementitious, Waterproof Crack Repair Mortar	के.जी.	२१३.००	२१३.००	२१३.००
७	Acrylic Based Crack Filling Putty	के.जी.	१२६०.००	१२६०.००	१२६०.००
J	PREPACKED MORTARS				
१	Tile, Marble, Granite etc. Adhesive	के.जी.	९०.००	९०.००	९०.००
२	Marble & Granite etc. Adhesive	के.जी.	३७३.००	३७३.००	३७३.००
३	Coarse and water resistant Readymix plastering Mortar	के.जी.	९०.००	९०.००	९०.००
४	High Performance Polymer Based Wall Putty (Skim Coat)	के.जी.	९०.००	९०.००	९०.००
५	High Performance Polymer Based Insulating Wall Putty (Skim Coat)	के.जी.	९५.००	९५.००	९५.००
K	WATERPROOFING SYSTEMS				
	INTEGRAL				
१	Integral Waterproofing Additive for Concrete & Plaster	के.जी.	२९३.००	२९३.००	२९३.००
२	High Performance Sodium Silicate CWS 100 Based Deep Penetrating Sealer Waterproofing System	के.जी.	७८७५.००	७८७५.००	७८७५.००
L	LIQUID APPLIED				
१	Single Pack Polymer Modified Flexible Waterproof Coating System Dose : Cover area 30 sqft. -45 sqft /kg 2 coat .	के.जी.	७४६.००	७४६.००	७४६.००
२	Two Component Polymer Modified Flexible Elastomeric Waterproof Coating System Dose : Cover area 5 sqft. - 7 sqft /kg 2 coat .	के.जी.	५३३.००	५३३.००	५३३.००
३	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose : consumption : 1:kg/m2.	के.जी.	७९९.००	७९९.००	७९९.००
४	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose : cover area : 6 sqft/litre 3 coat.	के.जी.	९०६.००	९०६.००	९०६.००
५	Acrylic elastomeric exterior water proof coating for exterior wall Dose : 35 sqft / litre 2 coat .	के.जी.	७९९.००	७९९.००	७९९.००
६	Crystalline Based Waterproofing System	के.जी.	३७३.००	३७३.००	३७३.००
७	Fast setting plugging compound for stopping running water system	के.जी.	४२६.००	४२६.००	४२६.००
८	Polyurethane based waterproof coating system	के.जी.	१७३२.००	१७३२.००	१७३२.००
९	Polymer modified Bitumen Based Water Proofing Coating System	के.जी.	१३१२.००	१३१२.००	१३१२.००
१०	Efflorescence Resistance Penetrating primer Dose : Cover Area: 80sqft/ltr 1 coat	के.जी.	६३९.००	६३९.००	६३९.००



Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. मिति २०८३/८४		
			आ. व. २०८१/८२	आ. व. २०८२/८३	आ. व. २०८३/८४
M	PREFORMED				
१	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	ब. मि.	१८९०.००	१८९०.००	१८९०.००
२	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	ब. मि.	२१००.००	२१००.००	२१००.००
३	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	ब. मि.	११०२.००	११०२.००	११०२.००
४	Polymer Modified Self Adhesive Bituminous Membranes [2mm]	ब. मि.	१५७५.००	१५७५.००	१५७५.००
५	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	ब. मि.	१५७५.००	१५७५.००	१५७५.००
६	1.2 mm High Polymer PVC Membranes	ब. मि.	२१००.००	२१००.००	२१००.००
७	PVC Adhesive	के.जी.	२६२५.००	२६२५.००	२६२५.००
८	1.2 mm EPDM Membranes	ब. मि.	२६२५.००	२६२५.००	२६२५.००
९	EPDM Adhesive	के.जी.	२६२५.००	२६२५.००	२६२५.००
१०	EPDM Primer	के.जी.	३१५०.००	३१५०.००	३१५०.००
११	2mm TPO Membranes	ब. मि.	३६७५.००	३६७५.००	३६७५.००
१२	Polythene & Polypropylene Polymer Compound Waterproof Membrane	ब. मि.	८५२.००	८५२.००	८५२.००
१३	100% Synthetic Rubber Roof Coating	के.जी.	४७२५.००	४७२५.००	४७२५.००
N	SPECIALTY				
१	Antistripping Agent for Bitumen	के.जी.	५८६.००	५८६.००	५८६.००
२	Cold Applied Multi Purpose Modified Bituminous Compound in semi Liquid Creamy for Bonding	के.जी.	२३९.००	२३९.००	२३९.००
३	Cold Applied Viscous Heavy Duty Modified Bituminous Protective water Barrier Coating for Below Ground Structures (Raft / Pile / Footings etc)	के.जी.	५५९.००	५५९.००	५५९.००
४	Bituminous based Aluminized Heat Reflective Paint	के.जी.	६९३.००	६९३.००	६९३.००
५	Cold Applied Sealing & Calking Compound	के.जी.	१३१२.००	१३१२.००	१३१२.००
६	ROAD REPAIR PRE-MIX	के.जी.	१०५०.००	१०५०.००	१०५०.००
७	ANTI CORROSIVE PIPE WRAP 2 mm	के.जी.	७९९.००	७९९.००	७९९.००
८	ANTI CORROSIVE PIPE WRAP 4 mm	के.जी.	१०५०.००	१०५०.००	१०५०.००
९	Anti Termite [Imidacloprid 30.5%]	के.जी.	१२०००.००	१२०००.००	१२०००.००
१०	Expanding Concrete Joint WATERSTOP	र. मि.	२६२५.००	२६२५.००	२६२५.००
११	WB ADHESIVE Primer for Expanding Waterstop	लिट्र	७८७५.००	७८७५.००	७८७५.००
१२	Swelable WATERSTOP	र. मि.	२६२५.००	२६२५.००	२६२५.००
१३	SEALGUARD PVC WATERSTOP - PVC Waterstops	र. मि.	२६२५.००	२६२५.००	२६२५.००
१४	Nodular Drain with Geotextile Roof Garden	ब. मि.	२६२५.००	२६२५.००	२६२५.००
१५	SEALGUARD GEOTEX [P] -Polyester Geotextile	ब. मि.	११७.००	११७.००	११७.००
१६	XPS - Extruded Polystyrene Boards [25 mm]	ब. मि.	२८००.००	२८००.००	२८००.००
१७	XPS - Extruded Polystyrene Boards [50 mm]	ब. मि.	३६७५.००	३६७५.००	३६७५.००
	Water Treatment Components				
a	Pump				
1	Vessel Pump- 5Hp High head(40-55M head) Centrifugal Pump.	गोटा	१०००००.००	१०००००.००	१०००००.००
2	Vessel Pump- 7.5Hp High head(40-55M head) Centrifugal Pump.	गोटा	१२३०००.००	१२३०००.००	१२३०००.००

Water Proofing Chemicals & Treatment Works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेक नतिजा		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
b	Motorized Actuator Butterfly Valve with CI Materials				
1	6" Dia	गोटा	११८०००.००	११८०००.००	११८०००.००
2	4" Dia	गोटा	६८५००.००	६८५००.००	६८५००.००
3	3" Dia	गोटा	५७५००.००	५७५००.००	५७५००.००
4	2.5" Dia	गोटा	४२०००.००	४२०००.००	४२०००.००
5	2" Dia	गोटा	३७५००.००	३७५००.००	३७५००.००
c	Vessel Strainer Top and Bottom (2 pieces= 1 set)				
1	40m3/Hour	सेट	२६१२५.००	२६१२५.००	२६१२५.००
2	25m3/Hour	सेट	२१३७५.००	२१३७५.००	२१३७५.००
3	15m3/Hour	सेट	१४२५०.००	१४२५०.००	१४२५०.००
4	9m3/Hour	सेट	७१२५.००	७१२५.००	७१२५.००
d	Air Release And Vacuum Breaker valve(1 unit per Vessel)				
1	1" Small	गोटा	१५००.००	१५००.००	१५००.००
2	1" Big	गोटा	३३२५.००	३३२५.००	३३२५.००
3	2" Big	गोटा	८०७५.००	८०७५.००	८०७५.००
e	Rotameter				
1	Small(upto 5m3/h in 3/4" or 1" Male or Female Thread)	गोटा	७६००.००	७६००.००	७६००.००
2	Medium(upto 10m3/h in 1.5" or 2" Male or Female Thread)	गोटा	१९०००.००	१९०००.००	१९०००.००
3	Big(40m3-60m3/h in 3" Thread or Flange type)	गोटा	२६१२५.००	२६१२५.००	२६१२५.००
f	Pressure Gauge(Glycerenine/Liquid Filled)				
1	Pressure Range 0-7Kg or 0-21Kg/ Side or Bottom Thread	गोटा	१२५०.००	१२५०.००	१२५०.००
g	Automatic Vessel Control Panel				
1	Semi Scada Control Panel with GSM/GPRS-Support features(MASTER)	गोटा	१२००००.००	१२००००.००	१२००००.००
2	Semi Scada Control Panel (Slave)	गोटा	७००००.००	७००००.००	७००००.००
h	FRP Water Filter Vessels				
1	14" Dia x 65" Height T/B 4"/Threaded	गोटा	२१८५०.००	२१८५०.००	२१८५०.००
2	16" Dia x 65" Height T/B 4"/ Threaded	गोटा	२२८००.००	२२८००.००	२२८००.००
3	18" Dia x 65" Height T/B 4"/ Threaded	गोटा	२६१२५.००	२६१२५.००	२६१२५.००
4	24" Dia x 72" Height T/B 4"/ Threaded	गोटा	४२२५०.००	४२२५०.००	४२२५०.००
5	30" Dia x 72" Height T/B 4"/ Threaded	गोटा	१०४५००.००	१०४५००.००	१०४५००.००
6	36" Dia x 72" Height T/B 4"/ Threaded	गोटा	११६८५०.००	११६८५०.००	११६८५०.००
7	42" Dia x 72" Height T/B 6"/Flange	गोटा	१५२०००.००	१५२०००.००	१५२०००.००
8	42" Dia x 72" Height T/B 6"/Threaded	गोटा	१९००००.००	१९००००.००	१९००००.००
9	48" Dia x 72" Height T/B 6"/ Threaded	गोटा	२१३७५०.००	२१३७५०.००	२१३७५०.००
10	48" Dia x 72" Height T/B 6"/Flange	गोटा	२४२२५०.००	२४२२५०.००	२४२२५०.००



नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर

Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
i	Chemical Dosing Pump and Components				
1	4 Liter Per Hour at 4Kg pressure	गोटा	२१३७५.००	२१३७५.००	२१३७५.००
2	Solenoid Valve 3/4" to 1" Normally open/close 220V AC (plastic, Brass or SS materials)	गोटा	५२२५.००	५२२५.००	५२२५.००
3	Float switch Heavy with 16A wire/ 3 meter	गोटा	२३७५.००	२३७५.००	२३७५.००
4	100Ltrs Poly tank as Chemical tank	गोटा	१४२५.००	१४२५.००	१४२५.००
5	Zeolite Sub Sand	के.जी.	६१६.००	६१६.००	६१६.००
7	Manganese Dioxide(MnO2)	के.जी.	११८.८०	११८.८०	११८.८०
8	Calcite	के.जी.	३१५.००	३१५.००	३१५.००
9	Anthracite	के.जी.	२७७.५०	२७७.५०	२७७.५०
10	Katlox lite	के.जी.	५०६.२५	५०६.२५	५०६.२५
11	Catalytic Carbon	के.जी.	१८००.००	१८००.००	१८००.००
12	Titansorb	के.जी.	२७००.००	२७००.००	२७००.००

[Signature]

[Signature]

[Signature]

प्रमुख जिल्ला अधिकारी

WATER PROOFING MEMBRANE

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१	1.2 mm thick flexible waterproofing membrane consisting HDPE Carrier sheet	व.मि.	४६२०.००	४६२०.००	४६२०.००
२	Elastomeric cold spray liquid waterproofing system to provide a homogeneous 2mm minimum thick fully bounded membrane.	व.मि.	३९९०.००	३९९०.००	३९९०.००
३	Supply and installing hydrophilic resin and elastomer based strip Swellseal 3V of 20mm x 10 mm fixed with nailing or adhesive fixer by manufacture approved applicator for construction joint treatment	व.मि.	१२६०.००	१२६०.००	१२६०.००
४	Waterproofing of Podium Deck(Landscape/Hardscape) with GCP Single component liquid Polyurethane Waterproofing membrane	व.मि.	४४१०.००	४४१०.००	४४१०.००
५	Waterproofing of elevated Swimming Pools/ Terrace Garden with ESSELAC based Advanced resin system- Integritank @ 2mm thick(No protection required)	व.मि.	२९४०.००	२९४०.००	२९४०.००
६	Providing and Applying polymer modified acrylic base two component , flexible waterproofing coating in two layers applied in horizontal and vertical strokes, when each coat is in tacky condition, Aquafin-2K/M plus or equivalent having Crack-bridging to ASTM C836: > 2.0 mm Elongation, to ASTM D 412-16: ca. 192 % and Water tightness when installed: 2.5 bar meeting the (ASTM D 412-98 a) over the prepared RCC slab and on the vertical surfaces . After 3 days ponding the area with water for 3 days to test water tightness etc. complete.	व.मी.	१०७६.००	१०७६.००	१०७६.००
७	Providing and Applying crystalline base ,waterproofing coating in two layers applied in horizontal and vertical strokes, when each coat is in tacky condition, Aquafin-IC that can resists 130m from positive and negative side that should match German DVGW worksheets W 347 AND W 270, over the prepared RCC slab and on the vertical surfaces . After 3 days ponding the area with water for 3 days to test water tightness etc. complete.	व.मी.	६२९.००	६२९.००	६२९.००
८	Providing the thermoplastic expansive waterstop having swelling capacity > 700% after 8 days and expansive pressure approx 1.05 N/MM2 for waterproofing construction joints.	र.फि.	१७५.००	१७५.००	१७५.००
९	Providing the bonding emulsion Aquafin latex having specific gravity 1.05 kg/l based on polymer emulsion styrene butadiene co polymer for additive for screeds and mortars and for new and old concrete joints.	के.जी.	१०५५.००	१०५५.००	१०५५.००
१०	Providing the ASO-Joint-Tape-2000 for water proofing works at Corner Joints of wall and floor and also for pipe seal works basis from fleece -membrane - fleece colour in white, showing SCHOMBURG logo and name of thickness 0.3 mm and allow initial movement: max. 30% of the joint width having tension at least 0.5 N/mm 2				
	12 cm	र.मि.	४२९.००	४२९.००	४२९.००
	20 cm	र.मि.	६९३.००	६९३.००	६९३.००

प्रमुख जिल्ला अधिकारी


STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
A	STRUCTURAL STRENGTHENING				
१	Carbon Laminate [50 mm Wide 1.4 mm Thick]	र. मि.	८९२५.००	८९२५.००	८९२५.००
२	Carbon Laminate [75 mm Wide 1.4 mm Thick]	र. मि.	१०४००.००	१०४००.००	१०४००.००
३	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 230 GSM	ब. मि.	८४००.००	८४००.००	८४००.००
४	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 450 GSM	ब. मि.	१२४८०.००	१२४८०.००	१२४८०.००
५	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 640	ब. मि.	१६६४०.००	१६६४०.००	१६६४०.००
६	Fiber Reinforced Polymer] GLASS FiberWRAP Sheet 900 GSM	ब. मि.	१२४८०.००	१२४८०.००	१२४८०.००
७	EPOXY PRIMER	के.जी.	३६७५.००	३६७५.००	३६७५.००
८	SATURANT	के.जी.	३६७५.००	३६७५.००	३६७५.००
९	LAMINATE ADHESIVE	के.जी.	२६२५.००	२६२५.००	२६२५.००
१०	EPOXY TOPCOAT	के.जी.	३६७५.००	३६७५.००	३६७५.००
११	POLYURETHANE TOPCOAT	के.जी.	४७२५.००	४७२५.००	४७२५.००
१२	Glass Fiber anchor system 5to 10 mm	र. मि.	२६२५.००	२६२५.००	२६२५.००
१३	Carbon Fiber anchor system 5to 10 mm	र. मि.	३६७५.००	३६७५.००	३६७५.००
१४	Carbon Laminate [50 mm Wide 2 mm Thick]	र. मि.	१०४००.००	१०४००.००	१०४००.००
१५	Carbon Laminate [75 mm Wide 2 mm Thick]	र. मि.	१२४८०.००	१२४८०.००	१२४८०.००
B	Horizontal Expansion Joint for Slab				
१	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	१०९०९.००	१०९०९.००	१०९०९.००
२	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	१२९५८.००	१२९५८.००	१२९५८.००
३	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	१५३५०.००	१५३५०.००	१५३५०.००
४	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	२०४६७.००	२०४६७.००	२०४६७.००
C	Expansion Joint for Basement				
१	Expansion Joint for Basement Area with 3 to 5mm Different Aluminium Plates and Covering with 20 gauge copper sheet with Joint Gap upto 4" Gap	र. मि.	१८७६९.००	१८७६९.००	१८७६९.००
D	Expansion Joint for Roof				
१	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	१३०८३.००	१३०८३.००	१३०८३.००
२	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	१५५५३.००	१५५५३.००	१५५५३.००
३	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	१८४९८.००	१८४९८.००	१८४९८.००
४	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	२४५५९.००	२४५५९.००	२४५५९.००
E	Inside Vertical Expansion Joint				

STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. माहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	६८८८.००	६८८८.००	६८८८.००
२	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	८६१०.००	८६१०.००	८६१०.००
३	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	१०३३२.००	१०३३२.००	१०३३२.००
४	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१३६४४.००	१३६४४.००	१३६४४.००
F	Outside Vertical Expansion Joint				
१	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	७९१७.००	७९१७.००	७९१७.००
२	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	९९०१.००	९९०१.००	९९०१.००
३	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	११७६२.००	११७६२.००	११७६२.००
४	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१४६८३.००	१४६८३.००	१४६८३.००





प्रमुख जिल्ला अधिकारी

Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१	Interlocking Cement Concrete Block (Not less than M20 concrete				
	Curb stone-Not less than M20 concrete	र.मि.	११०३.००	११०३.००	११०३.००
	25 mm thick C.C. Tile (Grey color)-Burfi , Round , Boby Checker	व.फि.	४२.००	४२.००	४२.००
	25 mm thick C.C. Tile (Red color)-Burfi , Round , Boby Checker	व.फि.	४४.००	४४.००	४४.००
	50 mm thick CC Block (Grey color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि.	५१.००	५१.००	५१.००
	50 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि.	५२.००	५२.००	५२.००
	60 mm thick CC Block (Grey color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	व.फि.	५३.००	५३.००	५३.००
	60 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	व.फि.	५५.००	५५.००	५५.००
	70 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि.	६२.००	६२.००	६२.००
२	60 mm thick CC Block (Ocm or equivalent)				
	Brick type (23*11*6cm)non colour	गोटा	१०.००	१०.००	१०.००
	Hexagon (22*22 cm) non colour	गोटा	२३.००	२३.००	२३.००
	Hexagon (22*22 cm) colour	गोटा	२५.००	२५.००	२५.००
	Squire paver (30*30*4.5cm)non colour	गोटा	३१.००	३१.००	३१.००
	Squire paver (30*30*4.5cm)colour	गोटा	३५.००	३५.००	३५.००
	inter block(24*13*6cm)	गोटा	१५.००	१५.००	१५.००
	Isave paver (20*16*6cm)	गोटा	१७.००	१७.००	१७.००
३	Concrete Block different Items				
	Hollow Block (16"8"6")	गोटा	७९.००	७९.००	७९.००
	Hollow Block (16"8"4")	गोटा	७०.००	७०.००	७०.००
	Corner Hollow Block (16"8"6")	गोटा	८९.००	८९.००	८९.००
	Lintel Block (16"8"6")	गोटा	८९.००	८९.००	८९.००
	Pavers Block (fish or other shape) 60mm thick	गोटा	२०.००	२०.००	२०.००
	concrete Brick (9"4"2.5")	गोटा	१२.००	१२.००	१२.००
४	Concrete block				
	Concrete block size (40*15*20) cm	गोटा	४०.००	४०.००	४०.००
	Concrete block size (40*10*20) cm	गोटा	३५.००	३५.००	३५.००
	Concrete block size (39*14*19) cm	गोटा	५५.००	५५.००	५५.००
५	Cellular light weight concrete(CLC) block				
	Cellular light weight concrete(CLC) block- 24"x8"x4"	गोटा	१२४.००	१२४.००	१२४.००
	Cellular light weight concrete(CLC) block 24"x8"x6"	गोटा	१८७.००	१८७.००	१८७.००
	Cellular light weight concrete(CLC) block24"x8"x8"	गोटा	२५०.००	२५०.००	२५०.००
७	Interlock Concrete Paving Blocks				
	Behaton Interlock I Paver (Grey Color) with Compressive Strength M25 or Above 80MM Thickness.	व.मी	२३९१.००	२३९१.००	२३९१.००
	Behatone Interlock I Paver (Single Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी	२९६८.००	२९६८.००	२९६८.००
	Behaton Interlock I Paver (Multi Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी	३६३९.००	३६३९.००	३६३९.००

Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेको ललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	१७६८.००	१७६८.००	१७६८.००
	Interlock Pavers (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	२२२३.००	२२२३.००	२२२३.००
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	२७०१.००	२७०१.००	२७०१.००
	Rectangular Interlock Paver (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	१९२०.००	१९२०.००	१९२०.००
	Rectangular Interlock Paver (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	२४३९.००	२४३९.००	२४३९.००
	Rectangular Interlock Paver (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	२९५८.००	२९५८.००	२९५८.००
	Half Battered Kerb Stone with Compressive Strength M25 or Above	र.मी	१६६८.००	१६६८.००	१६६८.००
	Bull Nose Kerb Stone with Compressive Strength M25 or Above	र.मी	१९४४.००	१९४४.००	१९४४.००
	Matrix Slab (Grey Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी	११३६.००	११३६.००	११३६.००
	Matrix Slab (Single Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी	१३६२.००	१३६२.००	१३६२.००
	Matrix Slab (Multi Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी	१७६८.००	१७६८.००	१७६८.००
८	CONCRETE PAVING BLOCKS				
	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*165*50	व.मी	१६५६.४५	१६५६.४५	१६५६.४५
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*165*50	व.मी	१९८७.७४	१९८७.७४	१९८७.७४
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*165*50	व.मी	२०९८.१७	२०९८.१७	२०९८.१७
	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*165*80	व.मी	२०८०.००	२०८०.००	२०८०.००
	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*165*80	व.मी	२३२५.००	२३२५.००	२३२५.००
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*165*80	व.मी	२४२८.००	२४२८.००	२४२८.००
	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	व.मी	१३३६.३९	१३३६.३९	१३३६.३९
	Hexagon Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	व.मी	१६०३.६७	१६०३.६७	१६०३.६७
	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	व.मी	१६९२.७६	१६९२.७६	१६९२.७६
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension: 226*200*80 mm)	व.मी	१८४८.००	१८४८.००	१८४८.००
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension: 226*200*80 mm)	व.मी	२०१४.००	२०१४.००	२०१४.००
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension: 226*200*80 mm)	व.मी	२०९७.००	२०९७.००	२०९७.००
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	व.मी	१३२४.००	१३२४.००	१४००.००
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	व.मी	१४९०.००	१४९०.००	१५७५.००
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	व.मी	१५७२.००	१५७२.००	१६७५.००

Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension: 226*200*50 mm)	व.मी.	१०७६.००	१०७६.००	१०७६.००
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension: 226*200*50 mm)	व.मी.	१२९६.००	१२९६.००	१२९६.००
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension: 226*200*50 mm)	व.मी.	१३७९.००	१३७९.००	१३७९.००
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.	१९३०.३४	१९३०.३४	१९३०.३४
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.	२१३८.२३	२१३८.२३	२१३८.२३
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.	२२२७.३२	२२२७.३२	२२२७.३२
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.	१८४८.००	१८४८.००	१९५०.००
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.	२०१४.००	२०१४.००	२१२५.००
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.	२०९७.००	२०९७.००	२२२५.००
	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80	व.मी.	२०५५.००	२०५५.००	२०५५.००
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80	व.मी.	२३४९.००	२३४९.००	२३४९.००
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80	व.मी.	२४५९.००	२४५९.००	२४५९.००
	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 225*112.5*100	व.मी.	३७६६.००	३७६६.००	३७६६.००
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 225*112.5*100	व.मी.	४०५९.००	४०५९.००	४०५९.००
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 225*112.5*100	व.मी.	४३३२.००	४३३२.००	४३३२.००
	Zigzag Interlock Pavers Grey Color with compressive strength M55 or above. Thickness: 120mm, Dimension: 225*112.5*120	व.मी.	५६४८.४९	५६४८.४९	५६४८.४९
	Zigzag Interlock Pavers Single Color with compressive strength M55 or above. Thickness: 120mm, Dimension: 225*112.5*120	व.मी.	६०४३.४९	६०४३.४९	६०४३.४९
	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension: 225*112.5*120	व.मी.	६४७७.९९	६४७७.९९	६४७७.९९
	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60	व.मी.	१७८४.००	१७८४.००	१७८४.००
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60	व.मी.	२२७५.००	२२७५.००	२२७५.००
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60	व.मी.	२८१४.००	२८१४.००	२८१४.००
	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100	व.मी.	३९२९.००	३९२९.००	३९२९.००
	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100	व.मी.	४२९७.००	४२९७.००	४२९७.००

Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दरललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100	व.मी.	४६१८.००	४६१८.००	४६१८.००
	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*173 *60mm)	व.मी.	१६१८.००	१६१८.००	१७००.००
	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*173 *60mm)	व.मी.	१७८२.००	१७८२.००	१८७५.००
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*173 *60mm)	व.मी.	१८३७.००	१८३७.००	१९३०.००
	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60	व.मी.	१४८०.००	१४८०.००	१५६०.००
	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60	व.मी.	१७०६.००	१७०६.००	१८००.००
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60	व.मी.	१८०२.००	१८०२.००	१९००.००
	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.	१७७४.६८	१७७४.६८	१७७४.६८
	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.	२२४९.५९	२२४९.५९	२२४९.५९
	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.	२७९९.४९	२७९९.४९	२७९९.४९
	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१७४९.००	१७४९.००	१८००.००
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	२०६०.००	२०६०.००	२२००.००
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	२३३२.००	२३३२.००	२५००.००
	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.	१७१०.००	१७१०.००	१८००.००
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.	२०२२.००	२०२२.००	२१२५.००
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.	२३३३.००	२३३३.००	२४५०.००
	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१६१०.००	१६१०.००	१७००.००
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१७८३.००	१७८३.००	१८७५.००
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१८५८.००	१८५८.००	१९७५.००
	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१५७९.००	१५७९.००	१६६०.००
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१७४१.००	१७४१.००	१८३०.००
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१८३४.००	१८३४.००	१९४०.००
	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm	व.मी.	१७४१.००	१७४१.००	१८४०.००
	Cobble Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:100*100*80 (NS Standard)	व.मी.			२५६५.००
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 80mm, Dimension:100*100*80 (NS Standard)	व.मी.			३०७८.००

Cement Concrete Block


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको तेशहपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Cobble Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 100*100*80 (NS Standard)	व.मी.			३२४९.००
	Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*200*80 (NS Standard)	व.मी.			२५४२.००
	Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*200*80 (NS Standard)	व.मी.			३०५५.००
	Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*200*80 (NS Standard)	व.मी.			३२२९.००
	Interlock With Cobble Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*200*80 (NS Standard)	व.मी.			२५६५.००
	Interlock With Cobble Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*200*80 (NS Standard)	व.मी.			३०७८.००
	Interlock With Cobble Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*200*80 (NS Standard)	व.मी.			३२४९.००
	Grass Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 400x600x100mm (NS Standard)	व.मी.			२३५२.००
	Rectangular Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 200*100*70 (NS Standard)	व.मी.			२९२८.००
	Rectangular Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 200*100*70 (NS Standard)	व.मी.			२५८४.००
	Rectangular Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 200*100*70 (NS Standard)	व.मी.			२८८८.००
	Rectangular Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*100*80 (NS Standard)	व.मी.			२५२७.००
	Rectangular Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*100*80 (NS Standard)	व.मी.			३०६९.००
	Rectangular Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*100*80 (NS Standard)	व.मी.			३४३०.००
	Permeable Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 228*158*60 (NS Standard)	व.मी.			२०८६.००
	Permeable Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 228*158*60 (NS Standard)	व.मी.			२४३२.००
	Permeable Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 228*158*60 (NS Standard)	व.मी.			२६६५.००

Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. व. क. बाहेकको ललितपुर		
			आ. व. २०८१/८२	आ. व. २०८२/८३	आ. व. २०८३/८४
	Permeable Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 228*158*80 (NS Standard)	व.मी.			२६५६.००
	Permeable Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 228*158*80 (NS Standard)	व.मी.			३०९७.००
	Permeable Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 228*158*80 (NS Standard)	व.मी.			३३९७.००
	Permeable Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 228*158*100 (NS Standard)	व.मी.			४२४२.००
	Permeable Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 228*158*100 (NS Standard)	व.मी.			४६९३.००
	Permeable Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 228*158*100 (NS Standard)	व.मी.			४७९६.००
	Porus Permeable Matrix Tiles Grey Color with compressive strength M35 or above. Thickness: 40mm, Dimension: 400*400*40	व.मी.			१९७६.००
	Porus Permeable Matrix Tiles Single Color with compressive strength M35 or above. Thickness: 40mm, Dimension: 400*400*40	व.मी.			२४०९.००
	Porus Permeable Matrix Tiles Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 400*400*60	व.मी.			३००२.००
	Porus Permeable Matrix Tiles Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 400*400*60	व.मी.			३२६४.००
९	CONCRETE PAVING TILES (M35 Grade)				
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 400*400*40, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१३६१.००	१३६१.००	१३६१.००
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 400*400*40, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१५०७.००	१५०७.००	१५०७.००
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 400*400*40, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१७०१.००	१७०१.००	१७०१.००
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 400*400*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	२६२५.६६	२६२५.६६	२६२५.६६
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 400*400*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	२९३८.२३	२९३८.२३	२९३८.२३




Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 400*400*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	३२८२.०७	३२८२.०७	३२८२.०७
१०	CONCRETE KERB-STONES				
	Half batterd Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension: 300*200*350mm)	र.फि.	३५०.००	३५०.००	३५०.००
	Half batterd Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension: 300*200*350mm)	र.फि.	३६३.००	३६३.००	३६३.००
	Half batterd Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 200mm, Dimension: 300*200*350mm)	र.फि.	४०१.००	४०१.००	४०१.००
	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	४४९.००	४४९.००	४४९.००
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	४६५.००	४६५.००	४६५.००
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	५१३.००	५१३.००	५१३.००
	Bullnose Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension: 200*350*300mm)	र.फि.	३९१.००	३९१.००	३९१.००
	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 300*200*350 (LxBxH)	र.फि.	४४७.००	४४७.००	४४७.००
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 300*200*350 (LxBxH)	र.फि.	४७७.००	४७७.००	४७७.००
	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	र.मी.	१७७५.००	१७७५.००	१७७५.००
११	CONCRETE ENGINEERED BRICKS AND HOLLOW-BLOCKS				
	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension: 230*110*70, Tolerance/others: Machine Made Precast Concrete Bricks)	गोटा	२०.००	२०.००	२०.००
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension: 230*110*70, Tolerance/others: Machine Made Precast Concrete Bricks)	गोटा	२२.००	२२.००	२२.००
	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension: 230*110*55, Tolerance/others: Machine Made Precast Concrete Bricks)	गोटा	१८.००	१८.००	१८.००
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension: 230*110*55, Tolerance/others: Machine Made Precast Concrete Bricks)	गोटा	१९.००	१९.००	१९.००
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension: 390*200*190, Tolerance/others: Machine Made)	गोटा	१५२.००	१५२.००	१५२.००
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension: 390*200*190, Tolerance/others: Machine Made)	गोटा	१८०.००	१८०.००	१८०.००
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension: 390*150*190, Tolerance/others: Machine Made)	गोटा	१०९.००	१०९.००	१०९.००
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension: 390*150*190, Tolerance/others: Machine Made)	गोटा	१२५.००	१२५.००	१२५.००




Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेटललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	गोटा	९२.००	९२.००	९२.००
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	गोटा	१०४.००	१०४.००	१०४.००
१२	CONCRETE PAVING BLOCKS				
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70mm)	व.मी.	१५४५.००	१५४५.००	१५४५.००
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70mm)	व.मी.	१७३८.००	१७३८.००	१७३८.००
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70mm)	व.मी.	१८२९.००	१८२९.००	१८२९.००
	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50mm)	व.मी.	१३३३.००	१३३३.००	१३३३.००
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50mm)	व.मी.	१५९०.००	१५९०.००	१५९०.००
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50mm)	व.मी.	१६७५.००	१६७५.००	१६७५.००
	Zigzag Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80mm)	व.मी.	२०५५.००	२०५५.००	२०५५.००
	Zigzag Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80mm)	व.मी.	२३४९.००	२३४९.००	२३४९.००
	Zigzag Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80mm)	व.मी.	२४५९.००	२४५९.००	२४५९.००
	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.	२५०९.००	२५०९.००	२५०९.००
	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.	२७६९.००	२७६९.००	२७६९.००
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.	२८५८.००	२८५८.००	२८५८.००
	Grass Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:400x600x80mm)	व.मी.	१७४९.००	१७४९.००	१७४९.००
१३	CONCRETE PAVING TILES (M35 Grade)				
	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१४८९.००	१४८९.००	१४८९.००

प्रमुख जिल्ला अधिकारी

Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट ललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 1200*800*40, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१६१८.००	१६१८.००	१६१८.००
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 1200*800*40, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१८०३.००	१८०३.००	१८०३.००
१४	CONCRETE KERB-STONES				
	Half batterd Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 165mm, Dimension: 300*165*325mm)	र.फि.	२७८.००	२७८.००	२७८.००
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension: 300*165*325 (LxBxH)	र.फि.	२९७.००	२९७.००	२९७.००
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension: 300*165*325 (LxBxH)	र.फि.	३३०.००	३३०.००	३३०.००
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 300*200*350 (LxBxH)	र.फि.	४५१.७८	४५१.७८	४५१.७८
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 300*200*350 (LxBxH)	र.फि.	४९२.३९	४९२.३९	४९२.३९
	Half batterd Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension: 380*200*250mm)	र.फि.	३५०.००	३५०.००	३५०.००
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 380*200*250mm (LxBxH)	र.फि.	३६३.००	३६३.००	३६३.००
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 380*200*250mm (LxBxH)	र.फि.	४०१.००	४०१.००	४०१.००
	Bullnose Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension: 300*200*350mm)	र.फि.	३९१.००	३९१.००	३९१.००
	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 300*200*350 (LxBxH)	र.फि.	४१९.००	४१९.००	४१९.००
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 300*200*350 (LxBxH)	र.फि.	४४८.००	४४८.००	४४८.००
	EPS-C(Expanded polystyreneconcrete) Block				
१	EPS-C Blocks 24"x4"x8" (LxBxH)	गोटा	१४६.००	१४६.००	१४६.००
२	EPS-C Blocks 24"x6"x8" (LxBxH)	गोटा	२१९.००	२१९.००	२१९.००
३	EPS-C Blocks 24"x8"x8" (LxBxH)	गोटा	२९२.००	२९२.००	२९२.००


नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय

NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट ललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१	Surface Hardness	Element	१०२७.००	१०२७.००	१०२७.००
२	Cover Survey/ Rebar Orientation	Element	४१०८.००	४१०८.००	४१०८.००
३	Homogeneity	Element	४१३५.००	४१३५.००	४१३५.००
४	Crack Depth Measurement	Element	४१३५.००	४१३५.००	४१३५.००
५	E-Modulus Calculation Test	Element	४१३५.००	४१३५.००	४१३५.००
६	Resistivity	Element	२५६७.००	२५६७.००	२५६७.००
७	Curing Efficiency Test	Element	२५६७.००	२५६७.००	२५६७.००
८	Corrosion Mapping	Element	१५४०५.००	१५४०५.००	१५४०५.००
९	Half Cell Potential	Element	७८९.००	७८९.००	७८९.००
१०	Sonic Echo/ Void Detection Test	Element	१०२७०.००	१०२७०.००	१०२७०.००
११	Pulloff Test/ Bond Test	Element	७८९.००	७८९.००	७८९.००
१२	Concrete Tensile Strength Test	Element	७८९.००	७८९.००	७८९.००
१३	Moisture Content	Element	४६२९.००	४६२९.००	४६२९.००
१४	Core Extraction				
	32 mm Dia	Element	७७०२.००	७७०२.००	७७०२.००
	52 mm Dia	Element	८२९६.००	८२९६.००	८२९६.००
	75 mm Dia	Element	८७२९.००	८७२९.००	८७२९.००
	100 mm Dia	Element	१०२७०.००	१०२७०.००	१०२७०.००
	150 mm Dia	Element	१२८३७.००	१२८३७.००	१२८३७.००
	200 mm Dia	Element	१५४०५.००	१५४०५.००	१५४०५.००
	250 mm Dia	Element	१७९७२.००	१७९७२.००	१७९७२.००
	300 mm Dia	Element	२०५४०.००	२०५४०.००	२०५४०.००
	350 mm Dia	Element	२५६७५.००	२५६७५.००	२५६७५.००
१५	Rapid Chloride Penetration Test	Element	१५४०५.००	१५४०५.००	१५४०५.००
१६	Anchor Pullout Test	Element	२०५४०.००	२०५४०.००	२०५४०.००
१७	Infrared Thermography	Element	३५९४.००	३५९४.००	३५९४.००
१८	Low Strain Pile Integrity Test	Element	११२९७.००	११२९७.००	११२९७.००
१९	High Strain Dynamic Pile Load Test	Element	५१३५००.००	५१३५००.००	५१३५००.००
२०	Fresh Concrete Resistivity (Smart Box)	Element	४१०८.००	४१०८.००	४१०८.००
२१	Fine/ Coarse Aggregate Moisture Content	Element	३५९४.००	३५९४.००	३५९४.००
२२	Fresh Concrete Moisture Content (W/C Ratio)	Element	३५९४.००	३५९४.००	३५९४.००
२३	Cross Hole Sonic Logging	Element	१२८३७.००	१२८३७.००	१२८३७.००
२४	Impulse Echo	Element	१०२७०.००	१०२७०.००	१०२७०.००
२५	Maturity Meter Test	Element	३५९४५.००	३५९४५.००	३५९४५.००
२६	Chloride Profile	Element	१२८३७.००	१२८३७.००	१२८३७.००
२७	Carbonation Depth Detection Test	Element	२५६७.००	२५६७.००	२५६७.००
२८	Boroscope	Element	३५९४५.००	३५९४५.००	३५९४५.००
२९	Videoscope	Element	८७२९५.००	८७२९५.००	८७२९५.००
३०	Ground Penetrating Radar	Element	५१३५०.००	५१३५०.००	५१३५०.००
३१	CAPO Test	Element	१२८३७.००	१२८३७.००	१२८३७.००
३२	Permeability Test	Element			
	Air		३०८१०.००	३०८१०.००	३०८१०.००
	Water		४१०८०.००	४१०८०.००	४१०८०.००
३३	Concrete Cutting Services	R. M.	३०८१०.००	३०८१०.००	३०८१०.००
३४	Wall Cutting Services	R. M.	५१३५०.००	५१३५०.००	५१३५०.००
३५	Impact Echo	Element	१०२७०.००	१०२७०.००	१०२७०.००
३६	Mortar Strength Test (Penetrometer)	Element	५१३५.००	५१३५.००	५१३५.००
३७	ASR Detection Test	Element	१०२७०.००	१०२७०.००	१०२७०.००
३८	Moisture Content Test				

प्रमुख जिल्ला अधिकारी

NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट ललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Concrete	Element	२०५४.००	२०५४.००	२०५४.००
	Brick	Element	२०५४.००	२०५४.००	२०५४.००
	Masonry	Element	२०५४.००	२०५४.००	२०५४.००
	Wood	Element	२५६७.००	२५६७.००	२५६७.००

[Handwritten signatures and stamps]

प्रमुख जिल्ला अधिकारी

Geocell Technology

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेटललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Geocell Technology प्रयोग गरि Slope protectionn,Earth retention,channel protection जस्ता Geotechnical काम गर्न				
	Small size (opening 330 mm) strength category-B				
	cell height-50 mm	व.मि.	६३०.००	६३०.००	६३०.००
	cell height-75 mm	व.मि.	९००.००	९००.००	९००.००
	cell height-100 mm	व.मि.	१२००.००	१२००.००	१२००.००
	cell height-120 mm	व.मि.	१५००.००	१५००.००	१५००.००
	cell height-150 mm	व.मि.	१७५०.००	१७५०.००	१७५०.००
	cell height-200 mm	व.मि.	२४२५.००	२४२५.००	२४२५.००
	Small size (opening 330 mm) strength category-C				
	cell height-50 mm	व.मि.	६५०.००	६५०.००	६५०.००
	cell height-75 mm	व.मि.	९२५.००	९२५.००	९२५.००
	cell height-100 mm	व.मि.	१२५०.००	१२५०.००	१२५०.००
	cell height-120 mm	व.मि.	१५५०.००	१५५०.००	१५५०.००
	cell height-150 mm	व.मि.	१८००.००	१८००.००	१८००.००
	cell height-200 mm	व.मि.	२५००.००	२५००.००	२५००.००
	Small size (opening 330 mm) strength category-D				
	cell height-50 mm	व.मि.	९५०.००	९५०.००	९५०.००
	cell height-75 mm	व.मि.	१३५०.००	१३५०.००	१३५०.००
	cell height-100 mm	व.मि.	१८००.००	१८००.००	१८००.००
	cell height-120 mm	व.मि.	२३००.००	२३००.००	२३००.००
	cell height-150 mm	व.मि.	२६००.००	२६००.००	२६००.००
	cell height-200 mm	व.मि.	३६५०.००	३६५०.००	३६५०.००
	Small size (opening 356 mm) strength category-B				
	cell height-50 mm	व.मि.	६००.००	६००.००	६००.००
	cell height-75 mm	व.मि.	८५०.००	८५०.००	८५०.००
	cell height-100 mm	व.मि.	११५०.००	११५०.००	११५०.००
	cell height-120 mm	व.मि.	१४५०.००	१४५०.००	१४५०.००
	cell height-150 mm	व.मि.	१६७५.००	१६७५.००	१६७५.००
	cell height-200 mm	व.मि.	२३००.००	२३००.००	२३००.००
	Small size (opening 356 mm) strength category-C				
	cell height-50 mm	व.मि.	६००.००	६००.००	६००.००
	cell height-75 mm	व.मि.	८५०.००	८५०.००	८५०.००
	cell height-100 mm	व.मि.	१२००.००	१२००.००	१२००.००
	cell height-120 mm	व.मि.	१५००.००	१५००.००	१५००.००
	cell height-150 mm	व.मि.	१७००.००	१७००.००	१७००.००

Geocell Technology

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	cell height-200 mm	व.मि.	२४००.००	२४००.००	२४००.००
	Small size (opening 356 mm) strength category-D				
	cell height-50 mm	व.मि.	९००.००	९००.००	९००.००
	cell height-75 mm	व.मि.	१२५०.००	१२५०.००	१२५०.००
	cell height-100 mm	व.मि.	१७००.००	१७००.००	१७००.००
	cell height-120 mm	व.मि.	२१५०.००	२१५०.००	२१५०.००
	cell height-150 mm	व.मि.	२५००.००	२५००.००	२५००.००
	cell height-200 mm	व.मि.	३४५०.००	३४५०.००	३४५०.००
	Medium size (opening 445 mm) strength category-B				
	cell height-50 mm	व.मि.	५२५.००	५२५.००	५२५.००
	cell height-75 mm	व.मि.	७५०.००	७५०.००	७५०.००
	cell height-100 mm	व.मि.	१०००.००	१०००.००	१०००.००
	cell height-120 mm	व.मि.	१२७५.००	१२७५.००	१२७५.००
	cell height-150 mm	व.मि.	१४७५.००	१४७५.००	१४७५.००
	cell height-200 mm	व.मि.	२०५०.००	२०५०.००	२०५०.००
	Medium size (opening 445 mm) strength category-C				
	cell height-50 mm	व.मि.	५५०.००	५५०.००	५५०.००
	cell height-75 mm	व.मि.	७७५.००	७७५.००	७७५.००
	cell height-100 mm	व.मि.	१०५०.००	१०५०.००	१०५०.००
	cell height-120 mm	व.मि.	१३००.००	१३००.००	१३००.००
	cell height-150 mm	व.मि.	१५००.००	१५००.००	१५००.००
	cell height-200 mm	व.मि.	२१००.००	२१००.००	२१००.००
	Medium size (opening 445 mm) strength category-D				
	cell height-50 mm	व.मि.	८००.००	८००.००	८००.००
	cell height-75 mm	व.मि.	११००.००	११००.००	११००.००
	cell height-100 mm	व.मि.	१५००.००	१५००.००	१५००.००
	cell height-120 mm	व.मि.	१९५०.००	१९५०.००	१९५०.००
	cell height-150 mm	व.मि.	२२००.००	२२००.००	२२००.००
	cell height-200 mm	व.मि.	३१००.००	३१००.००	३१००.००
	Large size (opening 660 mm) strength category-B				
	cell height-50 mm	व.मि.	३६५.००	३६५.००	३६५.००
	cell height-75 mm	व.मि.	५२५.००	५२५.००	५२५.००
	cell height-100 mm	व.मि.	७२५.००	७२५.००	७२५.००
	cell height-120 mm	व.मि.	९००.००	९००.००	९००.००
	cell height-150 mm	व.मि.	१०००.००	१०००.००	१०००.००
	cell height-200 mm	व.मि.	१४००.००	१४००.००	१४००.००

Geocell Technology

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Large size (opening 660 mm) strength category-C				
	cell height-50 mm	व.मि.	३७५.००	३७५.००	३७५.००
	cell height-75 mm	व.मि.	५५०.००	५५०.००	५५०.००
	cell height-100 mm	व.मि.	७२५.००	७२५.००	७२५.००
	cell height-120 mm	व.मि.	९००.००	९००.००	९००.००
	cell height-150 mm	व.मि.	१०५०.००	१०५०.००	१०५०.००
	cell height-200 mm	व.मि.	१४५०.००	१४५०.००	१४५०.००
	Large size (opening 660 mm) strength category-D				
	cell height-50 mm	व.मि.	५५०.००	५५०.००	५५०.००
	cell height-75 mm	व.मि.	८००.००	८००.००	८००.००
	cell height-100 mm	व.मि.	१०५०.००	१०५०.००	१०५०.००
	cell height-120 mm	व.मि.	१३२५.००	१३२५.००	१३२५.००
	cell height-150 mm	व.मि.	१५५०.००	१५५०.००	१५५०.००
	cell height-200 mm	व.मि.	२१००.००	२१००.००	२१००.००
	Large size (opening 712 mm) strength category-B				
	cell height-50 mm	व.मि.	२९०.००	२९०.००	२९०.००
	cell height-75 mm	व.मि.	४२५.००	४२५.००	४२५.००
	cell height-100 mm	व.मि.	५९०.००	५९०.००	५९०.००
	cell height-120 mm	व.मि.	७६०.००	७६०.००	७६०.००
	cell height-150 mm	व.मि.	८६५.००	८६५.००	८६५.००
	cell height-200 mm	व.मि.	१२००.००	१२००.००	१२००.००
	Large size (opening 712 mm) strength category-C				
	cell height-50 mm	व.मि.	३००.००	३००.००	३००.००
	cell height-75 mm	व.मि.	४५०.००	४५०.००	४५०.००
	cell height-100 mm	व.मि.	६००.००	६००.००	६००.००
	cell height-120 mm	व.मि.	७५०.००	७५०.००	७५०.००
	cell height-150 mm	व.मि.	९००.००	९००.००	९००.००
	cell height-200 mm	व.मि.	१२५०.००	१२५०.००	१२५०.००
	Large size (opening 712 mm) strength category-D				
	cell height-50 mm	व.मि.	४५०.००	४५०.००	४५०.००
	cell height-75 mm	व.मि.	६२५.००	६२५.००	६२५.००
	cell height-100 mm	व.मि.	९००.००	९००.००	९००.००
	cell height-120 mm	व.मि.	११००.००	११००.००	११००.००
	cell height-150 mm	व.मि.	१३००.००	१३००.००	१३००.००
	cell height-200 mm	व.मि.	१८००.००	१८००.००	१८००.००

[Signature]

[Signature]

पुनः जिल्ला अधिकारी



नेपाल सरकार
महान्त्रालय
जुम्ला प्रशासन कार्यालय

WPS/Fibre, Concrete Prefabricated Doors & Windows

मु.अ.क. बाहेकको दररेट


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१	WPC Single Hollow Door Board (Thickness 32±2 mm)				
	Plain Door	व.फि	७०३.००	७०३.००	७०३.००
	Colored/Hot Stamping/Printing/Grooving/Embossing	व.फि	८१५.००	८१५.००	८१५.००
२	WPC Single Room Hollow Door Board (Thickness 32±2 mm)				
	Plain Door	व.फि	७०३.००	७०३.००	७०३.००
	Colored/Hot Stamping/Printing/Grooving/Embossing	व.फि	८१५.००	८१५.००	८१५.००
३	FRP Composite Door Frame				
	Thickness: 100 mm	र.फि	४६३.००	४६३.००	४६३.००
	Thickness: 110 mm	र.फि	६००.००	६००.००	६००.००
४	FRP Composite Window or Ventilation Frame				
	Thickness: 110 mm	र.फि	५२३.००	५२३.००	५२३.००
५	FRP Composite Window Net Panel				
	Non-Overlapping (Size: 4.5 sq.ft. to 7.5 sq.ft.)	गोटा	४९७७.००	४९७७.००	४९७७.००
६	FRP Composite Window Panel				
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black, Green	गोटा	५२२९.००	५२२९.००	५२२९.००
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	गोटा	४९७७.००	४९७७.००	४९७७.००
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black, Green	गोटा	४७१३.००	४७१३.००	४७१३.००
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	गोटा	३७१७.००	३७१७.००	३७१७.००
७	FRP Composite Ventilation Panel				
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Blue, Black, Green	गोटा	४०००.००	४०००.००	४०००.००
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Clear	गोटा	३५२८.००	३५२८.००	३५२८.००
८	FRP Composite Ventilation Net Panel				
	(Size: 3 Sq.ft. to 4.5 sq.ft.)	गोटा	३५२८.००	३५२८.००	३५२८.००
९	Fiber Door Panel				
	Single Fiber Door	व.फि	१०१०.००	१०१०.००	१०१०.००
	Double Fiber Door	व.फि	१३१०.००	१३१०.००	१३१०.००
	Double Fiber Door	व.फि	१९५०.००		

[Signature]

[Signature]
जुम्ला जिल्ला प्रशासन कार्यालय

FLOORING AND CEILING



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेटललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Vinyl Flooring				
१	Providing & Fixing 2 mm thick homogeneous Phthalate free, PVC Vinyl flooring with a single layer of PVC, total weight is 3000 g/m ² , XR PUR (polyurethane reinforced, Abrasion group T: ≤2.00 mm, residual indentation approx.0.03 mm, castor wheel test qualified, dimensional stability ≤0.40%,static electrical charge < 2kv, impact sound reduction approx +4db, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. Clean Room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10µg/m ³).Phthalate Free. Multicolor welding rods. Non Directional in Design. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी	४८००.००	४८००.००	४८००.००
२	Providing & Fixing 2 mm thick homogeneous Phthalate free, PVC Vinyl flooring with a single layer of PVC, total weight is 3150g/m ² , XR PUR (polyurethane reinforced, Abrasion group T: ≤2.00 mm, residual indentation approx.0.03 mm, castor wheel test qualified, dimensional stability ≤0.40%,static electrical charge < 2kv, impact sound reduction approx +4db, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. Clean Room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10µg/m ³).Phthalate Free.Direction in Design. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी	३७००.००	३७००.००	३७००.००
३	Providing and fixing 1.3 mm thick homogeneous PVC Vinyl wall-covering with total weight 2210 g/m ² , polyurethane reinforced (PUR), dimensional stability ≤0.40%, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria, Clean room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤100µg/m ³). The laid flooring should be included of Self leveling base course all complete as per the specification.	व.मी	३५००.००	३५००.००	३५००.००

पल्लु जिल्ला अधिकारी

FLOORING AND CEILING


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेटललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
४	Providing & Fixing of 6.5mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m ² heterogeneous compact indoor floor covering of approved manufacturer, having total weight 4080 g/m ² in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. The vinyl flooring having wear resistance of $\leq 1g$ as per EN ISO 5470-1; Resistance to indentation should be $\leq 0.16mm$ confirming to EN 1516 and shock absorption $\geq 17\%$ as per EN 14808; Vertical deformation $\leq 5mm$ confirming to EN 14809 with Vertical ball behavior $\geq 90\%$ as per EN 12235; Friction should be 80-110 as per EN 13036-4 standard. Vinyl flooring must be follow the fire rating of EN 13501-1 class CflFs1 with slip resistance to rolling load $\leq 0.50mm$ on EN 1569. NFS 31-074 certified Class A $\leq 65db$ noise reduction with Thermal resistance Approx. 0.07m ² K/W as per EN IOS 10456. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Generally is a sustainable loose-lay installation method – only 2% of the surface is glued – offering an economical and easy installation solution. This unique method is made possible by:- The Product's Exceptional Dimensional Stability (0.10%) ; Omnisports Reference, Excel, & Pure Play's Weight ; The honeycomb backing, creating a suction effect.	व.मी	६२००.००	६२००.००	६२००.००
५	Providing & Fixing 3.25 mm thickness having wear layer of 0.80mm heterogeneous Acoustic PVC Vinyl Phthalate free, flooring Tarkett/Mohawk/Polyflor or equivalent brand, total weight is 3250g/m ² , PUR, No wax no polish for life (, Abrasion group T: ≤ 2.00 mm, residual indentation approx.0.03 mm, castor wheel test qualified, dimensional stability $\leq 0.40\%$, impact sound reduction approx +19db with acoustic improvement <65Db class A, Slip Resistance R9/R10woods, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. 100% recyclable. Low VOC emissions after 28days of installation (lower than $\leq 10\mu g/m^3$) in roll form 23running meterx200cm. Phthalate Free.Design & shades to be as per Engineer in charge on zero level floor OR after self leveling on floor till 3-3.5mm thickness of Selfleveling material of low VOC. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी	४०००.००	४०००.००	४०००.००





प्रमुख जिल्ला अधिकारी

FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
6	Providing & Fixing of 2mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m ² (after 28 days) permanently static dissipative pressed homogeneous Vinyl (IQ Granit) indoor floor covering of approved manufacturer, having total weight 2950 g/m ² in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. IQ Granit is coordinated with the extended Granit family of acoustic, conductive and slip resistance flooring solution and no wax no polish over the life time. Vinyl flooring must be follow the fire rating of EN 13501-1 class Bfls1. Flooring have binder content Type I confirmed by ISO 10581 and effect of castor chair suitable with standard ISO 4918-EN 425. Flooring containing Electrical insulation $R \geq 5 \times 10^4$ Ohm; Electrical resistance $R \leq 109$ Ohms with having Clean room test Class A ; Chemical resistance good confirmed by ISO 26987 – EN 423 ; Bacteria resistance does not favor growth by ISO 846:Part C ; ease of decontamination good by ISO 8690. Vinyl flooring should follow excellence dry buffing system to prevent any kind of scratches. Thermal resistance Approx. 0.01m ² K/W as per EN 12667. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी	५८००.००	५८००.००	५८००.००
7	Providing & Fixing of 2mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m ² (after 28 days) permanently static conductive pressed homogeneous compact (IQ Toro SC) indoor floor covering of approved manufacturer, having total weight 2950 g/m ² in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. As Carbon coated on the top of the floor it will prevent any kind of electric shock. The vinyl flooring having wear resistance of $\leq 1g$ as per EN ISO 5470-1; Resistance to indentation should be $\leq 0.10mm$ confirming to ISO 24343-1-EN433. Vinyl flooring must be follow the fire rating of EN 13501-1 class Cf/FS1 with surface treatment new IQ PUR. Flooring follows excellent dry buffing system which always give new looks to the floor. Flooring have binder content Type I confirmed by ISO 10581 and effect of castor chair suitable with standard ISO 4918-EN 425. Flooring containing Electrical Insulation $R \geq 5 \times 10^4$ Ohm; Electrical resistance $R \leq 109$ Ohms with having Clean room test Class A ; Chemical resistance good confirmed by ISO 26987 – EN 423 ; Bacteria resistance does not favor growth by ISO 846:Part C ; ease of decontamination good by ISO 8690. Thermal resistance Approx. 0.01m ² K/W as per EN 12667. Hot welded joints provide exclusively seamless finishing. The laid flooring should be Included of Self leveling base course all complete as per the specification and instructions.	व.मी	५८००.००	५८००.००	५८००.००
	False Ceiling		०.००	०.००	०.००






प्रमुख जिल्ला अधिकारी

FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दरसलिलपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
1	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m ² , Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M ² with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	२१५२.००	२१५२.००	२१५२.००
2	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m ² , Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M ² with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	४७५०.००	४७५०.००	४७५०.००
3	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m ² , Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M ² with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	४८४२.००	४८४२.००	४८४२.००







प्रमुख जिल्ला अधिकारी

FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
4	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	४६२६.००	४६२६.००	४६२६.००
5	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	४६२६.००	४६२६.००	४६२६.००
6	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	११८३६.००	११८३६.००	११८३६.००








प्रमुख जिल्ला अधिकारी

FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. माहेको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
7	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50, Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m ² , Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M ² with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	१२३७४.००	१२३७४.००	१२३७४.००
8	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50, Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m ² , Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M ² with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	१२९९२.००	१२९९२.००	१२९९२.००
Levelling Compound for Vinyl Flooring					
1	All substrate must be structurally sound, dust free, dry, solid and stable, grease OR wax free, Ph 5-11 and turn off radiant heat system before 48 hrs of installation of self levelling compound. In case of uneven sub floor the same should be levelled using self levelling compound. IPS/Vitrified/ceramic/mosaic tiles do not provide zero leveled sub floor. self levelling compound to be poured in two layer with drying time gap and a primer coat between two layer as per manufacturer PDS to achieve desired thickness. Self levelling material must be fully dried at least 72 hrs or more as per climatic condition and moisture level should be less than 8% before application for Vinyl flooring.	व.मी	५९२.००	५९२.००	५९२.००
2	Providing and fixing 4mm thick curve shape UPVC Cove former. Cove former to be laid on the corner of floor before applying the flooring. For the skirting solution cove former plays as support for the flooring	व.मी	२९५.००	२९५.००	२९५.००
WPC Items					






प्रमुख जिल्ला अधिकारी

FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
1	Providing and installing WPC Baffle Ceiling with the size of 40mm x 100 mm (W x H) & "100mm" Gap, standards need to be conformed as per CB/T19001 - 2008 idt ISO9001 : 2008. Baffle must comply with Including all accessories such as hanging arrangement, screws and other accessories required to complete the job. The material should conform the following tests, like - Thickening swelling - less than 1%, Dimension changing ratio after heating Less or equal to 2.5%, Bending elastic modulus should be more than 1800 MPa, Bending Strength > than 20 MPa, Superficial Rockwell hardness should be more than 58, Moisture resistant - less than 2%, Water absorption - Less than 1%.	व.मी	९४६९.००	९४६९.००	९४६९.००
2	Providing and installing WPC Wall panel cladding in pre- painted finish color with the size of 8" x 9" (W x H) & 16mm thick, Including all accessories screws and other accessories required to complete the job. Flame tested and smoke developed is tested accordance to ASTM E84 - 13a with standards need to be conformed as per CB/T19001 - 2008 idt ISO9001 : 2008. The material should conform the following tests, like - Thickening swelling - less than 1%, Dimension changing ratio after heating Less or equal to 2.5%, Bending elastic modulus should be more than 1800 MPa, Bending Strength > than 20 MPa, Superficial Rockwell hardness should be more than 58, Moisture resistant - less than 2%, Water absorption - Less than 1%.	व.मी	६५१०.००	६५१०.००	६५१०.००
Ceiling					


FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
1	Supply & Fixing of U-Baffle Ceiling System using Hat type carrier & torsion spring, comprising of baffle width of 30 mm and height of 100 mm manufactured out of 0.7 mm thick Coil Coated Aluminium of alloy AA 3105 at a module of 200 mm. The coil is coated on a continuous paint line double baked and shall be stove enamelled in a continuous coil coating process with the approved colour on the exposed side and the reverse side with polyester primer. The Linear Aluminium ceiling system should meet the required standards for Green Pro certification and should qualify as green product as per CII green products and services council. The manufacturer should be ISO 9001:2015 Quality Management System Certifications compliant with in house testing facility and should have their own manufacturing plant in India. The coated coil is passed thru Six Hi configuration roller levelling process to ensure the flatness of the coil. The U-Baffle shall be manufactured on an Integrated high speed, high precision Roll forming machine to avoid micro-cracking of metal corners which occurs while bending on press brake machines. The U Baffle ceiling panels shall be mounted on coil coated customized Hat type aluminium alloy AA 3005 carrier of size 60mm X 30mm X 0.9 mm. The customized carrier shall be manufactured in-house on a high press PLC controlled roll forming machine line. The carrier suitable, for torsion springs based & standard fixed Baffle panels. The carrier shall be suspended with M6 Threaded rod hangers spaced at 1200mm c/c. Up to 20% of the total ceiling area, based on client requirement, shall be demountable torsion spring-based panels.	व.मी	१४५२६.००	१४५२६.००	१४५२६.००

प्रमुख जिल्ला अधिकारी

Slope Stabilizing Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१	Reinforced Soil Wall with using precast RCC fascia panels of minimum 160mm thickness and 50mm 70mm wide geosynthetic strap soil reinforcement made of polyester yarns and encapsulated in LLDPE sheathing with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.				
	Upto 5 Height (in Metre)	व.मी	१८२९५.००	१८२९५.००	१८२९५.००
	10 Height (in Metre)	व.मी	२३०२९.००	२३०२९.००	२३०२९.००
	15 Height (in Metre)	व.मी	२७९४४.००	२७९४४.००	२७९४४.००
	20 Height (in Metre)	व.मी	३५९४४.००	३५९४४.००	३५९४४.००
	25 Height (in Metre)	व.मी	४८९८९.००	४८९८९.००	४८९८९.००
	30 Height (in Metre)	व.मी	६१८५८.००	६१८५८.००	६१८५८.००
२	Reinforced Soil structure using prefabricated flexible galvanized steel mesh (minimum diameter of bar 8mm and galvanization is 500 grams/sqm) and 50mm 70mm wide geosynthetic strap soil reinforcement made of polyester yarns and encapsulated in LLDPE sheathing with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.				
	10 Height (in meter)	व.मी	२९०४९.००	२९०४९.००	२९०४९.००
	20 Height (in meter)	व.मी	३९५८६.००	३९५८६.००	३९५८६.००
	30 Height (in meter)	व.मी	५७४१०.००	५७४१०.००	५७४१०.००
३	Reinforced Soil pure abutment structure, where the bridge deck is directly supported on a beam seat placed over Reinforced Soil Structure using precast RCC fascia panels of minimum 160mm thickness and 50mm 70mm wide geosynthetic strap soil reinforcement made of PVA (Polyvinyl Alcohol) yarns and encapsulated in LLDPE sheathing and having elongation less than 7%, with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.				
	10 Height (in meter)	व.मी	३६३५२.००	३६३५२.००	३६३५२.००
४	Geo-composite Drainage with mini pipes				





Slope Stabilizing Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको तल्लो		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Geocomposite drainage consisting of a filter layer, draining mat and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of geotextile as 300 grams/sqm and minimum unit weight of the total geocomposite including mini pipes as 362 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी	९९९.००	९९९.००	९९९.००
	Geocomposite drainage consisting of a filter layer, draining mat and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of geotextile as 400 grams/sqm and minimum unit weight of the total geocomposite including mini pipes as 462 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी	१२८०.००	१२८०.००	१२८०.००
	Geocomposite drainage consisting of two filter layers, draining mat 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, embedded within two layers of filters and draining mat having minimum unit weight of geotextile as 550 grams/sqm and total geocomposite minimum unit weight including mini pipes as 612 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी	१५२४.००	१५२४.००	१५२४.००
	Geocomposite drainage consisting of a filter layer, draining mat, one 0.5mm thick polyethylene membrane layer and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of the total geocomposite including mini pipes as 962 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी	२१९२.००	२१९२.००	२१९२.००
५	Rockfall Protection Barrier				
	Supply and installation of flexible rockfall protection barrier with an European Technical Approval (ETA), CE-certificate and complying as per ONR 24810 standard, having an omega shaped primary net structure made out of steel wire cable nets, 1x7 spiral, with a minimum rope diameter of 6.0 mm and a tensile strength of minimum of 1770 N/mm ² , zinc coating class A according to EN 10244-2 for the primary net and hot-dip galvanization for all other accessories such as brake elements, posts, base plate, bearing ropes, second mesh layer (if required), anchors, fixtures including men, machinery, tools, plants, all complete.				
	Capacity 500 KJ and height 3.5m	र.मी.	१४९८६५.००	१४९८६५.००	१४९८६५.००
	Capacity 1000 KJ and height 5m	र.मी.	२९९५२४.००	२९९५२४.००	२९९५२४.००
	Capacity 1500 KJ and height 5m	र.मी.	३४९९५६.००	३४९९५६.००	३४९९५६.००
	Capacity 2000 KJ and height 5m	र.मी.	४३२४३४.००	४३२४३४.००	४३२४३४.००
	Capacity 3000 KJ and height 5m	र.मी.	५०९४६५.००	५०९४६५.००	५०९४६५.००
	Capacity 5000 KJ and height 7m	र.मी.	९३०२९२.००	९३०२९२.००	९३०२९२.००


Slope Stabilizing Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.म.क. बाहेककोललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
६	High Tensile Wire mesh (wire strength $\geq 1770 \text{ N/mm}^2$)				
	Supply and installation of European technical approval (ETA) certified rectangular shape high tensile wire mesh having minimum aperture size of 50mm x 50mm and made from minimum 3.2mm diameter wire (wire strength $\geq 1770 \text{ N/mm}^2$) for active slope protection against both rock fall and landslide stabilization manufactured in accordance with EN 10223-6, having Zn-Al corrosion protection with class B (150 g/m ² coating) according to EN 10244-2, tensile strength greater than equal to 150 kN/m in both direction.	व.मी	१३६९७.००	१३६९७.००	१३६९७.००
७	High Strength Geogrid coated with linear low-density polyethylene (LLDPE)				
	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm ($\pm 1 \text{ mm}$ tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity polyester (PET) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath with smooth edges and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी	२१९२.००	२१९२.००	२१९२.००
	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm ($\pm 1 \text{ mm}$ tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity Polyvinyl Alcohol (PVA) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath with smooth edges and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी	९४६९.००	९४६९.००	९४६९.००
	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm ($\pm 1 \text{ mm}$ tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity polyester (PET) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath having trapezoidal groove like rib (lateral teeth) on both sides of the strap to generate high coefficient of friction and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी	२८२४.००	२८२४.००	२८२४.००
	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm ($\pm 1 \text{ mm}$ tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity Polyvinyl Acetate (PVA) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath having trapezoidal groove like rib (lateral teeth) on both sides of the strap to generate high coefficient of friction and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी	१२१६५.००	१२१६५.००	१२१६५.००
८	Fabric formed erosion and scour protection concrete mattresses				

Slope Stabilizing Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेककोललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Supplying and placing of Articulating Block fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD TD) not less than 50kN/m as per ASTM D 4595 with reinforcing galvanized steel cables laid on one direction. Cables shall be of minimum 6mm diameter and the breaking strength of the cable shall not be less than 30kN.	व.मी	६११७.००	६११७.००	६११७.००
	Supplying and placing of Articulating Block fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD TD) not less than 50kN/m as per ASTM D 4595 with reinforcing galvanized steel cables laid on both directions Cables shall be of minimum 6mm diameter and the breaking strength of the cable shall not be less than 30kN.	व.मी	७१२१.००	७१२१.००	७१२१.००
	Supplying and placing of fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer as per ASTM D 5261 and the wide width tensile strength (MD TD) not less than 50kN/m as per ASTM D 4595 having filtration points as per the detailed design, thickness and technical specifications.	व.मी	३९२०.००	३९२०.००	३९२०.००
	Supplying and placing of woven geotextile fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD TD) not less than 50kN/m as per ASTM D 4595 having uniform cross section as per the detailed design, thickness and technical specifications.	व.मी	४२७२.००	४२७२.००	४२७२.००
	Supply of 3m long high tensile soil anchor of 21 capacity with galvanisation of minimum 500gsm for the anchoring of Fabric Form Mattress having anchor strand wire of diameter 8mm (minimum)	गोटा	८४९९.००	८४९९.००	८४९९.००
	Supply of 3m long high tensile soil anchor of 41 capacity with galvanisation of minimum 500gsm for the anchoring of Fabric Form Mattress having anchor strand wire of diameter 8mm (minimum)	गोटा	१९९०२.००	१९९०२.००	१९९०२.००






प्रमुख जिल्ला अधिकारी

Railway

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१	Bore Pile Machine for Railway bridge for ≥ 1.5 m diameter with piling ring and assories.	प्रति घण्टा	८३७९.००	८३७९.००	८३७९.००
२	Spherical bearing ≥ 2250 KN Fixed type	गोटा	१३३३७२.००	१३३३७२.००	१३३३७२.००
३	Spherical bearing ≥ 2250 KN Free type	गोटा	१४८५३०.००	१४८५३०.००	१४८५३०.००
४	Elastomeric slab seal expansion joint assembly manufactured by using chloroprene, elastomer for elastomeric slab for railway bridge.	र.मि	१५७०८.००	१५७०८.००	१५७०८.००
५	Crane ≥ 100 tonne capacity for lifting of railway PSC / IPC girder.	प्रति घण्टा	१४५३८.००	१४५३८.००	१४५३८.००
६	Ultra sonic cross-hole test Machine hire	गोटा	२३४९.००	२३४९.००	२३४९.००
७	Sheath tube, D75mm (Mild steel)	र.मि	३७७.००	३७७.००	३७७.००
८	Carrying out Dynamic pile load test	गोटा	२९४४६५.००	२९४४६५.००	२९४४६५.००
९	Earthing cable(GV70)	र.मि	६९५.००	६९५.००	६९५.००
१०	Cad Mold(Medium) for earthing job in bridge	गोटा	४४३९.००	४४३९.००	४४३९.००
११	Unbonded Pre stressed concrete strand	के.जी.	१६२.००	१६२.००	१६२.००





प्रमुख जिल्ला अधिकारी

Flooring Room Heating System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दरसलितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१	Electric Hot Film	व.मी.	११५०.००	११५०.००	११५०.००
२	Thermostat UTH-200/Sensor	गोटा	५५००.००	५५००.००	५५००.००
३	Insulation Pad	व.मी.	३५०.००	३५०.००	३५०.००
४	Eye Clip	गोटा	५०.००	५०.००	५०.००
५	2.5 mm Multi Strand wire	र.मि	६०.००	६०.००	६०.००
६	Installation Charge	व.मी.	३००.००	३००.००	३००.००
७	Parqueting	व.फि.	१७०.००	१७०.००	१७०.००
८	Scoting readymade	र.फि.	१७०.००	१७०.००	१७०.००
९	Scoting Local mare	र.फि.	१३०.००	१३०.००	१३०.००
१०	Protected Mat	व.मी.	३००.००	३००.००	३००.००
११	Special Tape	र.फि.	१००.००	१००.००	१००.००

  
प्रमुख जिल्ला अधिकारी



वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१	हेज ८ इन्च पोली	गोटा	४४.००	४४.००	४४.००
२	कार्पेट दुवो	व.फि	३८.००	३८.००	३८.००
३	कार्पेट दुवोको लागि टाप्ने कायै ज्याला	व.फि	२९.००	२९.००	२९.००
४	निगालो (जरा सहित)	गोटा	१४.००	१४.००	१४.००
५	स्थानीय स्तरमा उत्पासित विरुवा फलफूल बाहेक	गोटा	१२.००	१२.००	१२.००
६	गाई भैसीको मल/गोठे मल	के.जी.	६.००	६.००	६.००
७	लेयर्स कुखुराको मल	के.जी.	७.००	७.००	७.००
८	बोईलर कुखुराको मल	के.जी.	५.००	५.००	५.००
९	तोरीको पिना	के.जी.	४८.००	४८.००	४८.००
१०	नरिवल डोरी	के.जी.	१७२.००	१७२.००	१५३.००
११	नाइलन डोरी	के.जी.	३३२.००	३३२.००	२९६.००
१२	ठूलो साइजको बाँसको विरुवा विउबाट उत्पादित	गोटा	२६१.००	२६१.००	१५०.००
वन कार्यालयबाट सम्पादन गरिने कार्यहरु					
१	पोलिथीन टयुब ४ प्याल भएको २०० गेजको विभिन्न साइज	के.जी.	४४४.००	४४४.००	४२४.००
२	ठूला विरुवा रोपन ४ फिट सम्म	प्रति विरुवा	१६२.००	१६२.००	१६०.००
३	ठूला विरुवा रोपन ४ फिट देखि ६ फिट सम्म	प्रति विरुवा	१८२.००	१८२.००	१८०.००
४	अग्ला विरुवा रोपन ६ फिट देखि ८ फिट सम्म	प्रति विरुवा	२७४.००	२७४.००	२६६.००
५	दाउरा सोड	चट्टा	३५६०.००	३५६०.००	४०००.००
७	दाउरा अनलोड	चट्टा	१३०७.००	१३०७.००	१७००.००
८	सकलन कटान, मुखान	चट्टा	४७४७.००	४७४७.००	४८५५.००
९	ढुवानी (५ कि.मी.सम्म)	चट्टा	४७४७.००	४७४७.००	
१०	अनलोडिङ	चट्टा	१६६१.००	१६६१.००	
११	चट्टा निर्माण	चट्टा	१७८०.००	१७८०.००	२०००.००
१२	ठुटा उखेली घाटगद्दी स्थल १०० मी. सम्म लैजाने कार्य	गोटा	३२.००	३२.००	३२.००
१३	वन सुपारी	प्रति विरुवा	४७.००	४७.००	४०.००
शहरी वृक्षारोपणकार्य					
१	४ फिट सम्मको विरुवा	प्रति विरुवा	१६६.००		
२	५ फिट सम्मको विरुवा	प्रति विरुवा	१८३.००		
३	६ फिट सम्मको विरुवा	प्रति विरुवा	१८३.००		
४	८ फिट सम्मको विरुवा	प्रति विरुवा	२८४.००		
५	४ फिट गोलाई ४ फिट उचाईको	प्रति विरुवा	४३१६.००		
६	५ फिट गोलाई ५ फिट उचाईको	प्रति विरुवा	५१७९.००		
४ फिट सम्मको विरुवाको मुल्य					
१	कपूर	प्रति विरुवा	९१३.००	९१३.००	९१३.००
२	रुद्राक्ष	प्रति विरुवा	११२७.००	११२७.००	१०००.००
३	कल्की बोटल ब्रस	प्रति विरुवा	७८३.००	७८३.००	८००.००
४	ज्याकारण्डा गोल्डमोहोर	प्रति विरुवा	७८३.००	७८३.००	८००.००
५	असारे	प्रति विरुवा	७८३.००	७८३.००	८००.००
९	पैयू	प्रति विरुवा	५२२.००	५२२.००	६००.००
१०	लप्सी	प्रति विरुवा	५२२.००	५२२.००	३००.००
११	धूपी	प्रति विरुवा	५८६.००	५८६.००	८००.००
१२	बगमबेली	प्रति विरुवा	७८३.००	७८३.००	७००.००
१३	काइयो	प्रति विरुवा	७८३.००	७८३.००	८००.००



नेपाल सरकार
रुह मन्त्रालय
सल्लिपुर जिल्ला प्रमुख कार्यालय

वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१४	रक्तकमल	प्रति विरुवा	१४९५.००	१४९५.००	१२००.००
१५	समी	प्रति विरुवा	११५६.००	११५६.००	११६०.००
१६	बर	प्रति विरुवा	१४९५.००	१४९५.००	१२००.००
१७	पिपल	प्रति विरुवा	१४९५.००	१४९५.००	१२००.००
१८	५ फिट सम्मको करविर विरुवा	प्रति विरुवा	१४२४.००	१४२४.००	११००.००
१९	५ फिट सम्मको तिकोमा विरुवा	प्रति विरुवा	१४२४.००	१४२४.००	१२००.००
२०	५ फिट सम्मको आपको विरुवा	प्रति विरुवा	१५४२.००	१५४२.००	१२००.००
	४ फिट देखि ६ फिट सम्मको विरुवाको मुल्य				
१	तिकोमा	प्रति विरुवा	१८३४.००		
	वायो इन्जिनियरिङ सम्बन्धि काम				
	घासको विउ				
१	जई	कि.ग्रा	८८.००	८८.००	८५.००
२	भेच	कि.ग्रा	२०१.००	२०१.००	१७५.००
३	नेपीयर	सेट	३.००	३.००	४.००
४	वर्सिम	कि.ग्रा	२०७.००	२०७.००	२००.००
५	घाँसको बिउ र औषधि जिल्ला भित्र दुबानी गर्दा	कि.ग्रा	१८९.००	१८९.००	
६	घाँसको बिउ जिल्ला बाहिरबाट दुबानी गर्दा	कि.ग्रा	१.००	१.००	
७	माटो भर्ने खाली बोरा	गोटा	३.००	३.००	५.००
८	बास काटेको सिंगो घाना	घाना	४१५.००	४१५.००	४१५.००
९	बासको कटिंग स्टम्प विरुवा (१५ महिने नर्सरीमा राखेको) १.५ फिट देखि २ फिट लामो	प्रति कटिंग	६४.००	६४.००	
	Vegetation/Shrubs Cuttings/Slip/Plants/etc.				
१	अम्रिसो (राइजोम)	प्रति विरुवा	७.००	७.००	७.००
२	अलैची गानो	प्रति विरुवा	१२.००	१२.००	१२.००
३	अलैची विरुवा	प्रति विरुवा	११.००	११.००	१०.००
४	हार्डवुड कटिङ्गस् (बैस) पेन्सिल साइज	प्रति विरुवा	६.००	६.००	६.००
५	नेपीयर कटिङ्गस्	प्रति विरुवा	२.००	२.००	३.००
६	NB ₂₁ घाँस	प्रति विरुवा	२.००	२.००	३.००
७	निगालो राइजोम	प्रति विरुवा	५९.००	५९.००	५९.००
८	बासको बेर्ना (कटीग राइजोम)	प्रति विरुवा	४१५.००	४१५.००	४२५.००
९	बाबियो ताइवानी दुबो	प्रति विरुवा	३.००	३.००	४.००
१०	सिजनल फुल ८ इन्च पोली	गोटा	२९.००	२९.००	२९.००
११	गुलाफ फुल ८ इन्च पोली	गोटा	१७८.००	१७८.००	१७०.००
१२	कार्पेट दुबो	व.फी.	३८.००	३८.००	
१३	कार्पेट दुबो को लागी छान्ने कार्यको ज्याला	व.फी.	२९.००	२९.००	२९.००
१४	निगालो (जरा सहित)	गोटा	१४.००	१४.००	१४.००
१५	स्यानीय स्तरमा उत्पादीत विरुवा फलफुल बाहेक	गोटा	१२.००	१२.००	१२.००
१६	हाले घासको विरुवा	गोटा	१२.००	१२.००	१२.००
१७	मोलाटो विरुवा	गोटा	२.००	२.००	२.००
१८	लौठ सल्ला नेपाली	गोटा	१५६.००	१५६.००	१००.००

प्रमुख जिल्ला अधिकारी

वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको ललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१९	लौठ सल्ला अमेरिकन	गोटा	३३२.००	३३२.००	१५०.००
२०	खर	गोटा	९९.००	९९.००	९९.००
२१	अम्बा	प्रति विरुवा	१४२.००	१४२.००	१५०.००
२२	उतिस, घयेरो, असुरो, वकाइलो, निम आदी	गोटा	४४२.००	४४२.००	४४२.००
२३	भुजेत्रो	के.जी.	१६७२.००	१६७२.००	१६७२.००
२४	खर, फुर्के खिटो आदिको विउ	के.जी.	१५६४.००	१५६४.००	१५६४.००
२५	जुट नेट	व.मी.	५२३.००	५२३.००	५२३.००
६ टिम्बर कर्पोरेशनबाट सम्पादन गरिने कार्यहरु					
१	चिरान उत्पादन(बाकल, भुष, फाल्ने क्रस कटिंग समेत)	क्यू.फि.	७६.००	७६.००	७६.००
२	चिरान लोड	क्यू.फि.	२५.००	२५.००	२५.००
३	चिरान पाइलिंग	क्यू.फि.	८.००	८.००	८.००
४	चिरान अनलोड	क्यू.फि.	९.००	९.००	९.००
५	मिल सिपमेन्टको गोलिया अनलोड	क्यू.फि.	१२.००	१२.००	१२.००
६	भाडाको समिलबाट गोलिया चिरान ज्याला(गोलियामा)	क्यू.फि.	१०६.००	१०६.००	१०६.००
७	दाउरा लोड	क्वीन्टल	५९.००	५९.००	५८.००
८	दाउरा अनलोड	क्वीन्टल	१९.००	१९.००	१९.००
९	पोल लोड	प्रति गोटा	७१.००	७१.००	७०.००
१०	पोल अनलोड	प्रति गोटा	३५.००	३५.००	३५.००
पाल्मका प्रजाति					
१	फिस्टेल पाल्म	प्रति गोटा	१६१८.००	१६१८.००	१६१८.००
२	रोयल पाल्म	प्रति गोटा	१९४२.००	१९४२.००	१९४२.००
३	वोटल पाल्म	प्रति गोटा	१०२५.००	१०२५.००	१०२५.००
४	किं पाल्म	प्रति गोटा	१९४२.००	१९४२.००	१९४२.००
५	हवाई पाल्म	प्रति गोटा	२५८९.००	२५८९.००	२५८९.००
होचो हुने प्रजाति १ देखि २ फिट सम्म					
१	साइकस पाल्म	प्रति गोटा	१२९४.००	१२९४.००	१२९४.००
२	स्याबिस पाल्म	प्रति गोटा	१०२५.००	१०२५.००	१०२५.००
३	रेक्सोन पाल्म	प्रति गोटा	१२९४.००	१२९४.००	१२९४.००
४	फोनिक्स पाल्म	प्रति गोटा	७५५.००	७५५.००	७५५.००
५	च्यामडोरा पाल्म	प्रति गोटा	७५५.००	७५५.००	७५५.००
६	सिपेरिया पाल्म	प्रति गोटा	५३९.००	५३९.००	५३९.००
७	फयान पाल्म	प्रति गोटा	८०९.००	८०९.००	८०९.००
८	एरिका पाल्म	प्रति गोटा	८०९.००	८०९.००	८०९.००
४ देखि ५ फिट उचाई सम्म					
१	हेबिसकस	प्रति गोटा	१०७.००	१०७.००	१०७.००
२	एजेलिया	प्रति गोटा	१९४२.००	१९४२.००	१५००.००
३	क्यामेलिया	प्रति गोटा	१९४२.००	१९४२.००	१५००.००
४	ग्राउण्ड कमर	प्रति गोटा	३२३.००	३२३.००	३२३.००
स्थानिय वास्नादार प्रजाति ४ देखि ६ फिट					
१	पारिजात	प्रति गोटा	१५१०.००	१५१०.००	१५१०.००

वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
२	चमेली	प्रति गोटा	१२९४.००	१२९४.००	१२९४.००
३	जाई	प्रति गोटा	१०२५.००	१०२५.००	१०२५.००
४	बेलपत्र	प्रति गोटा	१०२५.००	१०२५.००	१०२५.००
	स्थानिय प्रजाति २ देखि ४ फिट				
१	मालती	प्रति गोटा	५३९.००	५३९.००	५३९.००
२	वगमवेली	प्रति गोटा	६४७.००	६४७.००	६४७.००
३	वेली	प्रति गोटा	६४७.००	६४७.००	६४७.००
४	पेशन फुलावर	प्रति गोटा	७५५.००	७५५.००	७५५.००
५	मान्डोमिल्ला	प्रति गोटा	१२९४.००	१२९४.००	१२९४.००
६	फाइकस पुमिला	प्रति गोटा	२१५.००	२१५.००	२१५.००
७	बाडीम प्लाण्ट	प्रति गोटा	३२३.००	३२३.००	३२३.००
८	कपुर	प्रति गोटा	८७१.००	८७१.००	
९	रुद्राक्ष	प्रति गोटा	१०७५.००	१०७५.००	
१०	कल्की	प्रति गोटा	७४७.००	७४७.००	
११	जाकारन्डा	प्रति गोटा	७४७.००	७४७.००	
१२	असारे	प्रति गोटा	७४७.००	७४७.००	
१३	शिरिस	प्रति गोटा	८०९.००	८०९.००	८००.००
१४	पैयू	प्रति गोटा	४९८.००	४९८.००	
१५	लप्सी	प्रति गोटा	४९८.००	४९८.००	
१६	धुपी	प्रति गोटा	५६०.००	५६०.००	
१७	वगनवेली	प्रति गोटा	७४७.००	७४७.००	
१८	काईयो	प्रति गोटा	७४७.००	७४७.००	
१९	असीसो(सानो विरुवा)	प्रति गोटा	६.००	६.००	६.००
२०	तेजपात	प्रति गोटा	१०७९.००	१०७९.००	८००.००
२१	अमला	प्रति गोटा	८४१.००	८४१.००	६००.००
२२	हरौ	प्रति गोटा	९१७.००	९१७.००	५००.००
२३	वरौ	प्रति गोटा	९१७.००	९१७.००	५००.००
२४	वकाईनो	प्रति गोटा	९१७.००	९१७.००	५००.००
२५	इनद्रकमल	प्रति गोटा	१९४२.००	१९४२.००	१९४२.००
२६	लालीगुरास	प्रति गोटा	१७८०.००	१७८०.००	१७८०.००
२७	स्यासफुसरे	प्रति गोटा	१७८०.००	१७८०.००	१७८०.००
२८	पुवाले	प्रति गोटा	१७८०.००	१७८०.००	१७८०.००
२९	देवदार	प्रति गोटा	२८५९.००	२८५९.००	१२००.००
३०	किसमस रु	प्रति विरुवा	३२३७.००	३२३७.००	३२३७.००
३१	गोल्डेन धुपि	प्रति विरुवा	२५८९.००	२५८९.००	२५८९.००
३२	गुन्सी	प्रति विरुवा	२१०४.००	२१०४.००	२१०४.००
३३	अन्य	प्रति विरुवा	१७८०.००	१७८०.००	१७८०.००
	बस्ती क्षेत्र भित्रका रुख कटान मुख्यन गरी गिण्डा पार्ने				
१	सामान्य जोखिम भएको	प्रति गोटा	८४.००	८४.००	९०.००
२	मध्यम	प्रति गोटा	१४१.००	१४१.००	१५०.००



नेपाल सरकार
गृह मन्त्रालय
जिल्ला पुनसंरचना कार्यालय
ललितपुर

वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु


सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
३	अति जोखिम	प्रति गोटा	२२६.००	२२६.००	२३५.००
	वन पैदावर संकलन तथा घाटगद्दी खर्च				
१	रुख नम्बरीङ्ग/छपान/ब्लेजीङ्ग गर्ने (०।००२ जना प्रति क्यू.फि.)	क्यू.फि.	२.००	२.००	२.००
२	ढलापडा रुख कटान मुछान	क्यू.फि.	४३.००	४३.००	४३.००
३	गोलिया काठ नम्बरीङ्ग तथा नाप पैमाइस (०।००८ जना प्रति क्यू.फि.)	क्यू.फि.	६४.००	६४.००	६४.००
४	बोक्रा ताँछ्ने (आवश्यकता अनुसार) (०।००८ जना प्रति क्यू.फि.)	क्यू.फि.	६.००	६.००	६.००
५	योडिङ्ग गर्ने (भिरालो भौगोलिक अवस्थामा मात्र) (०।१६७ जना प्रति क्यू.फि.)	क्यू.फि.	१२४.००	१२४.००	१२४.००
६	गोलिया काठ लोड गर्ने (०।०३२ जना प्रति क्यू.फि.)	क्यू.फि.	२१.००	२१.००	२५.००
७	गोलिया काठ दुवानी घाटगद्दी सम्म (५ कि.मी दुरीसम्म) (०।०६७ जना प्रति क्यू.फि.)	क्यू.फि.	४८.००	४८.००	४८.००
८	गोलिया काठ अनलोड गर्ने (०।०२१ जना प्रति क्यू.फि.)	क्यू.फि.	१९.००	१९.००	२०.००
९	ग्रेडिङ्ग अनुसार घाटगद्दी गर्ने (०।०२७ जना प्रति क्यू.फि.)	क्यू.फि.	२६.००	२६.००	२६.००
१०	कूल संकलन खर्च (०।३७१ जना प्रति क्यू.फि.)	क्यू.फि.	२४८.००	२४८.००	२४८.००
ख	मूल्य				
१	टिमुर	गोटा	५९.००	५९.००	५९.००
२	सतुवा	गोटा	१४०.००	१४०.००	१४०.००
३	ओखर	गोटा	२६९.००	२६९.००	२६९.००
४	बडहर	गोटा	७५.००	७५.००	७५.००
५	कटहर	गोटा	७५.००	७५.००	७५.००
६	सुपारी	गोटा	२८०.००	२८०.००	२८०.००
७	नरिबल	गोटा	२८०.००	२८०.००	२८०.००
८	अर्गेलि कटिंग	गोटा	४३.००	४३.००	४३.००
९	चिराइतो	गोटा	४३.००	४३.००	४३.००
१०	सल्लो	गोटा	४३.००	४३.००	४३.००
११	बकाइनो	गोटा	२६.००	२६.००	२६.००
१२	वयर	गोटा	१७२.००	१७२.००	१७२.००
१३	सिमल	गोटा	३२.००	३२.००	३२.००
१४	सुगन्धकोकिला	गोटा	५२.००	५२.००	५२.००
१५	कल्किफुल	गोटा	७५.००	७५.००	७५.००
१६	बालचिनी	गोटा	३७.००		
१७	बाँस विउबाट एक वर्ष	गोटा	९१.००	९१.००	९१.००
१९	वन सुपारी	प्रति विरुवा	५३.००	५३.००	५३.००
२०	अगर उह	प्रति विरुवा	२९६.००	२९६.००	२९६.००
२२	करविर फूल	प्रति विरुवा	१०४६.००	१०४६.००	१०४६.००
२३	चाँप	प्रति विरुवा	१८३४.००	१८३४.००	१८३४.००
२५	ठूलो साईजको बाँसको विरुवा (विउबाट उत्पादित)	गोटा	३२३.००	३२३.००	३२३.००

पल्लु जिल्ला समितिको कार्यालय

वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको ललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
२६	बोधिपत्त	गोटा	१३५.००		
२७	दाते ओखर	गोटा	२१५.००	२१५.००	२१५.००
२८	रिटठा	गोटा	५३.००	५३.००	५३.००
२९	निम	गोटा	८६.००	८६.००	८६.००
३०	चिउरी	गोटा	७५.००	७५.००	७५.००
३१	श्रीखण्ड	गोटा	३९९.००	३९९.००	३९९.००
३२	रक्तचन्दन	गोटा	२९९.००	२९९.००	२९९.००
३३	खयर	गोटा	७५.००	७५.००	७५.००
घ बासी एलानी पर्ति जग्गामा लगाउन आवश्यक फलफूल विरुवा					
१	कागती	प्रति विरुवा	२३७.००	२३७.००	२५०.००
२	सुन्तला	प्रति विरुवा	२३७.००	२३७.००	२५०.००
३	जुनार	प्रति विरुवा	२३७.००	२३७.००	२५०.००
४	हलुबावेद	प्रति विरुवा	२३७.००	२३७.००	२५०.००
५	आप	प्रति विरुवा	२३७.००	२३७.००	२५०.००
६	कागती विनु	गोटा	५३.००	५३.००	६०.००
७	सुन्तला विनु	गोटा	५३.००	५३.००	६०.००
८	निबुवा	गोटा	५३.००	५३.००	६०.००
९	नास्पति	गोटा	२३७.००	२३७.००	२५०.००
१०	एभोकाडो	गोटा	२८०.००	२८०.००	३००.००

राज्यका तर्फबाट गरिने विभिन्न मठमन्दिर, पिठहरुमा पूजापाठ प्रयोजनका लागि आवश्यक पर्ने दोपाया र चौपायाहरुको दररेट					
१.	चार अंगुल सिंग भएको चोखा रंगा (कम्तीमा ८५ किलो तौल भएको)	गोटा			४३५००.००
२.	दुई अंगुल सिंग भएको चोखा कालो बोका (कम्तीमा १२ किलो तौल भएको)	गोटा			१०५००.००
३.	दुई अंगुल सिंग भएको विशेष बोका (कम्तीमा २० किलो तौल भएको)	गोटा			२००००.००
४.	चार अंगुल सिंग भएको साधारण रंगा (कम्तीमा ७२ किलो तौल भएको)	गोटा			३६०००.००
५.	दुई अंगुल सिंग भएको साधारण बोका (कम्तीमा १२ किलो तौल भएको)	गोटा			१००००.००
६.	दुई अंगुल सिंग भएको बुमा (भेडा) (कम्तीमा १२ किलो तौल भएको)	गोटा			१००००.००





प्रमुख जिल्ला अधिकारी

पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. व. क. स. मन्त्रालय ललितपुर जिल्लाको आ. व. २०८३/८४ को दररेट		
			आ. व. २०८१/८२	आ. व. २०८२/८३	आ. व. ०८३/८४
१	High Density Polythene Pipe NS-40	के. जी.	२८७.००	२८७.००	३१५.००
	HDPE Fittings				
	HDPE Tee				
	32 mm Dia 6 kg/Cm ²				९२.००
	32 mm Dia 10 kg/Cm ²				११७.००
	40 mm Dia 6 kg/Cm ²				१३०.००
	40 mm Dia 10 kg/Cm ²				१६९.००
	50 mm Dia 6 kg/Cm ²				१९०.००
	50 mm Dia 10 kg/Cm ²				२४७.००
	63 mm Dia 6 kg/Cm ²				३५०.००
	63 mm Dia 10 kg/Cm ²				४५०.००
	75 mm Dia 6 kg/Cm ²				४४०.००
	75 mm Dia 10 kg/Cm ²				७००.००
	90 mm Dia 6 kg/Cm ²				८५०.००
	90 mm Dia 10 kg/Cm ²				११००.००
	110 mm Dia 6 kg/Cm ²				११७०.००
	110 mm Dia 10 kg/Cm ²				१५००.००
	125 mm Dia 6 kg/Cm ²				१४७७.००
	125 mm Dia 10 kg/Cm ²				१९१५.००
	140 mm Dia 6 kg/Cm ²				२०७०.००
	140 mm Dia 10 kg/Cm ²				२६९१.००
	160 mm Dia 6 kg/Cm ²				२६००.००
	160 mm Dia 10 kg/Cm ²				३३९०.००
	180 mm Dia 6 kg/Cm ²				३९७०.००
	180 mm Dia 10 kg/Cm ²				५१५०.००
	200 mm Dia 6 kg/Cm ²				५१९०.००
	200 mm Dia 10 kg/Cm ²				६७४७.००
	HDPE Elbow				
	32 mm Dia 6 kg/Cm ²				९०.००
	32 mm Dia 10 kg/Cm ²				११७.००
	40 mm Dia 6 kg/Cm ²				१०५.००
	40 mm Dia 10 kg/Cm ²				१३७.००
	50 mm Dia 6 kg/Cm ²				१४०.००
	50 mm Dia 10 kg/Cm ²				१८२.००

पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	63 mm Dia 6 kg/Cm ²				२१०.००
	63 mm Dia 10 kg/Cm ²				२७३.००
	75 mm Dia 6 kg/Cm ²				४६०.००
	75 mm Dia 10 kg/Cm ²				५००.००
	90 mm Dia 6 kg/Cm ²				६१०.००
	90 mm Dia 10 kg/Cm ²				७९०.००
	110 mm Dia 6 kg/Cm ²				८५०.००
	110 mm Dia 10 kg/Cm ²				११००.००
	125 mm Dia 6 kg/Cm ²				११३०.००
	125 mm Dia 10 kg/Cm ²				१४५०.००
	140 mm Dia 6 kg/Cm ²				१५००.००
	140 mm Dia 10 kg/Cm ²				१९७५.००
	160 mm Dia 6 kg/Cm ²				२२६०.००
	160 mm Dia 10 kg/Cm ²				२९३८.००
	180 mm Dia 6 kg/Cm ²				२८६०.००
	180 mm Dia 10 kg/Cm ²				३७००.००
	200 mm Dia 6 kg/Cm ²				३५००.००
	200 mm Dia 10 kg/Cm ²				४५७६.००
	HDPE Y Tee/ Cross Tee				
	32 mm Dia 6 kg/Cm ²				११०.००
	32 mm Dia 10 kg/Cm ²				१४०.००
	40 mm Dia 6 kg/Cm ²				१७०.००
	40 mm Dia 10 kg/Cm ²				२२०.००
	50 mm Dia 6 kg/Cm ²				२५०.००
	50 mm Dia 10 kg/Cm ²				३१४.००
	63 mm Dia 6 kg/Cm ²				३५०.००
	63 mm Dia 10 kg/Cm ²				४७८.००
	75 mm Dia 6 kg/Cm ²				६००.००
	75 mm Dia 10 kg/Cm ²				७९०.००
	90 mm Dia 6 kg/Cm ²				११२०.००
	90 mm Dia 10 kg/Cm ²				१४५०.००
	110 mm Dia 6 kg/Cm ²				१४५०.००
	110 mm Dia 10 kg/Cm ²				१८८०.००
	125 mm Dia 6 kg/Cm ²				२१७५.००

पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाप्टिसाको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३८४
	125 mm Dia 10 kg/Cm ²				२८३४.००
	140 mm Dia 6 kg/Cm ²				२९४०.००
	140 mm Dia 10 kg/Cm ²				३८००.००
	160 mm Dia 6 kg/Cm ²				३९००.००
	160 mm Dia 10 kg/Cm ²				५०९६.००
	180 mm Dia 6 kg/Cm ²				५४८०.००
	180 mm Dia 10 kg/Cm ²				७१२४.००
	200 mm Dia 6 kg/Cm ²				७२००.००
	200 mm Dia 10 kg/Cm ²				९३६०.००
	225 mm Dia 10 kg/Cm ²				९५००.००
	250 mm Dia 10 kg/Cm ²				१२३५०.००
	HDPE Bend				
	32 mm Dia 6 kg/Cm ²				९०.००
	32 mm Dia 10 kg/Cm ²				११७.००
	40 mm Dia 6 kg/Cm ²				१०५.००
	40 mm Dia 10 kg/Cm ²				१३०.००
	50 mm Dia 6 kg/Cm ²				१३५.००
	50 mm Dia 10 kg/Cm ²				१८०.००
	63 mm Dia 6 kg/Cm ²				२०५.००
	63 mm Dia 10 kg/Cm ²				२७३.००
	75 mm Dia 6 kg/Cm ²				४५०.००
	75 mm Dia 10 kg/Cm ²				४९०.००
	90 mm Dia 6 kg/Cm ²				६००.००
	90 mm Dia 10 kg/Cm ²				७८०.००
	110 mm Dia 6 kg/Cm ²				८६०.००
	110 mm Dia 10 kg/Cm ²				१११८.००
	125 mm Dia 6 kg/Cm ²				११३०.००
	125 mm Dia 10 kg/Cm ²				१४६९.००
	140 mm Dia 6 kg/Cm ²				१५२०.००
	140 mm Dia 10 kg/Cm ²				१९७६.००
	160 mm Dia 6 kg/Cm ²				२२६०.००
	160 mm Dia 10 kg/Cm ²				२९३८.००
	180 mm Dia 6 kg/Cm ²				२८६०.००
	180 mm Dia 10 kg/Cm ²				३७००.००



पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क बाहेकको दर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	200 mm Dia 6 kg/Cm ²				३३००.००
	200 mm Dia 10 kg/Cm ²				४५००.००
	HDPE Strainer				
	32 mm Dia 6 kg/Cm ²				२७०.००
	32 mm Dia 10 kg/Cm ²				३३०.००
	40 mm Dia 6 kg/Cm ²				२८५.००
	40 mm Dia 10 kg/Cm ²				३७७.००
	50 mm Dia 6 kg/Cm ²				४७०.००
	50 mm Dia 10 kg/Cm ²				६००.००
	63 mm Dia 6 kg/Cm ²				५६२.००
	63 mm Dia 10 kg/Cm ²				७४०.००
	75 mm Dia 6 kg/Cm ²				९००.००
	75 mm Dia 10 kg/Cm ²				१२००.००
	90 mm Dia 6 kg/Cm ²				१०५०.००
	90 mm Dia 10 kg/Cm ²				१३८०.००
	110 mm Dia 6 kg/Cm ²				१४९०.००
	110 mm Dia 10 kg/Cm ²				१९३०.००
	125 mm Dia 6 kg/Cm ²				१७५०.००
	125 mm Dia 10 kg/Cm ²				२२८८.००
	140 mm Dia 6 kg/Cm ²				२३७०.००
	140 mm Dia 10 kg/Cm ²				३०८०.००
	160 mm Dia 6 kg/Cm ²				३१७०.००
	160 mm Dia 10 kg/Cm ²				४१००.००
	180 mm Dia 6 kg/Cm ²				३४००.००
	180 mm Dia 10 kg/Cm ²				४४५०.००
	200 mm Dia 6 kg/Cm ²				४५४०.००
	200 mm Dia 10 kg/Cm ²				५९५५.००
	HDPE Reducer				
	40*32 mm Dia 6 kg/Cm ²				७५.००
	40*32 mm Dia 10 kg/Cm ²				९८.००
	50*40 mm Dia 6 kg/Cm ²				१५५.००
	50*40 mm Dia 10 kg/Cm ²				२०७.००
	63*50 mm Dia 6 kg/Cm ²				१७०.००
	63*50 mm Dia 10 kg/Cm ²				२२०.००

पाईप तथा फिटिङहरू



सि.न.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क नाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	75*63 mm Dia 6 kg/Cm ²				२९०.००
	75*63 mm Dia 10 kg/Cm ²				३७७.००
	90*75 mm Dia 6 kg/Cm ²				४१०.००
	90*75 mm Dia 10 kg/Cm ²				५४६.००
	110*90 mm Dia 6 kg/Cm ²				५८०.००
	110*90 mm Dia 10 kg/Cm ²				७६२.००
	125*110 mm Dia 6 kg/Cm ²				६९०.००
	125*110 mm Dia 10 kg/Cm ²				८९७.००
	140*125 mm Dia 6 kg/Cm ²				८९०.००
	140*125 mm Dia 10 kg/Cm ²				११५७.००
	160*140 mm Dia 6 kg/Cm ²				११९०.००
	160*140 mm Dia 10 kg/Cm ²				१५४०.००
	180*160 mm Dia 6 kg/Cm ²				११४०.००
	180*160 mm Dia 10 kg/Cm ²				१४८०.००
	200*180 mm Dia 6 kg/Cm ²				२५००.००
	200*180 mm Dia 10 kg/Cm ²				३२५०.००
	225*200 mm Dia 6 kg/Cm ²				३३००.००
	225*200 mm Dia 10 kg/Cm ²				४२८०.००
	250*225mm Dia 6 kg/Cm ²				३२७०.००
	250*225 mm Dia 10 kg/Cm ²				४२५०.००
२	G.I Pipe threaded - Light class				
	15mm	र.मी	१७०.००	१८७.००	१८७.००
	20mm	र.मी	२३२.००	२५५.००	२५५.००
	25mm	र.मी	३२२.००	३५४.००	३५४.००
	32mm	र.मी	४११.००	४५२.००	४५२.००
	40mm	र.मी	५०८.००	५५९.००	५५९.००
	50mm	र.मी	६४१.००	७०५.००	७०५.००
	65mm	र.मी	८८५.००	९७४.००	९७४.००
	80mm	र.मी	१०३८.००	११४२.००	११४२.००
	100mm	र.मी	१४८५.००	१५२६.००	१५२६.००
	125mm	र.मी	२३७७.००	२४९५.००	२४९५.००
	150mm	र.मी	२८२३.००	३०५०.००	३०५०.००
	200mm	र.मी	४०५१.००	४४५६.००	४४५६.००
३	MS PIPE SEAMLESS SIZE OD (MM)-ASTM-A-106				
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	र.मी	४१९.००	४१९.००	४१९.००
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	र.मी	६२३.००	६२३.००	६२३.००
	33.4 mm OD 1" SCH.40, 3.38mm thickness	र.मी	७८२.००	७८२.००	७८२.००
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	र.मी	९६४.००	९६४.००	९६४.००



पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. व. क. मन्त्रालय		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	र.मी	११०४.००	११०४.००	११०४.००
	60.3mm OD 2" SCH.40, 3.91 mm thickness	र.मी	१४१७.००	१४१७.००	१४१७.००
	73mm OD 3" SCH.40, 5.16 mm thickness	र.मी	२१७९.००	२१७९.००	२१७९.००
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	र.मी	२३००.००	२३००.००	२३००.००
	101.6mm OD 4" SCH.40, 5.74 mm thickness	र.मी	३३१२.००	३३१२.००	३३१२.००
	114.3mm OD 5" SCH.40, 6.02 mm thickness	र.मी	४०६०.००	४०६०.००	४०६०.००
	141.3mm OD 6" SCH.40, 6.557 mm thickness	र.मी	५४९९.००	५४९९.००	५४९९.००
	168.3mm OD 4" SCH.40, 7.11 mm thickness	र.मी	७१३८.००	७१३८.००	७१३८.००
	65 mm ID SCH.40	र.मी	२१८५.००	२१८५.००	२१८५.००
	80 mm ID SCH.40	र.मी	२६४५.००	२६४५.००	२६४५.००
	125 mm ID SCH.40	र.मी	४३७०.००	४३७०.००	४३७०.००
	150 mm ID SCH.40	र.मी	५०९४.००	५०९४.००	५०९४.००
	200 mm ID SCH.40	र.मी	६३४८.००	६३४८.००	६३४८.००
	250mm ID SCH.40	र.मी	८१९९.००	८१९९.००	८१९९.००
	300 mm ID SCH.40	र.मी	११२४७.००	११२४७.००	११२४७.००
	350 mm ID SCH.40	र.मी	२११६०.००	२११६०.००	२११६०.००
	400 mm ID SCH.40	र.मी	२७६००.००	२७६००.००	२७६००.००
	450 mm ID SCH.40	र.मी	३४८७९.००	३४८७९.००	३४८७९.००
	500 mm ID SCH.40	र.मी	४१०५५.००	४१०५५.००	४१०५५.००
४	G.I Pipe threaded -Medium class				
	15mm	र.मी	१८१.००	१९९.००	२१८.००
	20mm	र.मी	२२५.००	२४८.००	२७२.००
	25mm	र.मी	३४४.००	३७८.००	४१५.००
	32mm	र.मी	४४७.००	४९२.००	५४१.००
	40mm	र.मी	५१४.००	५६५.००	६२१.००
	50mm	र.मी	७०६.००	७७७.००	८५४.००
	65mm	र.मी	९०१.००	९९१.००	१०९०.००
	80mm	र.मी	११२२.००	१२३४.००	१३५७.००
	100mm	र.मी	१६८०.००	१८४८.००	२०००.००
	125mm	र.मी	२१९६.००	२४१६.००	२६५७.००
	150mm	र.मी	२६५६.००	२९२२.००	३२००.००
	200mm	र.मी	४५९६.००	५०५६.००	५२००.००
५	G.I Pipe threaded - Heavy duty				
	15mm	र.मी	२१२.००	२३३.००	२५६.००
	20mm	र.मी	२६५.००	२९२.००	३२१.००
	25mm	र.मी	३९६.००	४३६.००	४७९.००
	32mm	र.मी	४६८.००	५१५.००	५६६.००
	40mm	र.मी	५९३.००	६४२.००	७१६.००
	50mm	र.मी	८७२.००	९४९.००	१०५४.००
	65mm	र.मी	९९२.००	१०९१.००	१२००.००
	80mm	र.मी	१२८५.००	१४१४.००	१५५५.००
	100mm	र.मी	२२०८.००	२३५०.००	२४९८.००



पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	125mm	र.मी	२५०३.००	२५५३.००	३०२८.००
	150mm	र.मी	२८३३.००	३११६.००	३४२७.००
	200mm	र.मी	५०८३.००	५४००.००	५५४०.००
६	G.M. Gate valve				
	15mm	र.मी	७५१.००	७५१.००	७५१.००
	20mm	र.मी	१०५०.००	१०५०.००	१०५०.००
	25mm	र.मी	१६००.००	१६००.००	१६००.००
	32mm	र.मी	२३५०.००	२३५०.००	२३५०.००
	40mm	र.मी	३१३३.००	३१३३.००	३१३३.००
	50mm	र.मी	४८८३.००	४८८३.००	४८८३.००
	65mm	र.मी	८७७२.००	८७७२.००	८७७२.००
	80mm	र.मी	१२०५०.००	१२०५०.००	१२०५०.००
	100mm	र.मी	२०५९०.००	२०५९०.००	२०५९०.००
७	G.M Check valve				
	15mm	गोटा	८९३.००	८९३.००	८९३.००
	20mm	गोटा	१२००.००	१२००.००	१२००.००
	25mm	गोटा	१७७५.००	१७७५.००	१७७५.००
	32mm	गोटा	२६२३.००	२६२३.००	२६२३.००
	40mm	गोटा	३०३५.००	३०३५.००	३०३५.००
	50mm	गोटा	५०३३.००	५०३३.००	५०३३.००
	65mm	गोटा	१०२२५.००	१०२२५.००	१०२२५.००
	80mm	गोटा	१३६५७.००	१३६५७.००	१३६५७.००
	100mm	गोटा	१९३०१.००	१९३०१.००	१९३०१.००
८	G.I. Elbow				
	15mm	गोटा	४२.००	४२.००	४२.००
	20mm	गोटा	६६.००	६६.००	६६.००
	25mm	गोटा	१०५.००	१०५.००	१०५.००
	32mm	गोटा	१६२.००	१६२.००	१६२.००
	40mm	गोटा	२२३.००	२२३.००	२२३.००
	50mm	गोटा	३४४.००	३४४.००	३४४.००
	65mm	गोटा	६५३.००	६५३.००	६५३.००
	80mm	गोटा	८८०.००	८८०.००	८८०.००
	100mm	गोटा	१५७०.००	१५७०.००	१५७०.००
	125mm	गोटा	२१०३.६०	२१०३.६०	२१०३.६०
	150mm	गोटा	२५२४.३२	२५२४.३२	२५२४.३२
९	G.I. Tee				
	15mm	गोटा	६६.००	६६.००	६६.००
	20mm	गोटा	१०४.००	१०४.००	१०४.००
	25mm	गोटा	१४२.००	१४२.००	१४२.००
	32mm	गोटा	२१९.००	२१९.००	२१९.००
	40mm	गोटा	२८२.००	२८२.००	२८२.००
	50mm	गोटा	४९२.००	४९२.००	४९२.००
	65mm	गोटा	८२८.००	८२८.००	८२८.००
	80mm	गोटा	११८७.००	११८७.००	११८७.००

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको पुर्ति		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	100mm	गोटा	१९५३.००	१९५३.००	१९५३.००
	125mm	गोटा	२४६५.००	२४६५.००	२४६५.००
	150mm	गोटा	२९६०.००	२९६०.००	२९६०.००
१०	G.I Union				
	15mm	गोटा	११३.००	११३.००	११३.००
	20mm	गोटा	१५३.००	१५३.००	१५३.००
	25mm	गोटा	२१०.००	२१०.००	२१०.००
	32mm	गोटा	३२९.००	३२९.००	३२९.००
	40mm	गोटा	४०१.००	४०१.००	४०१.००
	50mm	गोटा	६११.००	६११.००	६११.००
	65mm	गोटा	११३८.००	११३८.००	११३८.००
	80mm	गोटा	१५८६.००	१५८६.००	१५८६.००
	100mm	गोटा	२२०५.००	२२०५.००	२२०५.००
	125mm	गोटा	२७७०.००	२७७०.००	२७७०.००
	150mm	गोटा	३३२४.००	३३२४.००	३३२४.००
११	G.I. Socket				
	15mm	गोटा	३८.००	३८.००	३८.००
	20mm	गोटा	५७.००	५७.००	५७.००
	25mm	गोटा	७५.००	७५.००	७५.००
	32mm	गोटा	११५.००	११५.००	११५.००
	40mm	गोटा	१४४.००	१४४.००	१४४.००
	50mm	गोटा	२४१.००	२४१.००	२४१.००
	65mm	गोटा	३७५.००	३७५.००	३७५.००
	80mm	गोटा	५८६.००	५८६.००	५८६.००
	100mm	गोटा	९५१.००	९५१.००	९५१.००
	125mm	गोटा	११४०.००	११४०.००	११४०.००
	150mm	गोटा	१३६८.००	१३६८.००	१३६८.००
१२	C.I. Plug				
	15mm	गोटा	३०.००	३०.००	३०.००
	20mm	गोटा	४०.००	४०.००	४०.००
	25mm	गोटा	४९.००	४९.००	४९.००
	32mm	गोटा	९८.००	९८.००	९८.००
	40mm	गोटा	१२४.००	१२४.००	१२४.००
	50mm	गोटा	१४९.००	१४९.००	१४९.००
	65mm	गोटा	२१४.००	२१४.००	२१४.००
	80mm	गोटा	४३७.००	४३७.००	४३७.००
	100mm	गोटा	८३८.००	८३८.००	८३८.००
१३	Hex Nipple				
	15mm	गोटा	५६.००	५६.००	५६.००
	20mm	गोटा	८६.००	८६.००	८६.००
	25mm	गोटा	१३९.००	१३९.००	१३९.००
	32mm	गोटा	२१७.००	२१७.००	२१७.००
	40mm	गोटा	२७५.००	२७५.००	२७५.००
	50mm	गोटा	४०९.००	४०९.००	४०९.००

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	65mm	गोटा	७५०.००	७५०.००	७५०.००
	80mm	गोटा	९६८.००	९६८.००	९६८.००
	100mm	गोटा	१४८४.००	१४८४.००	१४८४.००
१४	Reducing Tee				
	20mm	गोटा	१२०.००	१२०.००	१२०.००
	25mm	गोटा	१४८.००	१४८.००	१४८.००
	32mm	गोटा	१६२.००	१६२.००	१६२.००
	40mm	गोटा	३२५.००	३२५.००	३२५.००
	50mm	गोटा	४९७.००	४९७.००	४९७.००
	65mm	गोटा	९९८.००	९९८.००	९९८.००
	80mm	गोटा	१४५०.००	१४५०.००	१४५०.००
	100mm	गोटा	२७५०.००	२७५०.००	२७५०.००
	125mm	गोटा	३३००.००	३३००.००	३३००.००
	150mm	गोटा	३९६०.००	३९६०.००	३९६०.००
१५	Reducing Elbow				
	20mm	गोटा	१०३.००	१०३.००	१०३.००
	25mm	गोटा	१६०.००	१६०.००	१६०.००
	32mm	गोटा	२४४.००	२४४.००	२४४.००
	40mm	गोटा	३४२.००	३४२.००	३४२.००
	50mm	गोटा	४९९.००	४९९.००	४९९.००
	65mm	गोटा	८८३.००	८८३.००	८८३.००
	80mm	गोटा	१३६९.००	१३६९.००	१३६९.००
	100mm	गोटा	२४९०.००	२४९०.००	२४९०.००
	125mm	गोटा	४८७८.००	४८७८.००	४८७८.००
	150mm	गोटा	७०७३.००	७०७३.००	७०७३.००
१६	Reducing socket				
	15mm(1/2")	गोटा	५०.००	५०.००	५०.००
	20mm	गोटा	८०.००	८०.००	८०.००
	25mm	गोटा	१००.००	१००.००	१००.००
	32mm	गोटा	१५०.००	१५०.००	१५०.००
	40mm	गोटा	२१०.००	२१०.००	२१०.००
	50mm	गोटा	३२०.००	३२०.००	३२०.००
	65mm	गोटा	४५०.००	४५०.००	४५०.००
	80mm	गोटा	७२०.००	७२०.००	७२०.००
	100mm	गोटा	११४०.००	११४०.००	११४०.००
	125mm	गोटा	१३६८.००	१३६८.००	१३६८.००
	150mm	गोटा	१४८२.००	१४८२.००	१४८२.००
१७	Short bend				
	15mm	गोटा	१३०.००	१३०.००	१३०.००
	20mm	गोटा	१५०.००	१५०.००	१५०.००
	25mm	गोटा	१९०.००	१९०.००	१९०.००
	32mm	गोटा	२९०.००	२९०.००	२९०.००
	40mm	गोटा	४००.००	४००.००	४००.००
	50mm	गोटा	५९०.००	५९०.००	५९०.००



पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको प्रमाणित कागजात		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	65mm	गोटा	१५००.००	१५००.००	१५००.००
	80mm	गोटा	१८००.००	१८००.००	१८००.००
	100mm	गोटा	२५००.००	२५००.००	२५००.००
१८	Cross Tee				
	15mm	गोटा	१३१.००	१३१.००	१३१.००
	20mm	गोटा	१८६.००	१८६.००	१८६.००
	25mm	गोटा	२९३.००	२९३.००	२९३.००
	32mm	गोटा	४०९.००	४०९.००	४०९.००
	40mm	गोटा	६११.००	६११.००	६११.००
	50mm	गोटा	९९०.००	९९०.००	९९०.००
	65mm	गोटा	१६७०.००	१६७०.००	१६७०.००
	80mm	गोटा	२४२०.००	२४२०.००	२४२०.००
	100mm	गोटा	३२६८.००	३२६८.००	३२६८.००
१९	Tank Nipple				
	15mm	गोटा	१५४.००	१५४.००	१५४.००
	20mm	गोटा	२१४.००	२१४.००	२१४.००
	25mm	गोटा	३१९.००	३१९.००	३१९.००
	32mm	गोटा	४८०.००	४८०.००	४८०.००
	40mm	गोटा	६११.००	६११.००	६११.००
	50mm	गोटा	९९०.००	९९०.००	९९०.००
	65mm	गोटा	१९०६.००	१९०६.००	१९०६.००
	80mm	गोटा	२५३८.००	२५३८.००	२५३८.००
	100mm	गोटा	३३६७.००	३३६७.००	३३६७.००
२०	G.I. Nipple Medium Class - 2" Long				
	15mm	गोटा	२२.००	२२.००	२२.००
	20mm	गोटा	३४.००	३४.००	३४.००
	25mm	गोटा	४४.००	४४.००	४४.००
	32mm	गोटा	५७.००	५७.००	५७.००
	40mm	गोटा	७१.००	७१.००	७१.००
	50mm	गोटा	१२७.००		
२१	G.I. Nipple Medium Class - 3" Long				
	15mm	गोटा	३४.००	३४.००	३४.००
	20mm	गोटा	४७.००	४७.००	४७.००
	25mm	गोटा	६६.००	६६.००	६६.००
	32mm	गोटा	८५.००	८५.००	८५.००
	40mm	गोटा	१०६.००	१०६.००	१०६.००
	50mm	गोटा	१३४.००	१३४.००	१३४.००
	65mm	गोटा	१८६.००	१८६.००	१८६.००
	80mm	गोटा	२२०.००	२२०.००	२२०.००
२२	G.I. Nipple Medium Class - 4" Long				
	15mm	गोटा	४५.००	४५.००	४५.००
	20mm	गोटा	६३.००	६३.००	६३.००
	25mm	गोटा	८८.००	८८.००	८८.००
	32mm	गोटा	११३.००	११३.००	११३.००

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क बाहेकको बरेरिटमा कायमिद्वारा		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	40mm	गोटा	१४२.००	१४२.००	१४२.००
	50mm	गोटा	१७९.००	१७९.००	१७९.००
	65mm	गोटा	२४८.००	२४८.००	२४८.००
	80mm	गोटा	२०४.००	२०४.००	२०४.००
	100mm	गोटा	४२२.००	४२२.००	४२२.००
	125mm	गोटा	६४३.००	६४३.००	६४३.००
	150mm	गोटा	७६३.००	७६३.००	७६३.००
२३	G.I. Nipple Medium Class -6" Long				
	15mm	गोटा	६८.००	६८.००	६८.००
	20mm	गोटा	९४.००	९४.००	९४.००
	25mm	गोटा	१२२.००	१२२.००	१२२.००
	32mm	गोटा	१३२.००	१३२.००	१३२.००
	40mm	गोटा	१४०.००		१७०.००
	50mm	गोटा	२६९.००	२६९.००	२६९.००
	65mm	गोटा	३७३.००	३७३.००	३७३.००
	80mm	गोटा	४३९.००	४३९.००	४३९.००
	100mm	गोटा	६३३.००	६३३.००	६३३.००
	125mm	गोटा	९६५.००	९६५.००	९६५.००
	150mm	गोटा	११४६.००	११४६.००	११४६.००
२४	G.I. Nipple Medium Class -9" Long				
	15mm	गोटा	१०२.००	१०२.००	१०२.००
	20mm	गोटा	१४२.००	१४२.००	१४२.००
	25mm	गोटा	१९९.००	१९९.००	१९९.००
	32mm	गोटा	२५५.००	२५५.००	२५५.००
	40mm	गोटा	३१९.००	३१९.००	३१९.००
	50mm	गोटा	४०३.००	४०३.००	४०३.००
	65mm	गोटा	५६०.००	५६०.००	५६०.००
	80mm	गोटा	६५८.००	६५८.००	६५८.००
	100mm	गोटा	९४९.००	९४९.००	९४९.००
	125mm	गोटा	१४४८.००	१४४८.००	१४४८.००
	150mm	गोटा	१७१९.००	१७१९.००	१७१९.००
२५	G.I. Nipple Medium Class -12" Long				
	15mm	गोटा	१३६.००	१३६.००	१३६.००
	20mm	गोटा	१८९.००	१८९.००	१८९.००
	25mm	गोटा	२६५.००	२६५.००	२६५.००
	32mm	गोटा	३४०.००	३४०.००	३४०.००
	40mm	गोटा	४२५.००	४२५.००	४२५.००
	50mm	गोटा	५३७.००	५३७.००	५३७.००
	65mm	गोटा	७४६.००	७४६.००	७४६.००
	80mm	गोटा	८७७.००	८७७.००	८७७.००
	100mm	गोटा	१२६६.००	१२६६.००	१२६६.००
	125mm	गोटा	१९३१.००	१९३१.००	१९३१.००
	150mm	गोटा	२२९१.००	२२९१.००	२२९१.००
२६	G.I. Nipple Medium Class -18" Long				

पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहक मिलाइएको दर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	15mm	गोटा	२२७.००	२२७.००	२२७.००
	20mm	गोटा	२८०.००	२८०.००	२८०.००
	25mm	गोटा	३७८.००	३७८.००	३७८.००
	32mm	गोटा	६१४.००	६१४.००	६१४.००
	40mm	गोटा	७५५.००	७५५.००	७५५.००
	50mm	गोटा	११३६.००	११३६.००	११३६.००
	65mm	गोटा	१५३६.००	१५३६.००	१५३६.००
	80mm	गोटा	२२४९.००	२२४९.००	२२४९.००
	100mm	गोटा	२७४३.००	२७४३.००	२७४३.००
	G.I. Long Nipple Medium Class				
	1/2" GI Nipple				
	1/2"*0.50 m Long				२१०.००
	1/2"*1.0 m Long				४२०.००
	1/2"*1.50 m Long				६३०.००
	1/2"*2.0 m Long				८४०.००
	1/2"*2.50 m Long				१०४०.००
	1/2"*3.0 m Long				१२४०.००
	1/2"*3.50 m Long				१४००.००
	1" GI Nipple				
	1"*0.50 m Long				४२५.००
	1"*1.0 m Long				८४०.००
	1"*1.50 m Long				१२५०.००
	1"*2.0 m Long				१६७५.००
	1"*2.50 m Long				२०८०.००
	1"*3.0 m Long				२४८०.००
	1"*3.50 m Long				२८००.००
	1 1/2" GI Nipple				
	1 1/2"*0.50 m Long				६६०.००
	1 1/2"*1.0 m Long				१३००.००
	1 1/2"*1.50 m Long				१९८०.००
	1 1/2"*2.0 m Long				२६४०.००
	1 1/2"*2.50 m Long				३१५०.००
	1 1/2"*3.0 m Long				३७४०.००
	1 1/2"*3.50 m Long				४२५०.००
	2" GI Nipple				
	2"*0.50 m Long				८६०.००
	2"*1.0 m Long				१७१८.००
	2"*1.50 m Long				२५७६.००
	2"*2.0 m Long				३४००.००
	2"*2.50 m Long				४१००.००
	2"*3.0 m Long				४९००.००
	2"*3.50 m Long				५७००.००

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको बिल्लेसुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	2½" GI Nipple				
	2½" * 0.50 m Long				११५०.००
	2½" * 1.0 m Long				२३००.००
	2½" * 1.50 m Long				३४५०.००
	2½" * 2.0 m Long				४६००.००
	2½" * 2.50 m Long				५४२०.००
	2½" * 3.0 m Long				६४५०.००
	1½" * 3.50 m Long				७४००.००
	3" GI Nipple				
	3" * 0.50 m Long				१४५०.००
	3" * 1.0 m Long				२९६०.००
	3" * 1.50 m Long				४४९०.००
	3" * 2.0 m Long				५७६०.००
	3" * 2.50 m Long				७१००.००
	3" * 3.0 m Long				८५००.००
	3" * 3.50 m Long				९८००.००
	4" GI Nipple				
	4" * 0.50 m Long				२२४०.००
	4" * 1.0 m Long				४४८०.००
	4" * 1.50 m Long				६७२०.००
	4" * 2.0 m Long				८९५०.००
	4" * 2.50 m Long				१०८७५.००
	4" * 3.0 m Long				१२८९०.००
	4" * 3.50 m Long				१४७९५.००
	5" GI Nipple				
	5" * 0.50 m Long				३६००.००
	5" * 1.0 m Long				७२००.००
	5" * 1.50 m Long				१०९००.००
	5" * 2.0 m Long				१३६००.००
	5" * 2.50 m Long				१६७००.००
	5" * 3.0 m Long				१९०००.००
	5" * 3.50 m Long				२१९२२.००
	6" GI Nipple				
	6" * 0.50 m Long				३८००.००
	6" * 1.0 m Long				७६००.००
	6" * 1.50 m Long				११३९२.००
	6" * 2.0 m Long				१५०००.००
	6" * 2.50 m Long				१८०००.००
	6" * 3.0 m Long				२०४००.००
	6" * 3.50 m Long				२३०००.००

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेटतपुर्		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	8" GI Nipple				
	8"*0.50 m Long				१००००.००
	8"*1.0 m Long				२००००.००
	8"*1.50 m Long				३००००.००
	8"*2.0 m Long				३५०००.००
	8"*2.50 m Long				४००००.००
	8"*3.0 m Long				४८०००.००
	8"*3.50 m Long				५६०००.००
२७	GI End Cap				
	15mm	गोटा	२५.००	२५.००	२५.००
	20mm	गोटा	४०.००	४०.००	४०.००
	25mm	गोटा	६५.००	६५.००	६५.००
	32mm	गोटा	८०.००	८०.००	८०.००
	40mm	गोटा	१७५.००	१७५.००	१७५.००
	50mm	गोटा	२५०.००	२५०.००	२५०.००
	65mm	गोटा			२८०.००
	80mm	गोटा			४४८.००
	100mm	गोटा			६८५.००
	125mm	गोटा			१९८८.००
	150mm	गोटा			२४००.००
२८	G.I./G.I. Flange				
	32mm	गोटा	९६४.००	९६४.००	९६४.००
	40mm	गोटा	११८६.००	११८६.००	११८६.००
	50mm	गोटा	१४५३.००	१४५३.००	१४५३.००
	65mm	गोटा	१६९९.००	१६९९.००	१६९९.००
	80mm	गोटा	१८९२.००	१८९२.००	१८९२.००
	100mm	गोटा	२३४८.००	२३४८.००	२३४८.००
	125mm	गोटा	३३३५.००	३३३५.००	३३३५.००
	150mm	गोटा	३४८८.००	३४८८.००	३४८८.००
	200mm	गोटा	६९४८.००	६९४८.००	६९४८.००
	GI OD Flange				
	8"	गोटा			१४०००.००
	6"	गोटा			७१५०.००
	5"	गोटा			५४७५.००
	4"	गोटा			३२००.००
	3"	गोटा			२४००.००
	2½"	गोटा			२०८७.००
	2"	गोटा			१६००.००
	MS Flange				
	10"	गोटा			२६५००.००
	8"	गोटा			१३९००.००
	6"	गोटा			७१५०.००
	5"	गोटा			५४७५.००

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.म.क बाहेकको दरललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	4"	गोटा			३२४०.००
	3"	गोटा			२४००.००
	2½"	गोटा			२०८०.००
	2"	गोटा			१६२०.००
२९	G.I/J Flange Set				
	32mm(1-1/4")	गोटा	६६०.००	६६०.००	
	40mm(1-1/2")	गोटा	८८०.००	८८०.००	
	50mm(2")	गोटा	१३७५.००	१३७५.००	
	65mm(2-1/2")	गोटा	१७७५.००	१७७५.००	
	80mm(3")	गोटा	२३५०.००	२३५०.००	
	100mm(4")	गोटा	२७२०.००	२७२०.००	
	125mm(5")	गोटा	२९९२.००	२९९२.००	
	150mm(6")	गोटा	३२९९.००	३२९९.००	
	200mm(8")	गोटा	३६२०.००	३६२०.००	
३०	G.I/HDP Flange				
	32mm	गोटा	१०३८.००	१०३८.००	१०३८.००
	40mm	गोटा	१३२२.००	१३२२.००	१३२२.००
	50mm	गोटा	१५६२.००	१५६२.००	१५६२.००
	65mm	गोटा	१८२४.००	१८२४.००	१८२४.००
	80mm	गोटा	१९५०.००	१९५०.००	१९५०.००
	100mm	गोटा	२४०६.००	२४०६.००	२४०६.००
	125mm	गोटा	३३५८.००	३३५८.००	३३५८.००
	150mm	गोटा	३५०५.००	३५०५.००	३५०५.००
	200mm	गोटा	७६२७.००	७६२७.००	७६२७.००
३१	GI/HDPE Flange set with adaptor				
	50mm(2")	गोटा	१२८०.००	१२८०.००	१२८०.००
	65mm(2-1/2")	गोटा	१९८०.००	१९८०.००	१९८०.००
	80mm(3")	गोटा	२४२०.००	२४२०.००	२४२०.००
	100mm(4")	गोटा	२७७५.००	२७७५.००	२७७५.००
	125mm(5")	गोटा	३०५३.००	३०५३.००	३०५३.००
	150mm(6")	गोटा	३३५८.००	३३५८.००	३३५८.००
	200mm(8")	गोटा	३६९४.००	३६९४.००	३६९४.००
३२	HDP/HDP Flange set with adaptor				
	32mm	गोटा	१०३८.००	१०३८.००	१०३८.००
	40mm	गोटा	१३२२.००	१३२२.००	१३२२.००
	50mm	गोटा	१५६२.००	१५६२.००	१५६२.००
	65mm	गोटा	१८२४.००	१८२४.००	१८२४.००
	80mm	गोटा	१९५०.००	१९५०.००	१९५०.००
	100mm	गोटा	२४०६.००	२४०६.००	२४०६.००
	125mm	गोटा	३६९४.००	३६९४.००	३६९४.००
	150mm	गोटा	३५०५.००	३५०५.००	३५०५.००
	200mm	गोटा	७६२७.००	७६२७.००	७६२७.००
३३	Brass Compression Fittings				
	15mm	गोटा	२१०.००	२१०.००	२१०.००
	20mm	गोटा	३२०.००	३२०.००	३२०.००

पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट ललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	25mm	गोटा	८१०.००	८१०.००	८१०.००
	32mm	गोटा	१३८०.००	१३८०.००	१३८०.००
	40mm	गोटा	१५८०.००	१५८०.००	१५८०.००
	1/2" dia Brass Ferrule (400gm)	गोटा	३८०.००	३८०.००	३८०.००
	1/2" (25-50mm dia) HDPE Saddle	गोटा	१८०.००	१८०.००	१८०.००
३४	Brass tap - 1/2"				
	15mm 400 gm heavy	गोटा	७५०.००	७५०.००	७५०.००
	Ordinary	गोटा	२०५.००	२०५.००	२०५.००
३५	Globe Valve (GM)				
	15mm	गोटा	९२४.००	९२४.००	९२४.००
	20mm	गोटा	१५०५.००	१५०५.००	१५०५.००
	25mm	गोटा	१८५९.००	१८५९.००	१८५९.००
	32mm	गोटा	२९५३.००	२९५३.००	२९५३.००
	40mm	गोटा	३७९६.००	३७९६.००	३७९६.००
	50mm	गोटा	४६४०.००	४६४०.००	४६४०.००
	65mm	गोटा	९११४.००	९११४.००	९११४.००
	80mm	गोटा	१५०६०.००	१५०६०.००	१५०६०.००
	100mm	गोटा	२४३५०.००	२४३५०.००	२४३५०.००
३६	Float Valve				
	15mm	गोटा	११३४.००	११३४.००	११३४.००
	20mm	गोटा	१२८३.००	१२८३.००	१२८३.००
	25mm	गोटा	१५५६.००	१५५६.००	१५५६.००
	32mm	गोटा	२६९०.००	२६९०.००	२६९०.००
	40mm	गोटा	४०४२.००	४०४२.००	४०४२.००
	50mm	गोटा	५३८१.००	५३८१.००	५३८१.००
३७	C.I. Air valve (Heavy)				
	15mm	गोटा	२५००.००	२५००.००	२५००.००
	20mm	गोटा	५१८२.००	५१८२.००	५१८२.००
	25mm	गोटा	५७४६.००	५७४६.००	५७४६.००
३८	Brass Union with Adopter				
	15mm	गोटा	१५०.००	१५०.००	१५०.००
	20mm	गोटा	२७०.००	२७०.००	२७०.००
	25mm	गोटा	३४५.००	३४५.००	३४५.००
	32mm	गोटा	५३०.००	५३०.००	५३०.००
	40mm	गोटा	६७५.००	६७५.००	६७५.००
	50mm	गोटा	९४०.००	९४०.००	९४०.००
३९	Saddle Ferrule				
	40mm	गोटा	१८५.००	१८५.००	१८५.००
	50mm	गोटा	२४२.००	२४२.००	२४२.००
	65mm	गोटा	२७२.००	२७२.००	२७२.००
	80mm	गोटा	३०१.००	३०१.००	३०१.००
	100mm	गोटा	४८०.००	४८०.००	४८०.००
४०	Flow Regulating Valve (G.M.)				
	15mm	गोटा	१३२२.००	१३२२.००	१३२२.००

पाईप तथा फिटिङहरू

सि.न.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
४१	C.I Sluice Valve				
	40mm	गोटा	६८४६.००	६८४६.००	६८४६.००
	50mm	गोटा	७०००.००	७०००.००	७०००.००
	65mm	गोटा	८४५०.००	८४५०.००	८४५०.००
	80mm	गोटा	१०५००.००	१०५००.००	१०५००.००
	100mm	गोटा	१४०००.००	१४०००.००	१४०००.००
	125mm	गोटा	१७५००.००	१७५००.००	१७५००.००
	150mm	गोटा	२१०००.००	२१०००.००	२१०००.००
	200mm	गोटा	३००००.००	३००००.००	३००००.००
४२	Brass Ferrule Cock				
	15mm	गोटा	६००.००	६००.००	६००.००
	20mm	गोटा	१३७२.००	१३७२.००	१३७२.००
	25mm	गोटा	२०१५.००	२०१५.००	२०१५.००
४३	Ball valve				
	15mm	गोटा	५१४.००	५१४.००	५१४.००
	20mm	गोटा	६५०.००	६५०.००	६५०.००
	25mm	गोटा	८७२.००	८७२.००	८७२.००
	32mm	गोटा	१०५१.००	१०५१.००	१०५१.००
	40mm	गोटा	२०३५.००	२०३५.००	२०३५.००
	50mm	गोटा	३३४१.००	३३४१.००	३३४१.००
४४	ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)				
	Single Socket (R/R)	गोटा	४५१.००	४५१.००	४५१.००
	Single Socket (R/R)	गोटा	८३८.००	८३८.००	८३८.००
	Single Socket (R/R)	गोटा	९०३.००	९०३.००	९०३.००
	Single Socket Self Fit	गोटा	११६४.००	११६४.००	११६४.००
	Single Socket Self Fit	गोटा	१४२३.००	१४२३.००	१४२३.००
	Single Socket Self Fit	गोटा	१९५६.००	१९५६.००	१९५६.००
	Single Socket Self Fit	गोटा	२३०२.००	२३०२.००	२३०२.००
	Single Socket Self Fit	गोटा	३०७५.००	३०७५.००	३०७५.००
	Single Socket Self Fit	गोटा	३६६४.००	३६६४.००	३६६४.००
	Long Radius Bend - 45 Degree	गोटा	११९१.००	११९१.००	११९१.००
	Long Radius Bend - 45 Degree	गोटा	२१७५.००	२१७५.००	२१७५.००
	Long Radius Bend - 45 Degree	गोटा	३९२६.००	३९२६.००	३९२६.००
	Long Radius Bend - 45 Degree	गोटा	७६१३.००	७६१३.००	७६१३.००
	Long Radius Bend - 60 Degree	गोटा	१३१२.००	१३१२.००	१३१२.००
	Long Radius Bend - 60 Degree	गोटा	२४०५.००	२४०५.००	२४०५.००
	Long Radius Bend - 60 Degree	गोटा	४४११.००	४४११.००	४४११.००
	Long Radius Bend - 60 Degree	गोटा	८३५२.००	८३५२.००	८३५२.००
	Long Radius Bend - 90 Degree	गोटा	६४४.००	६४४.००	६४४.००
	Long Radius Bend - 90 Degree	गोटा	१५५४.००	१५५४.००	१५५४.००
	Long Radius Bend - 90 Degree	गोटा	२८६७.००	२८६७.००	२८६७.००
	Long Radius Bend - 90 Degree	गोटा	५३६१.००	५३६१.००	५३६१.००
	Long Radius Bend - 90 Degree	गोटा	९८७८.००	९८७८.००	९८७८.००
	Fab. Coupler	गोटा	१८५.००	१८५.००	१८५.००

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.ब.क बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	Fab. Coupler	गोटा	४४४.००	४४४.००	४४४.००
	Fab. Coupler	गोटा	९५६.००	९५६.००	९५६.००
	Fab. Coupler	गोटा	१८७०.००	१८७०.००	१८७०.००
	Fab. Coupler	गोटा	३४४०.००	३४४०.००	३४४०.००
	End Cap	गोटा	३९६.००	३९६.००	३९६.००
	End Cap	गोटा	६५१.००	६५१.००	६५१.००
	End Cap	गोटा	१०४०.००	१०४०.००	१०४०.००
	End Cap	गोटा	१५१८.००	१५१८.००	१५१८.००
	Equal Tee	गोटा	११३३३.००	११३३३.००	११३३३.००
	Equal Tee	गोटा	६५२२.००	६५२२.००	६५२२.००
	Equal Tee	गोटा	३६२०.००	३६२०.००	३६२०.००
	Gully Trap with grating	गोटा	१०५८.००	१०५८.००	१०५८.००
	Rodding Point	गोटा	६२७.००	६२७.००	६२७.००
	Adjustable Bend 7 Degree to 37.5 Degree	गोटा	६६९.००	६६९.००	६६९.००
	Adjustable Bend 7 Degree to 87.5 Degree	गोटा	९१७.००	९१७.००	९१७.००
	Inspection Chamber Body	गोटा	३३००.००	३३००.००	३३००.००
	Inspection Chamber Riser	गोटा	१६३९.००	१६३९.००	१६३९.००
	Inspection Chamber Lid with Cover	गोटा	३११२.००	३११२.००	३११२.००
	Inspection Chamber Body	गोटा	९११२.००	९११२.००	९११२.००
	Inspection Chamber Riser	गोटा	२८९७.००	२८९७.००	२८९७.००
	Inspection Chamber Lid with Cover	गोटा	४८३५.००	४८३५.००	४८३५.००

मुख्य जिल्ला अधिकारी

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	Supply of standard length all ductile iron pipes as per ISO 2531:2009 and rubber (ring) as per ISO certification				
	The rate shall include for supply and delivery of all DI pipes, specials & fittings including rubber rings, lubricant, gaskets, bolts and nuts, Denso or equivalent primer, paste, protection tape and all other associated material required for complete installation				
	DI pipes with spigot and socket joints				
	DN100 C40	र.मी	२२९९.००	२२९९.००	२३६७.००
	DN150 C40	र.मी	३९६०.००	३९६०.००	३२५४.००
	DN200 C40	र.मी	४३४७.००	४३४७.००	४४७७.००
	DN250 C40	र.मी	६०४८.००	६०४८.००	६२२९.००
	DN300 C40	र.मी	७५३९.००	७५३९.००	७७६५.००
	DN350 C40	र.मी	८८०९.००	८८०९.००	९०७३.००
	DN400 C30	र.मी	९०४८९.००	९०४८९.००	९०८०३.००
	DN450 C30	र.मी	९२२४०.००	९२२४०.००	९२६०७.००
	DN500 C30	र.मी	९४४६६.००	९४४६६.००	९४८९९.००
	DN600 C30	र.मी	९९६०४.००	९९६०४.००	२०९९२.००
	DN700 C25	र.मी	२५०९२.००	२५०९२.००	२५७६२.००
	DN800 C25	र.मी	३२९९५.००	३२९९५.००	३३०७८.००
	DN900 C25	र.मी	४२३२८.००	४२३२८.००	४३५९७.००
	DN1000 C25	र.मी	५०९७०.००	५०९७०.००	५२४९९.००
	DI pipes with flanged end				
	Dia 1000mm C25	र.मी	६८६०८.००	६८६०८.००	७०६६६.००
	Dia 900mm C25	र.मी	६६५६८.००	६६५६८.००	६८५६५.००
	Dia 800mm C25	र.मी	५५०९२.००	५५०९२.००	५६६६२.००
	Dia 700mm C25	र.मी	४४२५२.००	४४२५२.००	४५५७९.००
	Dia 600mm C30	र.मी	३६२३३.००	३६२३३.००	३७३९९.००
	Dia 500mm C30	र.मी	२६७६९.००	२६७६९.००	२७५७२.००
	Dia 450mm C30	र.मी	२२४६४.००	२२४६४.००	२३९३७.००
	Dia 400mm C30	र.मी	१८७३०.००	१८७३०.००	१९२९९.००
	Dia 350mm C30	र.मी	१५५९६.००	१५५९६.००	१५९८९.००
	Dia 300mm C30	र.मी	१२२४०.००	१२२४०.००	१२६०७.००
	Dia 250mm C40	र.मी	९८९७.००	९८९७.००	१०९९९.००
	Dia 200mm C40	र.मी	७३३९.००	७३३९.००	७५५९.००
	Dia 150mm C40	र.मी	५४३९.००	५४३९.००	५६०२.००
	Dia 100mm C40	र.मी	४०९९.००	४०९९.००	४१३९.००
	Dia 80mm C40	र.मी	३४७५.००	३४७५.००	३५७९.००

प्रमुख जिल्ला अधिकारी

DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	Supply of standard length all ductile iron fitting as per ISO 2531:2009 and rubber ring as per ISO certification				
	The rate shall include for supply and delivery of all DI fittings including rubber rings, luvricant, gaskets, bolts and nuts, Denso or equivalent primer, paste, protection tape and all other associated material required for complete installation				
	DI double socket bends				
	90 deg bend				
	Dia 700mm	गोटा	१०७७२.००	१०७७२.००	११०९४३.००
	Dia 600mm	गोटा	७५२००.००	७५२००.००	७७४५६.००
	Dia 500mm	गोटा	४८८०७.००	४८८०७.००	५०२७१.००
	Dia 450mm	गोटा	४३४३०.००	४३४३०.००	४४७३२.००
	Dia 300mm	गोटा	१७६०७.००	१७६०७.००	१८१३५.००
	Dia 250mm	गोटा	१२९०६.००	१२९०६.००	१३२९३.००
	Dia 200mm	गोटा	८९५६.००	८९५६.००	९२२४.००
	Dia 150mm	गोटा	५५४४.००	५५४४.००	५७१०.००
	Dia 100mm	गोटा	३९१८.००	३९१८.००	३९९९.००
	45 deg bend				
	Dia 1000mm	गोटा	१८६८४३.००	१८६८४३.००	१९२४४८.००
	Dia 700mm	गोटा	८४६७६.००	८४६७६.००	८७२१६.००
	Dia 600mm	गोटा	६२०९८.००	६२०९८.००	६३९६०.००
	Dia 500mm	गोटा	४०५२८.००	४०५२८.००	४१७४३.००
	Dia 450mm	गोटा	३२९३६.००	३२९३६.००	३३९२४.००
	Dia 400mm	गोटा	२५६४६.००	२५६४६.००	२६४१५.००
	Dia 350mm	गोटा	१९३१२.००	१९३१२.००	१९८९१.००
	Dia 300mm	गोटा	१४८८२.००	१४८८२.००	१५३२८.००
	Dia 250mm	गोटा	१०८४७.००	१०८४७.००	१११७२.००
	Dia 200mm	गोटा	७७५९.००	७७५९.००	७९९१.००
	Dia 150mm	गोटा	४९७७.००	४९७७.००	५१२६.००
	22.5 deg bend				
	Dia 1000mm	गोटा	१४०८११.००	१४०८११.००	१४५०३५.००
	Dia 900mm	गोटा	१०९९५६.००	१०९९५६.००	११३२५४.००
	Dia 700mm	गोटा	६१३२६.००	६१३२६.००	६३१६५.००
	Dia 600mm	गोटा	४१९८४.००	४१९८४.००	४३२४३.००
	Dia 500mm	गोटा	३०८१५.००	३०८१५.००	३१७३९.००
	Dia 450mm	गोटा	२४१६९.००	२४१६९.००	२४८९४.००
	Dia 400mm	गोटा	१८७३०.००	१८७३०.००	१९२९१.००
	Dia 350mm	गोटा	१५१००.००	१५१००.००	१५५५३.००
	Dia 300mm	गोटा	१२०८४.००	१२०८४.००	१२४४६.००
	Dia 250mm	गोटा	९१६६.००	९१६६.००	९४४०.००

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको वरिष्ठ नलितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	Dia200mm	गोटा	६६४६.००	६६४६.००	६६४६.००
	Dia150mm	गोटा	४३६८.००	४३६८.००	४४९९.००
	11.25 deg bend				
	Dia 1000mm	गोटा	११९८१९.००	११९८१९.००	१२३४१३.००
	Dia 900mm	गोटा	९४९२४.००	९४९२४.००	९७७७.००
	Dia 800mm	गोटा	७२००७.००	७२००७.००	७४१६७.००
	Dia 700mm	गोटा	५४६५१.००	५४६५१.००	५६२९०.००
	Dia 600mm	गोटा	३६१४०.००	३६१४०.००	३७२२४.००
	Dia 300mm	गोटा	११०६५.००	११०६५.००	११३९६.००
	Dia250mm	गोटा	८४१०.००	८४१०.००	८६६२.००
	Dia200mm	गोटा	६१३२.००	६१३२.००	६३१५.००
	Dia150mm	गोटा	४५७८.००	४५७८.००	४७१५.००
	DI double flanged bends				
	90 deg bend				
	Dia 900mm	गोटा	२१४४०४.००	२१४४०४.००	२२०८३६.००
	Dia 600mm	गोटा	९९६८०.००	९९६८०.००	९४४३०.००
	Dia 300mm	गोटा	१९६७६.००	१९६७६.००	२०२६६.००
	Dia250mm	गोटा	९९७५.००	९९७५.००	१०२७४.००
	Dia200mm	गोटा	८८५१.००	८८५१.००	९११६.००
	Dia150mm	गोटा	५७९६.००	५७९६.००	५९६९.००
	Dia100mm	गोटा	३४३३.००	३४३३.००	३५३५.००
	45 deg bend				
	Dia 900mm	गोटा	१६४७५०.००	१६४७५०.००	१६९६९२.००
	Dia 800mm	गोटा	१२७८४६.००	१२७८४६.००	१३१६८१.००
	Dia 600mm	गोटा	७६९४१.००	७६९४१.००	७९२४९.००
	Dia 300mm	गोटा	२१४५५.००	२१४५५.००	२२०९८.००
	Dia250mm	गोटा	१६०८८.००	१६०८८.००	१६५७०.००
	Dia200mm	गोटा	१०७२२.००	१०७२२.००	११०४३.००
	Dia150mm	गोटा	५४०७.००	५४०७.००	५५६९.००
	Dia100mm	गोटा	३२८६.००	३२८६.००	३३८४.००
	22.5 deg bend				
	Dia 900mm	गोटा	१६८९५२.००	१६८९५२.००	१७४०२०.००
	Dia 700mm	गोटा	९५८००.००	९५८००.००	९८६७४.००
	Dia 300mm	गोटा	२१९१२.००	२१९१२.००	२२५६९.००
	Dia200mm	गोटा	८१०६.००	८१०६.००	८३४९.००
	Dia150mm	गोटा	५५४४.००	५५४४.००	५७१०.००
	11.25 deg bend				
	Dia 900mm	गोटा	१६७०७६.००	१६७०७६.००	१७२०८८.००
	Dia 600mm	गोटा	७६६०१.००	७६६०१.००	७८८९९.००
	Dia 500mm	गोटा	५१६९८.००	५१६९८.००	५३२४८.००
	Dia 300mm	गोटा	२१९८५.००	२१९८५.००	२२६४४.००

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	Dia200mm	गोटा	८२९५.००	८२९५.००	८५४३.००
	Dia150mm	गोटा	५६२८.००	५६२८.००	५७९६.००
	DI mechanical joint bends				
	90 deg bend				
	Dia 600mm	गोटा	८२०२९.००	८२०२९.००	८४४८९.००
	Dia400mm	गोटा	४९६९०.००	४९६९०.००	४२८५८.००
	Dia 350mm	गोटा	३३३६३.००	३३३६३.००	३४३६३.००
	Dia 300mm	गोटा	२६९८७.००	२६९८७.००	२६९७२.००
	Dia250mm	गोटा	१८७९२.००	१८७९२.००	१९३५५.००
	Dia200mm	गोटा	१४०४०.००	१४०४०.००	१४४६९.००
	Dia150mm	गोटा	१०३५३.००	१०३५३.००	१०६६३.००
	Dia100mm	गोटा	६४५७.००	६४५७.००	६६५०.००
	Dia80mm	गोटा	५५९२.००	५५९२.००	५६७७.००
	DI Duck Foot 90 deg Bend				
	Dia 80mm	गोटा	३९९०.००	३९९०.००	४१०९.००
	Dia100mm	गोटा	४९८७.००	४९८७.००	५१३६.००
	Dia150mm	गोटा	७३५०.००	७३५०.००	७५७०.००
	Dia200mm	गोटा	१०४०५.००	१०४०५.००	१०७१७.००
	Dia250mm	गोटा	१५७६९.००	१५७६९.००	१६२३३.००
	Dia300mm	गोटा	२१२१६.००	२१२१६.००	२१८५२.००
	DI long radius bend				
	Dia 100mm	गोटा	४९८७.००	४९८७.००	५१३६.००
	Dia 150mm	गोटा	८४२१.००	८४२१.००	८६७३.००
	Dia 200mm	गोटा	१२५४२.००	१२५४२.००	१२९९८.००
	Dia 250mm	गोटा	१८५०१.००	१८५०१.००	१९०५६.००
	DI double socket reducer				
	Dia 1000mmX900mm	गोटा	१००५७९.००	१००५७९.००	१०३५९६.००
	Dia 900mmX800mm	गोटा	८११९४.००	८११९४.००	८३६२९.००
	Dia 800mmX700mm	गोटा	६३३३४.००	६३३३४.००	६५२३४.००
	Dia 300mmX200mm	गोटा	१०६९१.००	१०६९१.००	११०११.००
	Dia 200mmX150mm	गोटा	५७८५.००	५७८५.००	५९५८.००
	DI double flanged reducer				
	Dia 900mmX700mm	गोटा	१०५९०६.००	१०५९०६.००	१०९०८३.००
	Dia 700mmX600mm	गोटा	७१५२.००	७१५२.००	७३२८६.००
	Dia 700mmX400mm	गोटा	६१७८९.००	६१७८९.००	६३६४२.००
	Dia 600mmX500mm	गोटा	५७६९८.००	५७६९८.००	५९३४६.००
	Dia 600mmX400mm	गोटा	५२६५३.००	५२६५३.००	५४२३२.००
	Dia 500mmX400mm	गोटा	३८०३२.००	३८०३२.००	३९१७२.००
	Dia 400X350mm	गोटा	१९३५४.००	१९३५४.००	१९९३४.००
	Dia 400mmX300mm	गोटा	२४७९३.००	२४७९३.००	२५५३६.००
	Dia 400mmX250mm	गोटा	२३५८७.००	२३५८७.००	२४२९४.००

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	Dia 300mmx250mm	गोटा	११९३९.००	११९३९.००	१२२९७.००
	Dia 300mmx200mm	गोटा	१४९८६.००	१४९८६.००	१५४३५.००
	Dia300mmx150mm	गोटा	१४९५४.००	१४९५४.००	१४५७८.००
	Dia250mmx200mm	गोटा	९०९९.००	९०९९.००	९२८९.००
	Dia250mmx150mm	गोटा	८५६८.००	८५६८.००	८८२५.००
	Dia 200mmx150mm	गोटा	६३४२.००	६३४२.००	६५३२.००
	Dia 200mmx100mm	गोटा	७७७०.००	७७७०.००	८००३.००
	Dia 150mmx100mm	गोटा	४४५२.००	४४५२.००	४५८५.००
	Dia150mmx80mm	गोटा	४६०९.००	४६०९.००	४७४७.००
	Dia150mmx65mm	गोटा	४६२०.००	४६२०.००	४७५८.००
	DI Blank flange				
	Dia 1000mm	गोटा	११४६५.००	११४६५.००	११८०९७.००
	Dia 900mm	गोटा	८६३२४.००	८६३२४.००	८८९९३.००
	Dia 800mm	गोटा	६५९७८.००	६५९७८.००	६७९३३.००
	Dia 700mm	गोटा	४७६९४.००	४७६९४.००	४९९२४.००
	Dia 600mm	गोटा	३६७९५.००	३६७९५.००	३७८९८.००
	Dia 500mm	गोटा	२३४९०.००	२३४९०.००	२४९९२.००
	Dia 450mm	गोटा	१८३९७.००	१८३९७.००	१८९४८.००
	Dia400mm	गोटा	१३५९२.००	१३५९२.००	१३९९९.००
	Dia 350mm	गोटा	१०९६४.००	१०९६४.००	१०४६८.००
	Dia 300mm	गोटा	६९७२.००	६९७२.००	७१८९.००
	Dia250mm	गोटा	५२२९.००	५२२९.००	५३८५.००
	Dia200mm	गोटा	३३९८.००	३३९८.००	३४९७.००
	Dia150mm	गोटा	२२४७.००	२२४७.००	२३९४.००
	Dia100mm	गोटा	१३३३.००	१३३३.००	१३७२.००
	Dia80mm	गोटा	११८६.००	११८६.००	१२२९.००
	Double Socket Tee with Flanged Branch				
	Dia 900mmx150mm	गोटा	१०४७५४.००	१०४७५४.००	१०७८९६.००
	Dia 800mmx600mm	गोटा	१६४२८९.००	१६४२८९.००	१६९२०९.००
	Dia 800mmx400mm	गोटा	११००७८.००	११००७८.००	११३३८०.००
	Dia 700mmx150mm	गोटा	६७२८९.००	६७२८९.००	६९३०७.००
	Dia 600mmx150mm	गोटा	४७९८४.००	४७९८४.००	४८५९९.००
	Dia 600mmx100mm	गोटा	४९८८०.००	४९८८०.००	४३९३६.००
	Dia 500mmx100mm	गोटा	३९२३९.००	३९२३९.००	३९९६७.००
	Dia 400mmx150mm	गोटा	२८७९७.००	२८७९७.००	२९६६०.००
	Dia 300mmx100mm	गोटा	१४८६९.००	१४८६९.००	१५३०६.००
	Dia 300mmx80mm	गोटा	१४६९२.००	१४६९२.००	१५०५०.००
	Dia300mmx65mm	गोटा	१४५३९.००	१४५३९.००	१४९७५.००
	Dia250mmx250mm	गोटा	१८३४५.००	१८३४५.००	१८८९५.००
	Dia250mmx150mm	गोटा	१५३९९.००	१५३९९.००	१५७७८.००
	Dia 250mmx100mm	गोटा	१२०५३.००	१२०५३.००	१२४९४.००

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	Dia 250mmx80mm	गोटा	११८४५.००	११८४५.००	१२२००.००
	Dia 250mmx65mm	गोटा	११७२६.००	११७२६.००	१२०७७.००
	Dia 200mmx150mm	गोटा	१०७७४.००	१०७७४.००	११०९७.००
	Dia 200mmx100mm	गोटा	९३९३.००	९३९३.००	९५९२.००
	Dia 200mmx80mm	गोटा	८४००.००	८४००.००	८६५२.००
	Dia 200mmx65mm	गोटा	८३९६.००	८३९६.००	८५६५.००
	Dia 150mmx150mm	गोटा	८२२९.००	८२२९.००	८४६७.००
	Dia 150mmx100mm	गोटा	६७८३.००	६७८३.००	६९८६.००
	Dia 150mmx80mm	गोटा	६३२९.००	६३२९.००	६५१०.००
	Dia 150mmx65mm	गोटा	६२५७.००	६२५७.००	६४४४.००
	Mechanical joint Tee with flanged branch				
	Dia 600mmx600mm	गोटा	१०७३२८.००	१०७३२८.००	११०५४७.००
	Dia 500mmx500mm	गोटा	७६६४८.००	७६६४८.००	७८९४७.००
	Dia 400mmx400mm	गोटा	५९५५२.००	५९५५२.००	५३०९८.००
	Dia 350mmx350mm	गोटा	४९९८४.००	४९९८४.००	४२४९९.००
	Dia 300mmx300mm	गोटा	३२९९५.००	३२९९५.००	३३०७८.००
	Dia 250mmx250mm	गोटा	२३५७६.००	२३५७६.००	२४२८३.००
	Dia 200mmx200mm	गोटा	१७९८०.००	१७९८०.००	१७६९५.००
	Dia 150mmx150mm	गोटा	१२५००.००	१२५००.००	१२८७५.००
	Dia 100mmx100mm	गोटा	७९३८.००	७९३८.००	८१७६.००
	Dia 80mmx80mm	गोटा	६८३५.००	६८३५.००	७०४०.००
	All Socket Tee				
	Dia 300mmx200mm	गोटा	१९९८८.००	१९९८८.००	१९७६३.००
	Dia 300mmx150mm	गोटा	१८२७२.००	१८२७२.००	१८८२०.००
	Dia 250mmx200mm	गोटा	१६००५.००	१६००५.००	१६४८५.००
	Dia 250mmx150mm	गोटा	१४६६४.००	१४६६४.००	१५१०३.००
	Dia 200mmx200mm	गोटा	१२४०७.००	१२४०७.००	१२७७९.००
	Dia 200mmx150mm	गोटा	१०९७४.००	१०९७४.००	१०४७९.००
	Dia 150mmx150mm	गोटा	७६४४.००	७६४४.००	७८७३.००
	All Flanged Tee				
	Dia 900mmx900mm	गोटा	२६६७६०.००	२६६७६०.००	२७४७६२.००
	Dia 700mmx300mm	गोटा	१०२४५४.००	१०२४५४.००	१०५५२७.००
	Dia 600mmx500mm	गोटा	११८६४६.००	११८६४६.००	१२२२०५.००
	Dia 600mmx400mm	गोटा	१०९५२७.००	१०९५२७.००	११२८१२.००
	Dia 600mmx300mm	गोटा	१०५५५९.००	१०५५५९.००	१०८७२५.००
	Dia 500mmx300mm	गोटा	७४४८९.००	७४४८९.००	७६७२३.००
	Dia 500mmx200mm	गोटा	६७४४४.००	६७४४४.००	६९४६७.००
	Dia 450mmx150mm	गोटा	५२७०५.००	५२७०५.००	५४२८६.००
	Dia 400mmx400mm	गोटा	५४२२९.००	५४२२९.००	५५८५५.००
	Dia 400mmx300mm	गोटा	४९४८३.००	४९४८३.००	५०९६७.००

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	Dia 400mmx150mm	गोटा	४७९९५.००	४७९९५.००	४८६९०.००
	Dia 350mmx350mm	गोटा	४४३४५.००	४४३४५.००	४५६७५.००
	Dia 350mmx300mm	गोटा	४३३९९.००	४३३९९.००	४४७००.००
	Dia 300mmx300mm	गोटा	३४८४०.००	३४८४०.००	३५८८५.००
	Dia 300mmx250mm	गोटा	३०३६८.००	३०३६८.००	३१२७९.००
	Dia 300mmx200mm	गोटा	२८०८०.००	२८०८०.००	२८९२२.००
	Dia 300mmx150mm	गोटा	२७०४०.००	२७०४०.००	२७८५९.००
	Dia 300mmx100mm	गोटा	२५५४२.००	२५५४२.००	२६३०८.००
	Dia 300mmx80mm	गोटा	२४९३९.००	२४९३९.००	२५६८७.००
	Dia250mmx250mm	गोटा	२३४४९.००	२३४४९.००	२४१४४.००
	Dia250mmx200mm	गोटा	२१४५५.००	२१४५५.००	२२०९८.००
	Dia250mmx150mm	गोटा	२०८४९.००	२०८४९.००	२१४६६.००
	Dia250mmx100mm	गोटा	१९९०४.००	१९९०४.००	१९६७७.००
	Dia250mmx80mm	गोटा	१८८१३.००	१८८१३.००	१९३७७.००
	Dia250mmx65mm	गोटा	१५९४३.००	१५९४३.००	१६४२९.००
	Dia200mmx200mm	गोटा	१३९३६.००	१३९३६.००	१४३५४.००
	Dia200mmx150mm	गोटा	१२८८५.००	१२८८५.००	१३२७९.००
	Dia200mmx100mm	गोटा	११८५६.००	११८५६.००	१२२९९.००
	Dia200mmx80mm	गोटा	११६७९.००	११६७९.००	१२०२९.००
	Dia150mmx150mm	गोटा	९३४५.००	९३४५.००	९६२५.००
	Dia150mmx100mm	गोटा	८४६३.००	८४६३.००	८७१६.००
	Dia150mmx80mm	गोटा	८२७४.००	८२७४.००	८५२२.००
	Dia150mmx65mm	गोटा	८१४८.००	८१४८.००	८३९२.००
	Dia125mmx125mm	गोटा	८९७७.००	८९७७.००	९२४६.००
	Dia125mmx100mm	गोटा	८४९०.००	८४९०.००	८६६२.००
	Dia125mmx80mm	गोटा	८०६४.००	८०६४.००	८३०५.००
	Dia125mmx65mm	गोटा	७७१७.००	७७१७.००	७९४८.००
	Dia100mmx100mm	गोटा	६९३०.००	६९३०.००	७१३७.००
	Dia100mmx80mm	गोटा	६७७२.००	६७७२.००	६९७५.००
	Dia100mmx65mm	गोटा	६५९०.००	६५९०.००	६७०५.००
	Level invert/ Tangential socket Tee with flanged branch				
	Dia 1000mmx200mm	गोटा	१४७०६३.००	१४७०६३.००	१५१४७४.००
	Dia 900mmx150mm	गोटा	१२०४८२.००	१२०४८२.००	१२४०९६.००
	Dia 700mmx150mm	गोटा	७५२९०.००	७५२९०.००	७७४६६.००
	Dia 600mmx100mm	गोटा	४४६८८.००	४४६८८.००	४६०२८.००
	Dia 500mmx100mm	गोटा	३४४९६.००	३४४९६.००	३५५३०.००
	Dia 400mmx80mm	गोटा	२५२२०.००	२५२२०.००	२५९७६.००
	Dia 300mmx80mm	गोटा	१६०६८.००	१६०६८.००	१६५५०.००
	Dia 250mm x 80mm	गोटा	१२७८९.००	१२७८९.००	१३१६४.००

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	Dia 200mmx80mm	गोटा	१००४८.००	१००४८.००	१०३४९.००
	Dia 150mmx80mm	गोटा	१०००६.००	१०००६.००	१०३०६.००
	DI Flanged Socket (FS)				
	Dia 1400mm	गोटा	३५५३३७.००	३५५३३७.००	३६५९९७.००
	Dia 1200mm	गोटा	२५६०६०.००	२५६०६०.००	२६३७४१.००
	Dia 1100mm	गोटा	३३१८७७.००	३३१८७७.००	३४१८३३.००
	Dia 1000mm	गोटा	१६९४७३.००	१६९४७३.००	१७४५५७.००
	Dia 900mm	गोटा	१३२४५७.००	१३२४५७.००	१३६४३०.००
	Dia 800mm	गोटा	१०८१२०.००	१०८१२०.००	१११३६३.००
	Dia 700mm	गोटा	८२३८९.००	८२३८९.००	८४८६०.००
	Dia 600mm	गोटा	७३९४३.००	७३९४३.००	७६१६१.००
	Dia 500mm	गोटा	४९१०८.००	४९१०८.००	५०५८१.००
	Dia 400mm	गोटा	३४५८०.००	३४५८०.००	३५६१७.००
	Dia 350mm	गोटा	३१३८७.००	३१३८७.००	३२३२८.००
	Dia 300mm	गोटा	२२३३९.००	२२३३९.००	२३००९.००
	Dia 250mm	गोटा	१६६५०.००	१६६५०.००	१७१४९.००
	Dia 200mm	गोटा	१०८४७.००	१०८४७.००	१११७२.००
	Dia 150mm	गोटा	९१८७.००	९१८७.००	९४६२.००
	Dia 100mm	गोटा	६८६७.००	६८६७.००	७०७३.००
	DI Single Flanged Tail Piece (SFTP)				
	1400mmdia	गोटा	३५९७६४.००	३५९७६४.००	३७०५५६.००
	1200mmdia	गोटा	३७००७६.००	३७००७६.००	३८११७८.००
	1100mmdia	गोटा	३३५८६५.००	३३५८६५.००	३४५९४०.००
	1000mmdia	गोटा	१८२२३३.००	१८२२३३.००	१८७६९९.००
	900mmdia	गोटा	१४६६७६.००	१४६६७६.००	१५१०७६.००
	800mmdia	गोटा	१२१२८८.००	१२१२८८.००	१२४९२६.००
	700mmdia	गोटा	९३९९४.००	९३९९४.००	९५९८९.००
	600mmdia	गोटा	७०५०३.००	७०५०३.००	७२६१८.००
	500mmdia	गोटा	४९९०९.००	४९९०९.००	५१४०६.००
	450mmdia	गोटा	४१२६७.००	४१२६७.००	४२५०५.००
	400mmdia	गोटा	३१२६२.००	३१२६२.००	३२१९९.००
	350mmdia	गोटा	२३३७९.००	२३३७९.००	२४०८०.००
	300mmdia	गोटा	१८६६८.००	१८६६८.००	१९२२८.००
	250mmdia	गोटा	१३५७२.००	१३५७२.००	१३९७९.००
	200mmdia	गोटा	९८१७.००	९८१७.००	१०१११.००
	150mmdia	गोटा	६९३०.००	६९३०.००	७१३७.००
	100mmdia	गोटा	४११६.००	४११६.००	४२३९.००
	80mmdia	गोटा	३३२८.००	३३२८.००	३४२७.००
	DI Double Flanged Tail Piece (DFTP-1m)				
	1400mmdia	गोटा	४१४८४४.००	४१४८४४.००	४२७२८९.००
	1200mmdia	गोटा	२९१८४३.००	२९१८४३.००	२९८१९८.००

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	1000mmdia	गोटा	१६५५७६.००	१६५५७६.००	१७०५४३.००
	900mmdia	गोटा	१३५१५०.००	१३५१५०.००	१३९२०४.००
	800mmdia	गोटा	१०२९८९.००	१०२९८९.००	१०६०७८.००
	700mmdia	गोटा	९२४३२.००	९२४३२.००	९५२०४.००
	600mmdia	गोटा	६०८००.००	६०८००.००	६२६२४.००
	500mmdia	गोटा	४३२२२.००	४३२२२.००	४४५१८.००
	400mmdia	गोटा	३९२३९.००	३९२३९.००	४०४१६.००
	300mmdia	गोटा	२७९२४.००	२७९२४.००	२८७९१.००
	250mmdia	गोटा	२०८१०.००	२०८१०.००	२१४३४.००
	200mmdia	गोटा	१३५६९.००	१३५६९.००	१३९६७.००
	150mmdia	गोटा	११३७७.००	११३७७.००	११७१८.००
	100mmdia	गोटा	८५८९.००	८५८९.००	८८४६.००
	80mmdia	गोटा	७२१३.००	७२१३.००	७४२९.००
	DI all Flanged cross				
	Dia 900mm	गोटा	३००७४७.००	३००७४७.००	३०९७६९.००
	Dia 800mm	गोटा	२३७४४५.००	२३७४४५.००	२४४५६८.००
	Dia 700mm	गोटा	१८७८२२.००	१८७८२२.००	१९३४५६.००
	Dia 600mm	गोटा	१५६३७६.००	१५६३७६.००	१६१०६७.००
	Dia 500mm	गोटा	१०२६०९.००	१०२६०९.००	१०५६७९.००
	Dia 400mm	गोटा	६९४९४.००	६९४९४.००	७१५७८.००
	Dia 300mm	गोटा	४९९५३.००	४९९५३.००	४३२११.००
	Dia 250mm	गोटा	३०६९०.००	३०६९०.००	३१६१०.००
	Dia 200mm	गोटा	१८२३९.००	१८२३९.००	१८७७७.००
	Dia 150mm	गोटा	१२१९९.००	१२१९९.००	१२५६४.००
	DI all socket cross				
	Dia 900mm	गोटा	३२५१५५.००	३२५१५५.००	३३४९०९.००
	Dia 800mm	गोटा	२४३४८४.००	२४३४८४.००	२५०७८८.००
	Dia 700mm	गोटा	१८१२७४.००	१८१२७४.००	१८६७१२.००
	Dia 600mm	गोटा	१०९३०३.००	१०९३०३.००	११२५८२.००
	Dia 500mm	गोटा	७४५४९.००	७४५४९.००	७६७७७.००
	Dia 400mm	गोटा	४८९३२.००	४८९३२.००	५०३९९.००
	Dia 300mm	गोटा	२८०४८.००	२८०४८.००	२८८८९.००
	Dia 250mm	गोटा	२०१९६.००	२०१९६.००	२०८०९.००
	Dia 200mm	गोटा	१४४४५.००	१४४४५.००	१४८७८.००
	Dia 150mm	गोटा	९५५५.००	९५५५.००	९८४९.००
	Supply of Flange Adaptors to Connect DI/DI pipe/fitting Complete with sets of gaskets, nuts & bolts, fasteners, sealing Rings and required accessories etc as per specification all complete				
	Dia 1000mm	गोटा	१०३६११.००	१०३६११.००	१०६७१९.००

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	Dia 900mm	गोटा	८३९९६.००	८३९९६.००	८६५९५.००
	Dia 800mm	गोटा	६८४२२.००	६८४२२.००	७०४७४.००
	Dia 700mm	गोटा	५५५२७.००	५५५२७.००	५७९९२.००
	Dia 600mm	गोटा	४२८२७.००	४२८२७.००	४४९९९.००
	Dia 500mm	गोटा	३२८९५.००	३२८९५.००	३३८८९.००
	Dia 450mm	गोटा	२६७२८.००	२६७२८.००	२७५२९.००
	Dia 400mm	गोटा	२२२७६.००	२२२७६.००	२२९४४.००
	Dia 350mm	गोटा	१७५८६.००	१७५८६.००	१८११३.००
	Dia 300mm	गोटा	१३०९३.००	१३०९३.००	१३४८५.००
	Dia 250mm	गोटा	१०४४९.००	१०४४९.००	१०७५४.००
	Dia 200mm	गोटा	७६७५.००	७६७५.००	७९०५.००
	Dia 150mm	गोटा	५६२८.००	५६२८.००	५७९६.००
	Dia 100mm	गोटा	३४६५.००	३४६५.००	३५६८.००
	Dia 80mm	गोटा	३९८९.००	३९८९.००	३२७६.००
	Dia 65mm	गोटा	२२०५.००	२२०५.००	२२७९.००
	Supply of Dismantling joints complete with sets of Nut and bolts , fasteners, Sealing Rings and required accessories ets as per specification all complete				
	Dia 1000mm	गोटा	२६६५७७.००	२६६५७७.००	२७४५७४.००
	Dia 900mm	गोटा	२०८४४७.००	२०८४४७.००	२१४७००.००
	Dia 800mm	गोटा	१६२८०२.००	१६२८०२.००	१६७६८६.००
	Dia 700mm	गोटा	१३७९३९.००	१३७९३९.००	१४१२५३.००
	Dia 600mm	गोटा	१०९०२७.००	१०९०२७.००	११२२९७.००
	Dia 500mm	गोटा	८५८७९.००	८५८७९.००	८८४४७.००
	Dia 450mm	गोटा	६६४३५.००	६६४३५.००	६८४२८.००
	Dia 400mm	गोटा	५४०४४.००	५४०४४.००	५५६६५.००
	Dia 350mm	गोटा	४९७९७.००	४९७९७.००	४३०५०.००
	Dia 300mm	गोटा	३२४२७.००	३२४२७.००	३३३९९.००
	Dia 250mm	गोटा	२४९२८.००	२४९२८.००	२४८५९.००
	Dia 200mm	गोटा	१७४०९.००	१७४०९.००	१७९३९.००
	Dia 150mm	गोटा	१३६२४.००	१३६२४.००	१४०३२.००
	Dia 100mm	गोटा	८९०६.००	८९०६.००	८३४९.००
	Dia 80mm	गोटा	७०३५.००	७०३५.००	७२४६.००
	Supply of DI Mechanical Couplings Complete with sets of Nuts and bolts , fasteners, Sealing Rings and required accessories etc as per specification all complete.				
	Dia 900mm	गोटा	५०६२७.००	५०६२७.००	५२१४५.००
	Dia 700mm	गोटा	३२४२७.००	३२४२७.००	३३३९९.००

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	Dia 600mm	गोटा	२११४३.००	२११४३.००	२१७७७.००
	Dia 500mm	गोटा	१६९८३.००	१६९८३.००	१७४९२.००
	Dia 450mm	गोटा	१४७०५.००	१४७०५.००	१५१४६.००
	Dia 400mm	गोटा	१४३७२.००	१४३७२.००	१४८०३.००
	Dia 350mm	गोटा	११२२१.००	११२२१.००	११५५७.००
	Dia 300mm	गोटा	७९८०.००	७९८०.००	८२१९.००
	Dia 250mm	गोटा	६४४७.००	६४४७.००	६६४०.००
	Dia 200mm	गोटा	४५७८.००	४५७८.००	४७१५.००
	Dia 150mm	गोटा	३६६४.००	३६६४.००	३७७३.००
	Dia 100mm	गोटा	२२६८.००	२२६८.००	२३३६.००
	Dia 80mm	गोटा	२०५८.००	२०५८.००	२११९.००
	Dia 65mm	गोटा	२०५८.००	२०५८.००	२११९.००
	DI basket type strainer (FE xFE) with all complete nut,bolt,rubber gasket as per drawing and specification.				
	Dia 400mm	गोटा	१६६९८४.००	१६६९८४.००	१७१९९३.००
	Dia 350mm	गोटा	१२६१४३.००	१२६१४३.००	१२९९२७.००
	Dia 300mm	गोटा	६९३४९.००	६९३४९.००	७१४२९.००
	Dia 250mm	गोटा	४६९२४.००	४६९२४.००	४८३३१.००
	Dia 200mm	गोटा	२९२४४.००	२९२४४.००	३०१२१.००
	Dia 150mm	गोटा	१६८७९.००	१६८७९.००	१७३८५.००
	Dia 100mm	गोटा	८३५८.००	८३५८.००	८६०८.००
	Double Flanged Tail Piece with puddle Flange (1 mtr long)				
	1000 mm dia	गोटा	७५४६८.००	७५४६८.००	७७७३२.००
	900 mm dia	गोटा	७३२२२.००	७३२२२.००	७५४१८.००
	800 mm dia	गोटा	६०५१२.००	६०५१२.००	६२३२७.००
	700 mm dia	गोटा	४८६८२.००	४८६८२.००	५०१४२.००
	600 mm dia	गोटा	३९८५२.००	३९८५२.००	४१०४७.००
	500 mm dia	गोटा	२९४४२.००	२९४४२.००	३०३२५.००
	450 mm dia	गोटा	२४७१०.००	२४७१०.००	२५४५१.००
	400 mm dia	गोटा	२०६०२.००	२०६०२.००	२१२२०.००
	350 mm dia	गोटा	१७०६६.००	१७०६६.००	१७५७७.००
	300 mm dia	गोटा	१३४६८.००	१३४६८.००	१३८७२.००
	250 mm dia	गोटा	१०७०१.००	१०७०१.००	११०२२.००
	200 mm dia	गोटा	८०७४.००	८०७४.००	८३१६.००
	150 mm dia	गोटा	५९८५.००	५९८५.००	६१६४.००
	100 mm dia	गोटा	४४१०.००	४४१०.००	४५४२.००
	80 mm dia	गोटा	३८२२.००	३८२२.००	३९३६.००

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. कोटेशन दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	DI Flange Bell Mouth				
	Dia 700mm	गोटा	७५८२८.००	७५८२८.००	७८१०२.००
	Dia 600mm	गोटा	५४८७८.००	५४८७८.००	५६५२४.००
	Dia 500mm	गोटा	३८५५२.००	३८५५२.००	३९७०८.००
	Dia 450mm	गोटा	१७६४८.००	१७६४८.००	१८१७७.००
	Dia 400mm	गोटा	१७२४३.००	१७२४३.००	१७७६०.००
	Dia 350mm	गोटा	१३४६८.००	१३४६८.००	१३८७२.००
	Dia 300mm	गोटा	९५७६.००	९५७६.००	९८६३.००
	Dia 250mm	गोटा	७७३८.००	७७३८.००	७९७०.००
	Dia 200mm	गोटा	५४९१.००	५४९१.००	५६५५.००
	Dia 150mm	गोटा	४३९९.००	४३९९.००	४५३०.००
	Dia 100mm	गोटा	२७१९.००	२७१९.००	२८००.००
	Dia 80mm	गोटा	२४६७.००	२४६७.००	२५४१.००
	Dia 65mm	गोटा	२४६७.००	२४६७.००	२५४१.००
	DI Strainer				
	1200 mm dia	गोटा	३७०७२९.००	३७०७२९.००	३८१८५०.००
	1100 mm dia	गोटा	२९२००५.००	२९२००५.००	३००७६५.००
	1000 mm dia	गोटा	२१३२७१.००	२१३२७१.००	२१९६६९.००
	900 mm dia	गोटा	१६०१७०.००	१६०१७०.००	१६४९७५.००
	Supply of double flanged butterfly valve PN16 as per specification all complete				
	Dia 1000mm	गोटा	७४२१५२.००	७४२१५२.००	७६४४१६.००
	Dia 900mm	गोटा	५९२५६९.००	५९२५६९.००	६१०३४६.००
	Dia 800mm	गोटा	४२४६४६.००	४२४६४६.००	४३७३८५.००
	Dia 700mm	गोटा	३४३७८०.००	३४३७८०.००	३५४०९३.००
	Dia 600mm	गोटा	२३०२०३.००	२३०२०३.००	२३७१०९.००
	Dia 500mm	गोटा	१७३८२८.००	१७३८२८.००	१७९०४२.००
	Dia 450mm	गोटा	१३०१४१.००	१३०१४१.००	१३४०४५.००
	Dia 400mm	गोटा	१०३७१३.००	१०३७१३.००	१०६८२४.००
	Dia 350mm	गोटा	७६८७६.००	७६८७६.००	७९१८२.००
	Dia 300mm	गोटा	६३०९६.००	६३०९६.००	६४९८८.००
	Dia 250mm	गोटा	४९६७०.००	४९६७०.००	५११६०.००
	Dia 200mm	गोटा	४०८३०.००	४०८३०.००	४२०५४.००
	Dia 150mm	गोटा	१६०२६.००	१६०२६.००	१६५०६.००
	Supply of double flanged Gate valve PN16 as per specification all complete				
	Dia 600mm	गोटा	५२७०८५.००	५२७०८५.००	५४२८९७.००
	Dia 500mm	गोटा	२९१३८३.००	२९१३८३.००	३००१२४.००
	Dia 450mm	गोटा	२०१७६६.००	२०१७६६.००	२०७८१८.००
	Dia 400mm	गोटा	१४२२२८.००	१४२२२८.००	१४६४९४.००
	Dia 350mm	गोटा	१०४२२३.००	१०४२२३.००	१०७३४९.००

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको चिह्नहरू		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	Dia 300mm	गोटा	६४०८६.००	६४०८६.००	६६००८.००
	Dia 250mm	गोटा	४८१९३.००	४८१९३.००	४९६३८.००
	Dia 350mm	गोटा	९५९६०.००	९५९६०.००	९८८३८.००
	Dia 300mm	गोटा	५८८२२.००	५८८२२.००	६०५८६.००
	Dia 250mm	गोटा	४५०००.००	४५०००.००	४६३५०.००
	Dia 200mm	गोटा	२६८५२.००	२६८५२.००	२७६५७.००
	Dia 150mm	गोटा	२०६४४.००	२०६४४.००	२१२६३.००
	Dia 125mm	गोटा	१७९६०.००	१७९६०.००	१७९७४.००
	Dia 100mm	गोटा	१८५६४.००	१८५६४.००	१९१२०.००
	Dia 80mm	गोटा	१३३८०.००	१३३८०.००	१३७८१.००
	Dia 65mm	गोटा	१०१५३.००	१०१५३.००	१०४५७.००
	Dia 50mm	गोटा	९०८४.००	९०८४.००	९३५६.००
	Fire Hydrant				
	Dia 80mm	गोटा	११९२८.००	११९२८.००	१२२८५.००
	Dia 100mm	गोटा	२३९६९.००	२३९६९.००	२४६७९.००
	160mm dia CI ROAD SURFACE BOX	गोटा	३३०७.००	३३०७.००	३४०६.००
	Ball Valve				
	15mm	गोटा	१९१.००	१९१.००	१९६.००
	25mm	गोटा	३४१.००	३४१.००	३५१.००
	32mm	गोटा	९०६.००	९०६.००	९३३.००
	40mm	गोटा	१४०७.००	१४०७.००	१४४९.००
	50mm	गोटा	२३१०.००	२३१०.००	२३७९.००
	Check valve (Horizontal Flow)				
	15mm	गोटा	५५४.००	५५४.००	५७०.००
	20mm	गोटा	८७४.००	८७४.००	९००.००
	25mm	गोटा	१४८०.००	१४८०.००	१५२४.००
	Check valve (vertical Flow)				
	15mm	गोटा	३४१.००	३४१.००	३५१.००
	20mm	गोटा	४३७.००	४३७.००	४५०.००
	25mm	गोटा	४७९.००	४७९.००	४९३.००
	Check valve				
	150mm	गोटा	१८६८८.००	१८६८८.००	१९२४८.००
	200mm	गोटा	२८०२८.००	२८०२८.००	२८८६८.००
	250mm	गोटा	४२०४७.००	४२०४७.००	४३३०८.००
	300mm	गोटा	६२४६९.००	६२४६९.००	६४३४३.००
	Pressure Gauge (Pressure up to) including Fitting & accessories				
	PN10	गोटा	२५७२.००	२५७२.००	२६४९.००
	PN15	गोटा	३३६०.००	३३६०.००	३४६०.००
	PN30	गोटा	४८३०.००	४८३०.००	४९७४.००
	PN45	गोटा	५७७५.००	५७७५.००	५९४८.००

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकी दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. ०८३/८४
	Bulk Water Meter				
	300mm	गोटा	१५६७२.००	१५६७२.००	१६१४१३.००
	200mm	गोटा	१०४४७८.००	१०४४७८.००	१०७६१२.००
	150mm	गोटा	७८०१२.००	७८०१२.००	८०३५२.००
	100mm	गोटा	४५४४८.००	४५४४८.००	४६८११.००
	80mm	गोटा	३०२९५.००	३०२९५.००	३१२०३.००
	65mm	गोटा	२०१९६.००	२०१९६.००	२०८०१.००
	15mm	गोटा	१५७५.००	१५७५.००	१६२२.००
	Supply of water meter volumetric type including fittings and accessories				
	15mm	गोटा	१६९०.००	१६९०.००	१७४०.००
	20mm	गोटा	२४०४.००	२४०४.००	२४७६.००
	25mm	गोटा	६२३७.००	६२३७.००	६४२४.००
	Float Valve				
	15mm	गोटा	७७८.००	७७८.००	८०१.००
	20mm	गोटा	१४८०.००	१४८०.००	१५२४.००
	25mm	गोटा	२४३६.००	२४३६.००	२५०९.००
	GM Gate/ Globe Valve				
	15mm	गोटा	८२०.००	८२०.००	८४४.००
	20mm	गोटा	११४४.००	११४४.००	११७८.००
	25mm	गोटा	१७६४.००	१७६४.००	१८१६.००
	32mm	गोटा	२३४१.००	२३४१.००	२४११.००
	40mm	गोटा	२७०९.००	२७०९.००	२७९०.००
	50mm	गोटा	४४८८.००	४४८८.००	४६२२.००
	65mm	गोटा	९१२४.००	९१२४.००	९३९७.००
	80mm	गोटा	१२०६४.००	१२०६४.००	१२४२५.००
	100mm	गोटा	१७०५६.००	१७०५६.००	१७५६७.००
	DI Sluice Valve				
	65mm(2-1/2")	गोटा	१२७३०.००	१२७३०.००	१३१११.००
	80mm(3")	गोटा	१७७३०.००	१७७३०.००	१८२६१.००
	100mm(4")	गोटा	२५०००.००	२५०००.००	२५७५०.००
	125mm(5")	गोटा	३०४५०.००	३०४५०.००	३१३६३.००
	150mm(6")	गोटा	३७५००.००	३७५००.००	३८६२५.००

प्रमुख जिल्ला अधिकारी



सुदूर पश्चिम प्रदेश
जिल्ला प्रशासन कार्यालय

PE Electro Fusion Fittings and Combination Accessories

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.ब.क बाहेकको दररेटसलितपुर		
			आ.व. ०८१।८२	बा.व. ०८२।८३	बा.व. ०८३।८४
१	Electrofusion (PE100) HDPE Fittings				
	Electrofusion Coupler				
	20mm	गोटा	१०२.००	१०२.००	१०२.००
	25mm	गोटा	१२७.००	१२७.००	१२७.००
	32mm	गोटा	१३७.००	१३७.००	१३७.००
	40mm	गोटा	२६७.००	२६७.००	२६७.००
	50mm	गोटा	२५४.००	२५४.००	२५४.००
	63mm	गोटा	२६३.००	२६३.००	२६३.००
	75mm	गोटा	४०५.००	४०५.००	४०५.००
	90mm	गोटा	४७३.००	४७३.००	४७३.००
	110mm	गोटा	६३६.००	६३६.००	६३६.००
	125mm	गोटा	८५५.००	८५५.००	८५५.००
	140mm	गोटा	१३२३.००	१३२३.००	१३२३.००
	160mm	गोटा	१४९०.००	१४९०.००	१४९०.००
	180mm	गोटा	२२३६.००	२२३६.००	२२३६.००
	200mm	गोटा	२६४८.००	२६४८.००	२६४८.००
	225mm	गोटा	३६४३.००	३६४३.००	३६४३.००
	250mm	गोटा	५७९४.००	५७९४.००	५७९४.००
	280mm	गोटा	६९५३.००	६९५३.००	६९५३.००
	Electorfusion Reducer				
	50mm x 40mm	गोटा	२१७.००	२१७.००	२१७.००
	63mm x 50mm	गोटा	२५३.००	२५३.००	२५३.००
	75mm x 63mm	गोटा	५०४.००	५०४.००	५०४.००
	90mm x 75mm	गोटा	६२७.००	६२७.००	६२७.००
	90mm x 63mm	गोटा	६८७.००	६८७.००	६८७.००
	90mm x 50mm	गोटा	९४१.००	९४१.००	९४१.००
	110mm x 63mm	गोटा	८२७.००	८२७.००	८२७.००
	110mm x 75mm	गोटा	१५२१.००	१५२१.००	१५२१.००
	110mm x 90mm	गोटा	८९५.००	८९५.००	८९५.००
	125mm x 63mm	गोटा	१०६९.००	१०६९.००	१०६९.००
	125mm x 75mm	गोटा	१७७८.००	१७७८.००	१७७८.००
	125mm x 90mm	गोटा	११५१.००	११५१.००	११५१.००
	125mm x 110mm	गोटा	९००.००	९००.००	९००.००
	140mm x 90mm	गोटा	३५६४.००	३५६४.००	३५६४.००
	140mm x 110mm	गोटा	४१७३.००	४१७३.००	४१७३.००
	140mm x 125mm	गोटा	४६४१.००	४६४१.००	४६४१.००
	160mm x 90mm	गोटा	४५३५.००	४५३५.००	४५३५.००
	160mm x 110mm	गोटा	४८१४.००	४८१४.००	४८१४.००
	160mm x 125mm	गोटा	५३६५.००	५३६५.००	५३६५.००
	160mm x 140mm	गोटा	६०७८.००	६०७८.००	६०७८.००
	180mm x 90mm	गोटा	६४३३.००	६४३३.००	६४३३.००

[Signature]

[Signature]

सुदूर पश्चिम जिल्ला उच्च न्यायालय



PE Electro Fusion Fittings and Combination Accessories

नेपाल सरकार
जिल्ला प्रशासन कार्यालय

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दर		
			आ.व. ०८१।८२	आ.व. ०८२।८३	आ.व. ०८३।८४
	180mm x 125mm	गोटा	६७११.००	६७११.००	६७११.००
	180mm x 140mm	गोटा	७६१३.००	७६१३.००	७६१३.००
	180mm x 160mm	गोटा	८४५२.००	८४५२.००	८४५२.००
	200mm x 110mm	गोटा	७००२.००	७००२.००	७००२.००
	200mm x 140mm	गोटा	९०१४.००	९०१४.००	९०१४.००
	200mm x 160mm	गोटा	९४७३.००	९४७३.००	९४७३.००
	200mm x 180mm	गोटा	११०६५.००	११०६५.००	११०६५.००
	225mm x 90mm	गोटा	१०१८७.००	१०१८७.००	१०१८७.००
	225mm x 110mm	गोटा	९९२८.००	९९२८.००	९९२८.००
	225mm x 225mm	गोटा	१५६१४.००	१५६१४.००	१५६१४.००
	225mm x 160mm	गोटा	११७३९.००	११७३९.००	११७३९.००
	225mm x 180mm	गोटा	१३६०५.००	१३६०५.००	१३६०५.००
	225mm x 200mm	गोटा	१४९५९.००	१४९५९.००	१४९५९.००
	250mm x 160mm	गोटा	१४९९९.००	१४९९९.००	१४९९९.००
	225mm x 180mm	गोटा	१७३३९.००	१७३३९.००	१७३३९.००
	225mm x 200mm	गोटा	१८२६८.००	१८२६८.००	१८२६८.००
	225mm x 225mm	गोटा	२१०८६.००	२१०८६.००	२१०८६.००
	280mm x 180mm	गोटा	२०६६५.००	२०६६५.००	२०६६५.००
	280mm x 200mm	गोटा	२२०७४.००	२२०७४.००	२२०७४.००
	280mm x 225mm	गोटा	२४१३९.००	२४१३९.००	२४१३९.००
	280mm x 250mm	गोटा	२९२२५.००	२९२२५.००	२९२२५.००
	Electrofusion Elbow 45°				
	50mm	गोटा	३१६.००	३१६.००	३१६.००
	63mm	गोटा	४६४.००	४६४.००	४६४.००
	75mm	गोटा	१२१६.००	१२१६.००	१२१६.००
	90mm	गोटा	१०४७.००	१०४७.००	१०४७.००
	110mm	गोटा	३१३३.००	३१३३.००	३१३३.००
	125mm	गोटा	४३२६.००	४३२६.००	४३२६.००
	140mm	गोटा	५८४७.००	५८४७.००	५८४७.००
	160mm	गोटा	७५३५.००	७५३५.००	७५३५.००
	180mm	गोटा	१०८११.००	१०८११.००	१०८११.००
	200mm	गोटा	१३६१२.००	१३६१२.००	१३६१२.००
	225mm	गोटा	१८५९३.००	१८५९३.००	१८५९३.००
	250mm	गोटा	२६७७५.००	२६७७५.००	२६७७५.००
	280mm	गोटा	३५३५०.००	३५३५०.००	३५३५०.००
	90				
	50mm	गोटा	२६३.००	२६३.००	२६३.००
	63mm	गोटा	४१९.००	४१९.००	४१९.००
	75mm	गोटा	५५२.००	५५२.००	५५२.००
	90mm	गोटा	१०६६.००	१०६६.००	१०६६.००



नेपाल सरकार

जिल्ला प्रशासन कार्यालय ललितपुर

PE Electro Fusion Fittings and Combination Accessories

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०८१।८२	आ.व. ०८२।८३	आ.व. ०८३।८४
	110mm	गोटा	१४२६.००	१४२६.००	१४२६.००
	125mm	गोटा	१८००.००	१८००.००	१८००.००
	140mm	गोटा	६७१०.००	६७१०.००	६७१०.००
	160mm	गोटा	८५२२.००	८५२२.००	८५२२.००
	180mm	गोटा	१२४२४.००	१२४२४.००	१२४२४.००
	200mm	गोटा	१६५४७.००	१६५४७.००	१६५४७.००
	225mm	गोटा	२१२३८.००	२१२३८.००	२१२३८.००
	250mm	गोटा	३१२१०.००	३१२१०.००	३१२१०.००
	280mm	गोटा	४४५४६.००	४४५४६.००	४४५४६.००
	Electrofusion End Cap				
	50mm	गोटा	३४९.००	३४९.००	३४९.००
	63mm	गोटा	४३३.००	४३३.००	४३३.००
	75mm	गोटा	६१७.००	६१७.००	६१७.००
	90mm	गोटा	७९२.००	७९२.००	७९२.००
	110mm	गोटा	१४१९.००	१४१९.००	१४१९.००
	125mm	गोटा	१२२२.००	१२२२.००	१२२२.००
	140mm	गोटा	२४९०.००	२४९०.००	२४९०.००
	160mm	गोटा	३६०८.००	३६०८.००	३६०८.००
	180mm	गोटा	५१७०.००	५१७०.००	५१७०.००
	200mm	गोटा	६७६८.००	६७६८.००	६७६८.००
	225mm	गोटा	८७६९.००	८७६९.००	८७६९.००
	250mm	गोटा	१२४४.००	१२४४.००	१२४४.००
	280mm	गोटा	१६०९६.००	१६०९६.००	१६०९६.००
	Electrofusion Equal Tee				
	50mm	गोटा	३४८.००	३४८.००	३४८.००
	63mm	गोटा	५००.००	५००.००	५००.००
	75mm	गोटा	७८९.००	७८९.००	७८९.००
	90mm	गोटा	१२४५.००	१२४५.००	१२४५.००
	110mm	गोटा	१६०४.००	१६०४.००	१६०४.००
	125mm	गोटा	१९८५.००	१९८५.००	१९८५.००
	140mm	गोटा	७९२४.००	७९२४.००	७९२४.००
	160mm	गोटा	१०८९६.००	१०८९६.००	१०८९६.००
	180mm	गोटा	१५४१६.००	१५४१६.००	१५४१६.००
	200mm	गोटा	१९४९७.००	१९४९७.००	१९४९७.००
	225mm	गोटा	२६५३५.००	२६५३५.००	२६५३५.००
	250mm	गोटा	३८४४३.००	३८४४३.००	३८४४३.००
	280mm	गोटा	५४६५७.००	५४६५७.००	५४६५७.००
	Electrofusion Saddle Clamp				
	50mm×40mm	गोटा	७५७.००	७५७.००	७५७.००
	75-225mm×50mm	गोटा	९९०.००	९९०.००	९९०.००
	HDPE Adaptor PN 16				
	50mm	गोटा	२८०.००	२८०.००	२८०.००

पञ्च जिल्ला अधिकारी



PE Electro Fusion Fittings and Combination Accessories

सुदूर पश्चिम प्रदेश सरकार
मुख्य मन्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०८१।८२	आ.व. ०८२।८३	आ.व. ०८३।८४
	63mm	गोटा	३५३.००	३५३.००	३५३.००
	75mm	गोटा	४९९.००	४९९.००	४९९.००
	90mm	गोटा	६४४.००	६४४.००	६४४.००
	110mm	गोटा	८९४.००	८९४.००	८९४.००
	125mm	गोटा	९८८.००	९८८.००	९८८.००
	140mm	गोटा	१३५२.००	१३५२.००	१३५२.००
	160mm	गोटा	१९४४.००	१९४४.००	१९४४.००
	180mm	गोटा	२७८७.००	२७८७.००	२७८७.००
	200mm	गोटा	३०४७.००	३०४७.००	३०४७.००
	225mm	गोटा	३९५२.००	३९५२.००	३९५२.००
	250mm	गोटा	५२४९.००	५२४९.००	५२४९.००
	280mm	गोटा	७२४८.००	७२४८.००	७२४८.००

(Signatures)
प्रमुख जिल्ला अधिकारी

High Pressure Valve and Fittings

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट ललितपुर		
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४
१	High Pressure Valve & Fittings				
	Cast Steel Sluice Valve, Class 300 confirming to BS:1414 or equivalent. Hydraulic Test pressure: Body 76 kg/cm ² , Seat 55 kg/cm ² , including ISOD Flange, Nut & bolt, Gasket. Set				
	DN 40	गोटा	२९९९८.००	२९९९८.००	२९९९८.००
	DN 50	गोटा	२९६९२.००	२९६९२.००	२९६९२.००
	DN 65	गोटा	३५५३५.००	३५५३५.००	३५५३५.००
	DN 80	गोटा	४९४५७.००	४९४५७.००	४९४५७.००
	DN 100	गोटा	४७३८०.००	४७३८०.००	४७३८०.००
	DN 125	गोटा	५९२२५.००	५९२२५.००	५९२२५.००
	DN 150	गोटा	७६९९२.००	७६९९२.००	७६९९२.००
	DN 200	गोटा	९०५५७०.००	९०५५७०.००	९०५५७०.००
	DN 250	गोटा	९५२४९०.००	९५२४९०.००	९५२४९०.००
	DN 300	गोटा	२०५२७५.००	२०५२७५.००	२०५२७५.००
	DN 350	गोटा	३२२५७५.००	३२२५७५.००	३२२५७५.००
	Cast Steel Non Return Valve (NRV), Class 300 confirming to BS:1414 or equivalent. Hydraulic Test pressure: Body 76 kg/cm ² , Seat 55 kg/cm ² , including ISOD Flange, Nut & bolt, Gasket.				
	DN 40	गोटा	२३६९०.००	२३६९०.००	२३६९०.००
	DN 50	गोटा	३९३९४.००	३९३९४.००	३९३९४.००
	DN 65	गोटा	३७३९६.००	३७३९६.००	३७३९६.००
	DN 80	गोटा	४३२३९.००	४३२३९.००	४३२३९.००
	DN 100	गोटा	४९९६९.००	४९९६९.००	४९९६९.००
	DN 125	गोटा	६९००६.००	६९००६.००	६९००६.००
	DN 150	गोटा	७८७७४.००	७८७७४.००	७८७७४.००
	DN 200	गोटा	९०७३३४.००	९०७३३४.००	९०७३३४.००
	DN 250	गोटा	९५४२५४.००	९५४२५४.००	९५४२५४.००
	DN 300	गोटा	२०७०३९.००	२०७०३९.००	२०७०३९.००
	DN 350	गोटा	३२४३३९.००	३२४३३९.००	३२४३३९.००
	MS Flange, ISOD 12mm thick				
	DN 40	गोटा	४९२.००	४९२.००	४९२.००
	DN 50	गोटा	४४२.००	४४२.००	४४२.००
	DN 65	गोटा	५९७.००	५९७.००	५९७.००
	DN 80	गोटा	६४८.००	६४८.००	६४८.००
	DN 100	गोटा	६६९.००	६६९.००	६६९.००
	DN 150	गोटा	७७२.००	७७२.००	७७२.००
	DN 125	गोटा	९०६.००	९०६.००	९०६.००
	DN 200	गोटा	९४८३.००	९४८३.००	९४८३.००
	DN 250	गोटा	२२२४.००	२२२४.००	२२२४.००
	DN 300	गोटा	२६६७.००	२६६७.००	२६६७.००



नेपाल सरकार
महान्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर

High Pressure Valve and Fittings

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४
	DN 350	गोटा	३६७७.००	३६७७.००	३६७७.००
	MS Blind Flange, ISOD 16mm thick				
	DN 40	गोटा	५३५.००	५३५.००	५३५.००
	DN 50	गोटा	५७६.००	५७६.००	५७६.००
	DN 65	गोटा	७७२.००	७७२.००	७७२.००
	DN 80	गोटा	८४४.००	८४४.००	८४४.००
	DN 100	गोटा	८७५.००	८७५.००	८७५.००
	DN 125	गोटा	९९९.००	९९९.००	९९९.००
	DN 150	गोटा	११८४.००	११८४.००	११८४.००
	DN 200	गोटा	१९२६.००	१९२६.००	१९२६.००
	DN 250	गोटा	२८९४.००	२८९४.००	२८९४.००
	DN 300	गोटा	३४६०.००	३४६०.००	३४६०.००
	DN 350	गोटा	४७६८.००	४७६८.००	४७६८.००
	MS Flange, ISOD 22mm thick				
	DN 40	गोटा	९४७.००	९४७.००	९४७.००
	DN 50	गोटा	१०१९.००	१०१९.००	१०१९.००
	DN 65	गोटा	१३०८.००	१३०८.००	१३०८.००
	DN 80	गोटा	१४८३.००	१४८३.००	१४८३.००
	DN 100	गोटा	१७८१.००	१७८१.००	१७८१.००
	DN 125	गोटा	२१३२.००	२१३२.००	२१३२.००
	DN 150	गोटा	२७२९.००	२७२९.००	२७२९.००
	DN 200	गोटा	४४५९.००	४४५९.००	४४५९.००
	DN 250	गोटा	५८१९.००	५८१९.००	५८१९.००
	DN 300	गोटा	८५६९.००	८५६९.००	८५६९.००
	DN 350	गोटा	९५९९.००	९५९९.००	९५९९.००
	MS Blind Flange, ISOD 32mm thick				
	DN 40	गोटा	१२३६.००	१२३६.००	१२३६.००
	DN 50	गोटा	१३२८.००	१३२८.००	१३२८.००
	DN 65	गोटा	१६८९.००	१६८९.००	१६८९.००
	DN 80	गोटा	१९२६.००	१९२६.००	१९२६.००
	DN 100	गोटा	२३०७.००	२३०७.००	२३०७.००
	DN 125	गोटा	२७७०.००	२७७०.००	२७७०.००
	DN 150	गोटा	३५४३.००	३५४३.००	३५४३.००
	DN 200	गोटा	५८०९.००	५८०९.००	५८०९.००
	DN 250	गोटा	७५८०.००	७५८०.००	७५८०.००
	DN 300	गोटा	१११३४.००	१११३४.००	१११३४.००
	DN 350	गोटा	१२४७३.००	१२४७३.००	१२४७३.००
	Seamless (90°-22°) CARBON STEEL BEND, size dia				
	2"	गोटा	३३९.००	३३९.००	३३९.००
	2 1/2"	गोटा	५९७.००	५९७.००	५९७.००

High Pressure Valve and Fittings

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट ललितपुर		
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४
	3"	गोटा	८५४.००	८५४.००	८५४.००
	4"	गोटा	१४२१.००	१४२१.००	१४२१.००
	5"	गोटा	२६०५.००	२६०५.००	२६०५.००
	6"	गोटा	३६१५.००	३६१५.००	३६१५.००
	8"	गोटा	६७५६.००	६७५६.००	६७५६.००
	10"	गोटा	१३२६६.००	१३२६६.००	१३२६६.००
	12"	गोटा	१८३६४.००	१८३६४.००	१८३६४.००
	14"	गोटा	२०७३३.००	२०७३३.००	२०७३३.००
	Seamless REDUCER ASTM-40, (size dia larger dia.)				
	2"	गोटा	२६७.००	२६७.००	२६७.००
	2 1/2"	गोटा	४७३.००	४७३.००	४७३.००
	3"	गोटा	६९०.००	६९०.००	६९०.००
	4"	गोटा	११३३.००	११३३.००	११३३.००
	5"	गोटा	२०८०.००	२०८०.००	२०८०.००
	6"	गोटा	२८९४.००	२८९४.००	२८९४.००
	8"	गोटा	५३९७.००	५३९७.००	५३९७.००
	10"	गोटा	१०६०९.००	१०६०९.००	१०६०९.००
	12"	गोटा	१४६८७.००	१४६८७.००	१४६८७.००
	14"	गोटा	१६५८३.००	१६५८३.००	१६५८३.००
	Nut & Bolt (FORZED, Size, set/kg)	गोटा	३०९.००	३०९.००	३०९.००
	3 mm thick Gasket liner	गोटा	२६३६.००	२६३६.००	२६३६.००

प्रमुख जिल्ला अधिकारी



नेपाल सरकार
महान्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर

पोलिप्रोपिलिन रेण्डम (PPR) पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०८१।८२	आ.व. ०८२।८३	आ.व. ०८३।८४
१	PP-R Pipe (PN-10)				
	20mm outer, 1.9 mm thick, 0.107 kg/m	र.मि	५६.००	५६.००	५६.००
	25mm " 2.3 mm thick 0.184kg/m	र.मि	८६.००	८६.००	८६.००
	32mm 2.9 mm thick 0.26kg/m	र.मि	१३७.००	१३७.००	१३७.००
	40mm 3.7 mm thick 0.412kg/m	र.मि	२१७.००	२१७.००	२१७.००
	50mm 4.6 mm thick 0.638kg/m	र.मि	३३६.००	३३६.००	३३६.००
	63 mm 8.6 mm thick 0.638kg/m	र.मि	५३३.००	५३३.००	५३३.००
	75 mm	र.मि	७४३.००	७४३.००	७४३.००
	90 mm	र.मि	१०७०.००	१०७०.००	१०७०.००
	110 mm	र.मि	१५८८.००	१५८८.००	१५८८.००
२	PP-R Pipe (PN-16)				
	20mm 2.80 mm thick 0.148kg/m	र.मि	७५.००	७५.००	७५.००
	25mm 3.50 mm thick 0.26kg/m	र.मि	११८.००	११८.००	११८.००
	32mm 3.7 mm thick 0.230kg/m	र.मि	१८८.००	१८८.००	१८८.००
	40mm 5.50 mm thick 0.575kg/m	र.मि	३०३.००	३०३.००	३०३.००
	50mm 6.90 mm thick 0.898kg/m	र.मि	४७३.००	४७३.००	४७३.००
	63 mm 4.6 mm thick 0.638kg/m	र.मि	७४३.००	७४३.००	७४३.००
	75 mm	र.मि	१०६१.००	१०६१.००	१०६१.००
	90 mm	र.मि	१५१४.००	१५१४.००	१५१४.००
	110 mm	र.मि	२२६९.००	२२६९.००	२२६९.००
३	PP-R Pipe (PN-20)				
	20mm 3.4 mm thick 0.172 kg/m	र.मि	९०.००	९०.००	९०.००
	25mm 4.20 mm thick 0.266kg/m	र.मि	१४०.००	१४०.००	१४०.००
	32mm 5.40 mm thick 0.434kg/m	र.मि	२२८.००	२२८.००	२२८.००
	40mm 6.70 mm thick 0.871kg/m	र.मि	३५४.००	३५४.००	३५४.००
	50mm 8.30 mm thick 1.04kg/m	र.मि	५४९.००	५४९.००	५४९.००
	63mm 8.6mm thick 1.04kg/m	र.मि	८७०.००	८७०.००	८७०.००
	75 mm	र.मि	१२३४.००	१२३४.००	१२३४.००
	90 mm	र.मि	१७७२.००	१७७२.००	१७७२.००
	110 mm	र.मि	२६४३.००	२६४३.००	२६४३.००
४	PP-R Pipe Accessories				
	Elbow (87.5 °)				
	20mm	गोटा	२३.००	२३.००	२३.००
	25mm	गोटा	४३.००	४३.००	४३.००
	32mm	गोटा	७०.००	७०.००	७०.००
	40mm	गोटा	१४८.००	१४८.००	१४८.००
	50mm	गोटा	२४९.००	२४९.००	२४९.००
	63 mm	गोटा	४३९.००	४३९.००	४३९.००
	75 mm	गोटा	८४३.००	८४३.००	८४३.००
	90 mm	गोटा	१३७६.००	१३७६.००	१३७६.००

पोलिप्रोपिलिन रेण्डम (PPR) पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क बाहेकको दररेट ललितपुर		
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४
	110 mm	गोटा	२५५८.००	२५५८.००	२५५८.००
	Elbow (90 °)				
	20mm	गोटा	११.००	११.००	११.००
	25mm	गोटा	२२.००	२२.००	२२.००
	32mm	गोटा	३८.००	३८.००	३८.००
	40mm	गोटा	८०.००	८०.००	८०.००
	50mm	गोटा	१३५.००	१३५.००	१३५.००
	63 mm	गोटा	२३८.००	२३८.००	२३८.००
	75 mm	गोटा	४४६.००	४४६.००	४४६.००
	90 mm	गोटा	७५४.००	७५४.००	७५४.००
	110 mm	गोटा	१४०५.००	१४०५.००	१४०५.००
५	Equal Tee				
	20mm	गोटा	१५.००	१५.००	१५.००
	25mm	गोटा	२७.००	२७.००	२७.००
	32mm	गोटा	४७.००	४७.००	४७.००
	40mm	गोटा	९२.००	९२.००	९२.००
	50mm	गोटा	१५७.००	१५७.००	१५७.००
	63mm	गोटा	२८६.००	२८६.००	२८६.००
	75 mm	गोटा	४९६.००	४९६.००	४९६.००
	90 mm	गोटा	९०९.००	९०९.००	९०९.००
	110 mm	गोटा	१५७८.००	१५७८.००	१५७८.००
६	Coupler				
	20mm	गोटा	९.००	९.००	९.००
	25mm	गोटा	११.००	११.००	११.००
	32mm	गोटा	२२.००	२२.००	२२.००
	40mm	गोटा	४३.००	४३.००	४३.००
	50mm	गोटा	७३.००	७३.००	७३.००
	63 mm	गोटा	१२८.००	१२८.००	१२८.००
	75 mm	गोटा	२४८.००	२४८.००	२४८.००
	90 mm	गोटा	३६६.००	३६६.००	३६६.००
	110 mm	गोटा	६७०.००	६७०.००	६७०.००
७	45 Degree Elbow				
	20 mm	गोटा	१५.००	१५.००	१५.००
	25 mm	गोटा	२५.००	२५.००	२५.००
	32 mm	गोटा	३८.००	३८.००	३८.००
	40 mm	गोटा	७३.००	७३.००	७३.००
	50 mm	गोटा	१२२.००	१२२.००	१२२.००
	63 mm	गोटा	२०२.००	२०२.००	२०२.००
	75 mm	गोटा	३९७.००	३९७.००	३९७.००
	90 mm	गोटा	६७०.००	६७०.००	६७०.००

पोलिप्रोपिलिन रेण्डम (PPR) पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४
	110 mm	गोटा	११७१.००	११७१.००	११७१.००
८	Union (Plastic)				
	20mm	गोटा	५९.००	५९.००	५९.००
	25mm	गोटा	१०१.००	१०१.००	१०१.००
	32mm	गोटा	१६३.००	१६३.००	१६३.००
	40mm	गोटा	२४७.००	२४७.००	२४७.००
	50mm	गोटा	३८७.००	३८७.००	३८७.००
	63mm	गोटा	४६२.००	४६२.००	४६२.००
९	Reducing Coupler				
	25mm*20mm	गोटा	१६.००	१६.००	१६.००
	32mm*20mm	गोटा	२०.००	२०.००	२०.००
	32mm*25mm	गोटा	२३.००	२३.००	२३.००
	40mm*20mm	गोटा	३४.००	३४.००	३४.००
	40mm*25mm	गोटा	३५.००	३५.००	३५.००
	40mm*32mm	गोटा	४७.००	४७.००	४७.००
	50mm*20mm	गोटा	६४.००	६४.००	६४.००
	50mm*25mm	गोटा	६९.००	६९.००	६९.००
	50mm*32mm	गोटा	७०.००	७०.००	७०.००
	50mm*40mm	गोटा	७३.००	७३.००	७३.००
	63mm*20mm	गोटा	१००.००	१००.००	१००.००
	63mm*25mm	गोटा	१२३.००	१२३.००	१२३.००
	63mm*32mm	गोटा	१२४.००	१२४.००	१२४.००
	63mm*40mm	गोटा	१२४.००	१२४.००	१२४.००
	63mm*50mm	गोटा	१२४.००	१२४.००	१२४.००
	75mm*40mm	गोटा	२४८.००	२४८.००	२४८.००
	75mm*50mm	गोटा	२५३.००	२५३.००	२५३.००
	75mm*63mm	गोटा	२५६.००	२५६.००	२५६.००
	90mm*50mm	गोटा	४७२.००	४७२.००	४७२.००
	90mm*63mm	गोटा	५०६.००	५०६.००	५०६.००
	90mm*75mm	गोटा	५९५.००	५९५.००	५९५.००
	110mm*75mm	गोटा	८३४.००	८३४.००	८३४.००
	110mm*90mm	गोटा	९२८.००	९२८.००	९२८.००
	75mm	गोटा	४७६.००	४७६.००	४७६.००
	90mm	गोटा	७३८.००	७३८.००	७३८.००
	110mm	गोटा	१२५१.००	१२५१.००	१२५१.००
१०	Reducing Tee				
	25*20*25 mm	गोटा	२९.००	२९.००	२९.००
	32*20*32 mm	गोटा	४४.००	४४.००	४४.००
	32*25*32 mm	गोटा	४७.००	४७.००	४७.००
	40*20*40 mm	गोटा	६४.००	६४.००	६४.००
	40*25*40 mm	गोटा	७२.००	७२.००	७२.००
	40*32*40 mm	गोटा	७६.००	७६.००	७६.००
	50*20*50 mm	गोटा	१३०.००	१३०.००	१३०.००
	50*25*50 mm	गोटा	१३४.००	१३४.००	१३४.००

पोलिप्रोपिलिन रेण्डम (PPR) पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट ललितपुर		
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४
	50*32*50 mm	गोटा	१४४.००	१४४.००	१४४.००
	50*40*50 mm	गोटा	१४८.००	१४८.००	१४८.००
	83*20*63 mm	गोटा	१८८.००	१८८.००	१८८.००
	83*25*63 mm	गोटा	२०९.००	२०९.००	२०९.००
	83*32*63 mm	गोटा	२२३.००	२२३.००	२२३.००
	83*40*63 mm	गोटा	२२७.००	२२७.००	२२७.००
	63*50*63 mm	गोटा	२३५.००	२३५.००	२३५.००
	75*50*75 mm	गोटा	५५३.००	५५३.००	५५३.००
	75*83*75 mm	गोटा	५५५.००	५५५.००	५५५.००
	90*83*90 mm	गोटा	९१४.००	९१४.००	९१४.००
	90*75*90 mm	गोटा	१०१०.००	१०१०.००	१०१०.००
	110*75*110 mm	गोटा	१६३६.००	१६३६.००	१६३६.००
	110*90*110 mm	गोटा	१६८४.००	१६८४.००	१६८४.००
	75mm	गोटा	१०३९.००	१०३९.००	१०३९.००
	90mm	गोटा	१७४५.००	१७४५.००	१७४५.००
	110mm	गोटा	२९६८.००	२९६८.००	२९६८.००
११	Reducing Elbow				
	25mm*20mm	गोटा	२२.००	२२.००	२२.००
	32mm*20mm	गोटा	४०.००	४०.००	४०.००
	32mm*25mm	गोटा	५०.००	५०.००	५०.००
	40*20mm	गोटा	१४०.००	१४०.००	१४०.००
	40*25mm	गोटा	१५२.००	१५२.००	१५२.००
	40*32mm	गोटा	१८८.००	१८८.००	१८८.००
	75mm	गोटा	१००७.००	१००७.००	१००७.००
	90mm	गोटा	१३७५.००	१३७५.००	१३७५.००
	110mm	गोटा	२६१३.००	२६१३.००	२६१३.००
	U CLAMP LONG				
	20mm	गोटा	३०.००	३०.००	३०.००
	25mm	गोटा	३४.००	३४.००	३४.००
	32mm	गोटा	४६.००	४६.००	४६.००
	40mm	गोटा	५२.००	५२.००	५२.००
	50mm	गोटा	७०.००	७०.००	७०.००
	63mm	गोटा	७८.००	७८.००	७८.००
	U CLAMP				
	20mm	गोटा	१३.००	१३.००	१३.००
	25mm	गोटा	१६.००	१६.००	१६.००
	32mm	गोटा	३०.००	३०.००	३०.००
	40mm	गोटा	३७.००	३७.००	३७.००
	50mm	गोटा	५९.००	५९.००	५९.००

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट ललितपुर		
			आ.व. ०८१।८२	आ.व. ०८२।८३	आ.व. ०८३।८४
	63mm	गोटा	७६.००	७६.००	७६.००
	PLUG				
	20mm	गोटा	१३.००	१३.००	१३.००
	25mm	गोटा	२१.००	२१.००	२१.००
	32mm	गोटा	२६.००	२६.००	२६.००
	CAPS				
	20mm	गोटा	३१.००	३१.००	३१.००
	25mm	गोटा	४६.००	४६.००	४६.००
	32mm	गोटा	७०.००	७०.००	७०.००
	40mm	गोटा	१११.००	१११.००	१११.००
	50mm	गोटा	१८७.००	१८७.००	१८७.००
	63mm	गोटा	३३८.००	३३८.००	३३८.००
	75mm	गोटा	५१५.००	५१५.००	५१५.००
	90mm	गोटा	५७६.००	५७६.००	५७६.००
	110mm	गोटा	११८२.००	११८२.००	११८२.००
	CROSS OVER				
	20mm	गोटा	१४२.००	१४२.००	१४२.००
	25mm	गोटा	२०३.००	२०३.००	२०३.००
	32mm	गोटा	२९४.००	२९४.००	२९४.००
१२	High Footed Pipe Clip				
	20mm	गोटा	१२.००	१२.००	१२.००
	25mm	गोटा	१४.००	१४.००	१४.००
	32mm	गोटा	२२.००	२२.००	२२.००
	40mm	गोटा	२५.००	२५.००	२५.००
	50mm	गोटा	२७.००	२७.००	२७.००
	63 mm	गोटा	३६.००	३६.००	३६.००
१३	Low Footed Pipe Clip				
	20mm	गोटा	६.००	६.००	६.००
	25mm	गोटा	७.००	७.००	७.००
	32mm	गोटा	१४.००	१४.००	१४.००
	40mm	गोटा	२०.००	२०.००	२०.००
	50mm	गोटा	३१.००	३१.००	३१.००
	63 mm	गोटा	३९.००	३९.००	३९.००
१४	"Y" type Pipe Clip				
	20mm	गोटा	२०.००	२०.००	२०.००
	25mm	गोटा	२३.००	२३.००	२३.००
	32mm	गोटा	२८.००	२८.००	२८.००
	40 mm	गोटा	५५.००	५५.००	५५.००

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४
१५	End Plug (short)				
	20mm	गोटा	६.००	६.००	६.००
	25mm	गोटा	१०.००	१०.००	१०.००
	32mm	गोटा	१३.००	१३.००	१३.००
१६	End Plug with Ring				
	20mm	गोटा	२२.००	२२.००	२२.००
१७	End Plug (long)				
	20mm	गोटा	१०.००	१०.००	१०.००
१८	End Cap				
	20mm	गोटा	१२.००	१२.००	१२.००
	25mm	गोटा	२०.००	२०.००	२०.००
	32mm	गोटा	३०.००	३०.००	३०.००
	40mm	गोटा	४४.००	४४.००	४४.००
	50mm	गोटा	७८.००	७८.००	७८.००
	63 mm	गोटा	१५१.००	१५१.००	१५१.००
	75 mm	गोटा	२४३.००	२४३.००	२४३.००
१९	Cross Tee				
	20mm	गोटा	२६.००	२६.००	२६.००
	25mm	गोटा	३८.००	३८.००	३८.००
	32mm	गोटा	६८.००	६८.००	६८.००
२०	Short Passover				
	20mm	गोटा	७५.००	७५.००	७५.००
	25mm	गोटा	१०९.००	१०९.००	१०९.००
	32mm	गोटा	१६९.००	१६९.००	१६९.००
२१	Long Bypass				
	20mm	गोटा	८६.००	८६.००	८६.००
	25mm	गोटा	१४४.००	१४४.००	१४४.००
	32mm	गोटा	२११.००	२११.००	२११.००
२२	Male Tee				
	20mmx1/2"	गोटा	१४४.००	१४४.००	१४४.००
	20mmx3/4"	गोटा	१४६.००	१४६.००	१४६.००
	25mmx1/2"	गोटा	१५१.००	१५१.००	१५१.००
	25mmx3/4"	गोटा	१८१.००	१८१.००	१८१.००
	32mmx1/2"	गोटा	१५४.००	१५४.००	१५४.००
	32mmx3/4"	गोटा	२२७.००	२२७.००	२२७.००
	32mmx1"	गोटा	३९६.००	३९६.००	३९६.००
	40mm*1/2"	गोटा	६७३.००	६७३.००	६७३.००
	40mm*5/4"	गोटा	६५५.००	६५५.००	६५५.००
	50mm*6/4"	गोटा	१०३८.००	१०३८.००	१०३८.००
	63mm*1"	गोटा	१२३५.००	१२३५.००	१२३५.००

पोलिप्रोपिलिन रेण्डम (PPR) पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट ललितपुर		
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४
	63mm*2"	गोटा	१३४१.००	१३४१.००	१३४१.००
२३	Female Tee				
	20mmx1/2"	गोटा	११६.००	११६.००	११६.००
	20mmx3/4"	गोटा	१३१.००	१३१.००	१३१.००
	25mmx1/2"	गोटा	१५१.००	१५१.००	१५१.००
	25mmx3/4"	गोटा	१७६.००	१७६.००	१७६.००
	32mmx1/2"	गोटा	१७३.००	१७३.००	१७३.००
	32mmx3/4"	गोटा	२०३.००	२०३.००	२०३.००
	32mmx1"	गोटा	३४२.००	३४२.००	३४२.००
	40mm*1/2"	गोटा	५३०.००	५३०.००	५३०.००
	40mm*5/4"	गोटा	५२१.००	५२१.००	५२१.००
	50mm*6/4"	गोटा	७९०.००	७९०.००	७९०.००
	63mm*1"	गोटा	९९२.००	९९२.००	९९२.००
	63mm*2"	गोटा	१०४८.००	१०४८.००	१०४८.००
२४	Male elbow				
	20mmx1/2"	गोटा	१३८.००	१३८.००	१३८.००
	25mmx1/2"	गोटा	१५१.००	१५१.००	१५१.००
	25mmx3/4"	गोटा	१८५.००	१८५.००	१८५.००
	32mmx1/2"	गोटा	३१२.००	३१२.००	३१२.००
	32mmx3/4"	गोटा	२४८.००	२४८.००	२४८.००
	32mmx1"	गोटा	४११.००	४११.००	४११.००
	40mm*5/4"	गोटा	५९२.५०	५९२.५०	५९२.५०
२५	Female elbow				
	20mmx1/2"	गोटा	११३.००	११३.००	११३.००
	25mmx1/2"	गोटा	१८४.००	१८४.००	१८४.००
	25mmx3/4"	गोटा	१५१.००	१५१.००	१५१.००
	32mmx1/2"	गोटा	२०२.००	२०२.००	२०२.००
	32mmx3/4"	गोटा	२३८.००	२३८.००	२३८.००
	32mmx1"	गोटा	३३३.००	३३३.००	३३३.००
	40mm*5/4"	गोटा	६७५.००	६७५.००	६७५.००
	50mm*6/4"	गोटा	७७५.००	७७५.००	७७५.००
	63mm*2"	गोटा	८९२.००	८९२.००	८९२.००
	MALE SOCKET				
	20mm*1/2"	गोटा	१४५.००	१४५.००	१४५.००
	20mm*3/4"	गोटा	१७५.००	१७५.००	१७५.००
	25mm*1/2"	गोटा	१५५.००	१५५.००	१५५.००
	25mm*3/4"	गोटा	१७६.००	१७६.००	१७६.००
	32mm*1/2"	गोटा	१९६.००	१९६.००	१९६.००
	32mm*3/4"	गोटा	२०६.००	२०६.००	२०६.००
	32mm*1"	गोटा	३९२.००	३९२.००	३९२.००

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४
	40mm*5/4"	गोटा	६४९.००	६४९.००	६४९.००
	50mm*6/4"	गोटा	१०४८.००	१०४८.००	१०४८.००
	63mm*2"	गोटा	१३९५.००	१३९५.००	१३९५.००
	75mm	गोटा	३४८०.००	३४८०.००	३४८०.००
	90mm	गोटा	४७६९.००	४७६९.००	४७६९.००
	110mm	गोटा	८९६८.००	८९६८.००	८९६८.००
	FEMALE SOCKET				
	20mm*1/2"	गोटा	११०.००	११०.००	११०.००
	20mm*3/4"	गोटा	१२५.००	१२५.००	१२५.००
	25mm*1/2"	गोटा	१३५.००	१३५.००	१३५.००
	25mm*3/4"	गोटा	१३७.००	१३७.००	१३७.००
	32mm*1/2"	गोटा	१३९.००	१३९.००	१३९.००
	32mm*3/4"	गोटा	१४९.००	१४९.००	१४९.००
	32mm*1"	गोटा	३०६.००	३०६.००	३०६.००
	40mm*5/4"	गोटा	५७०.००	५७०.००	५७०.००
	50mm*6/4"	गोटा	७९१.००	७९१.००	७९१.००
	63mm*2"	गोटा	१०७०.००	१०७०.००	१०७०.००
	75mm	गोटा	३०४२.००	३०४२.००	३०४२.००
	90mm	गोटा	४१८४.००	४१८४.००	४१८४.००
	110mm	गोटा	७९००.००	७९००.००	७९००.००
२६	Male Coupling				
	20mmx1/2"	गोटा	१३४.००	१३४.००	१३४.००
	20mmx3/4"	गोटा	१४२.००	१४२.००	१४२.००
	25mmx1/2"	गोटा	१६३.००	१६३.००	१६३.००
	25mmx3/4"	गोटा	१८७.००	१८७.००	१८७.००
	32mmx1/2"	गोटा	१६९.००	१६९.००	१६९.००
	32mmx3/4"	गोटा	१८९.००	१८९.००	१८९.००
	32mmx1"	गोटा	३६३.००	३६३.००	३६३.००
	40mmx1-1/4"	गोटा	६१४.००	६१४.००	६१४.००
	50mmx1-1/2"	गोटा	९२५.००	९२५.००	९२५.००
	63mmx2"	गोटा	१२२९.००	१२२९.००	१२२९.००
	75mmx2-1/2"	गोटा	३०३७.००	३०३७.००	३०३७.००
२७	Female Coupling				
	20mmx1/2"	गोटा	१०९.००	१०९.००	१०९.००
	20mmx3/4"	गोटा	१२८.००	१२८.००	१२८.००
	25mmx1/2"	गोटा	१४४.००	१४४.००	१४४.००
	25mmx3/4"	गोटा	१४६.००	१४६.००	१४६.००
	32mmx1/2"	गोटा	१२३.००	१२३.००	१२३.००
	32mmx3/4"	गोटा	१३२.००	१३२.००	१३२.००
	32mmx1"	गोटा	३११.००	३११.००	३११.००
	40mmx1-1/4"	गोटा	५३९.००	५३९.००	५३९.००



नेपाल सरकार
महान्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४
	50mmx1-1/2"	गोटा	६९८.००	६९८.००	६९८.००
	63mmx2"	गोटा	९३६.००	९३६.००	९३६.००
	75mmx2-1/2"	गोटा	२७७९.००	२७७९.००	२७७९.००
२८	Male Union				
	20mmx1/2"	गोटा	३०२.००	३०२.००	३०२.००
	25mmx3/4"	गोटा	४३५.००	४३५.००	४३५.००
	32mmx1"	गोटा	६३९.००	६३९.००	६३९.००
	40mmx1 1/4"	गोटा	९९५९.००	९९५९.००	९९५९.००
	50mmx1/2"	गोटा	९५३९.००	९५३९.००	९५३९.००
	63mmx2"	गोटा	३९७०.००	३९७०.००	३९७०.००
२९	Female Union				
	20mmx1/2"	गोटा	२९२.००	२९२.००	२९२.००
	25mmx3/4"	गोटा	३७८.००	३७८.००	३७८.००
	32mmx1"	गोटा	६९९.००	६९९.००	६९९.००
	40mmx1 1/4"	गोटा	८४३.००	८४३.००	८४३.००
	50mmx1/2"	गोटा	९४४९.००	९४४९.००	९४४९.००
	63mmx2"	गोटा	२६३०.००	२६३०.००	२६३०.००
३०	Stop Valve				
	20 mm	गोटा	३४९.००	३४९.००	३४९.००
	25 mm	गोटा	४६०.००	४६०.००	४६०.००
	32 mm	गोटा	५५५.००	५५५.००	५५५.००
	40mm	गोटा	५९५.००	५९५.००	५९५.००
	50 mm	गोटा	९९२.००	९९२.००	९९२.००
	63 mm	गोटा	९४९९.००	९४९९.००	९४९९.००
	75 mm	गोटा	२८४०.००	२८४०.००	२८४०.००
	90 mm	गोटा	३९०९.००	३९०९.००	३९०९.००
	110 mm	गोटा	४२४९.००	४२४९.००	४२४९.००
	MALE SEATED ELBOW				
	20mm*1/2"	गोटा	९५५.००	९५५.००	९५५.००
	25mm*1/2"	गोटा	९७८.००	९७८.००	९७८.००
	25mm*3/4"	गोटा	९९८.००	९९८.००	९९८.००
	FEMALE SEATED ELBOW				
	20mm*1/2"	गोटा	९६८.००	९६८.००	९६८.००
	25mm*1/2"	गोटा	२१०.००	२१०.००	२१०.००
	25mm*3/4"	गोटा	२२०.००	२२०.००	२२०.००
३१	Male base elbow				
	20mm x 1/2"	गोटा	९५६.००	९५६.००	९५६.००
	25mm x 1/2"	गोटा	९९३.००	९९३.००	९९३.००
	25mm x 3/4"	गोटा	९९३.००	९९३.००	९९३.००
३२	Female base elbow				

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.न.क बाहेकको दररेट		
			आ.व. ०८१।८२	आ.व. ०८२।८३	आ.व. ०८३।८४
	20mm x 1/2"	गोटा	१५३.००	१५३.००	१५३.००
	25mm x 1/2"	गोटा	१८८.००	१८८.००	१८८.००
	25mm x 3/4"	गोटा	१८५.००	१८५.००	१८५.००
३३	Metal Ball valve (double)				
	20mmx1/2"	गोटा	६४५.००	६४५.००	६४५.००
	25mmx3/4"	गोटा	९४५.००	९४५.००	९४५.००
	32mmx1"	गोटा	११६७.००	११६७.००	११६७.००
	40mmx1-1/4"	गोटा	३३२३.००	३३२३.००	३३२३.००
	50mmx1-1/2"	गोटा	४५६६.००	४५६६.००	४५६६.००
३४	Metal Ball valve (Single)				
	20mmx1/2"	गोटा	५९५.००	५९५.००	५९५.००
	25mmx3/4"	गोटा	७७५.००	७७५.००	७७५.००
	32mmx1"	गोटा	१३१५.००	१३१५.००	१३१५.००
३५	Conceal Valve (Lux)				
	20mm	गोटा	१११३.००	१११३.००	१११३.००
३६	Conceal Valve (Nor)				
	20mm	गोटा	९३७.००	९३७.००	९३७.००
३७	Ball Valve (Plastic)				
	20mm	गोटा	९४.००	९४.००	९४.००
	25mm	गोटा	१२८.००	१२८.००	१२८.००
	32mm	गोटा	२१९.००	२१९.००	२१९.००
	40mm	गोटा	४७६.००	४७६.००	४७६.००
	50mm	गोटा	६९०.००	६९०.००	६९०.००
	63 mm	गोटा	११६७.००	११६७.००	११६७.००
	75 mm	गोटा	१६३३.००	१६३३.००	१६३३.००
	90 mm	गोटा	३२३७.००	३२३७.००	३२३७.००
	110 mm	गोटा	४४२७.००	४४२७.००	४४२७.००
३८	Ball Valve (Brass)				
	20mm	गोटा	३४२.००	३४२.००	३४२.००
	25mm	गोटा	४२२.००	४२२.००	४२२.००
	32mm	गोटा	५७३.००	५७३.००	५७३.००
	40mm	गोटा	९४८.००	९४८.००	९४८.००
	TANK NIPPLE				
	32mm	गोटा	२६५.००	२६५.००	२६५.००
	40mm	गोटा	३२७.००	३२७.००	३२७.००
	PIPE TANK NIPPLE				
	32mm	गोटा	१४८.००	१४८.००	१४८.००
	BALL VALVE METAL BODY				
	20mm	गोटा	५९२.००	५९२.००	५९२.००
	25mm	गोटा	८०४.००	८०४.००	८०४.००

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाइ	मु.अ.क बाहेकको दररेट		
			आ.व. ०८१।८२	आ.व. ०८२।८३	आ.व. ०८३।८४
	32mm	गोटा	११६६.००	११६६.००	११६६.००
	40mm	गोटा	१५५२.००	१५५२.००	१५५२.००
	50mm	गोटा	१९४१.००	१९४१.००	१९४१.००
	63mm	गोटा	२४८५.००	२४८५.००	२४८५.००
	75mm	गोटा	६७२४.००	६७२४.००	६७२४.००
	90mm	गोटा	१०८८५.००	१०८८५.००	१०८८५.००
	110mm	गोटा	१३०६२.००	१३०६२.००	१३०६२.००
	BALL VALVE FEMALE				
	20mm	गोटा	५९२.००	५९२.००	५९२.००
	25mm	गोटा	८०४.००	८०४.००	८०४.००
	32mm	गोटा	११६६.००	११६६.००	११६६.००
	40mm	गोटा	१५५२.००	१५५२.००	१५५२.००
	50mm	गोटा	१९४१.००	१९४१.००	१९४१.००
	63mm	गोटा	२४८५.००	२४८५.००	२४८५.००
	75mm	गोटा	६७२४.००	६७२४.००	६७२४.००
	90mm	गोटा	१०८८५.००	१०८८५.००	१०८८५.००
	110mm	गोटा	१३०६२.००	१३०६२.००	१३०६२.००
	PLUG NIPPLE				
	20mm	गोटा	११.००	११.००	११.००
	DOUBLE FEMALE ELBOW				
	20mm*1/2"	गोटा	२५६.००	२५६.००	२५६.००
	25mm*1/2"	गोटा	२९४.००	२९४.००	२९४.००

प्रमुख जिल्ला अभियन्ता

यु.पि.भि.सि. पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहिरको दररेट		
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४
A	UPVC Pipes				
१	UPVC Pipe NS 206/046 - 2.5 kg /cm ² Pressure				
	90 mm	र.मी	१६६.००	१६६.००	१७०.००
	110 mm	र.मी	२४७.००	२४७.००	२५४.००
	125 mm	र.मी	३१५.००	३१५.००	३२४.००
	140 mm	र.मी	३८९.००	३८९.००	४००.००
	160 mm	र.मी	५०८.००	५०८.००	५२३.००
	180 mm	र.मी	६५१.००	६५१.००	६७०.००
	200 mm	र.मी	७९६.००	७९६.००	८१९.००
२	UPVC Pipe NS 206/046 - 4 kg /cm ² Pressure				
	63mm	र.मी	१३२.००	१३२.००	१३५.००
	75mm	र.मी	१८१.००	१८१.००	१८६.००
	90 mm	र.मी	२६०.००	२६०.००	२६७.००
	110 mm	र.मी	३५७.००	३५७.००	३६७.००
	125 mm	र.मी	४९२.००	४९२.००	५०६.००
	140 mm	र.मी	६२५.००	६२५.००	६४३.००
	160 mm	र.मी	८०८.००	८०८.००	८३२.००
	180 mm	र.मी	१०४०.००	१०४०.००	१०७१.००
	200 mm	र.मी	१२६२.००	१२६२.००	१२९९.००
३	UPVC Pipe NS 206/046 - 6 kg /cm ² Pressure				
	40mm	र.मी	७७.००	७७.००	७९.००
	50mm	र.मी	११७.००	११७.००	१२०.००
	63mm	र.मी	१८९.००	१८९.००	१९४.००
	75mm	र.मी	२६३.००	२६३.००	२७०.००
	90 mm	र.मी	३७८.००	३७८.००	३८९.००
	110 mm	र.मी	५४८.००	५४८.००	५६४.००
	125 mm	र.मी	७३०.००	७३०.००	७४९.००
	140 mm	र.मी	९०९.००	९०९.००	९३६.००
	160 mm	र.मी	११६४.००	११६४.००	११९८.००
	180 mm	र.मी	१४८५.००	१४८५.००	१५२९.००
	200 mm	र.मी	१८१९.००	१८१९.००	१८७३.००
४	UPVC Pipe NS 206/046 - 10 kg /cm ² Pressure				
	20 mm	र.मी	३०.००	३०.००	३०.००
	25 mm	र.मी	४७.००	४७.००	४८.००
	32mm	र.मी	७७.००	७७.००	७९.००
	40mm	र.मी	११६.००	११६.००	११९.००
	50mm	र.मी	१८३.००	१८३.००	१८८.००
	63mm	र.मी	२९२.००	२९२.००	३००.००
	75mm	र.मी	४१५.००	४१५.००	४२७.००
	90 mm	र.मी	५९३.००	५९३.००	६१०.००
	110 mm	र.मी	८८०.००	८८०.००	९०६.००
	125 mm	र.मी	११२६.००	११२६.००	११५९.००
	140 mm	र.मी	१४२२.००	१४२२.००	१४६४.००

यु.पि.भि.सि. पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहिरको दररेट ललितपुर		
			आ.व. ०८१८२	आ.व. ०८२०३	आ.व. ०८३०४
	160 mm	र.मी	१८३०.००	१८३०.००	१८८४.००
	180 mm	र.मी	२३३२.००	२३३२.००	२४०१.००
	200 mm	र.मी	२८८३.००	२८८३.००	२९६९.००
	UPVC PIPE AS PER IS 13592				
	50mm	र.मी	८८.००	८८.००	९०.००
	75mm	र.मी	१४१.००	१४१.००	१४५.००
	110mm	र.मी	२७८.००	२७८.००	२८६.००
	160mm	र.मी	५८६.००	५८६.००	६०३.००
	200mm	र.मी	९०५.००	९०५.००	९३२.००
	DURADRAIN				
	110mm SN 8	र.मी	४२४.००	४२४.००	४३६.००
	75mm SN 8	र.मी	२१०.००	२१०.००	२१६.००
B	UPVC fittings				
१	Coupler				
	50 mm	गोटा	३६.००	३६.००	३७.००
	75 mm	गोटा	८८.००	८८.००	९०.००
	110 mm	गोटा	१५०.००	१५०.००	१५४.००
२	Bend 87.5 degree				
	50 mm	गोटा	५४.००	५४.००	५५.००
	75 mm	गोटा	१२६.००	१२६.००	१२९.००
	110 mm	गोटा	२३५.००	२३५.००	२४२.००
३	Bend 45 degree				
	50 mm	गोटा	५२.००	५२.००	५३.००
	75 mm	गोटा	१०३.००	१०३.००	१०६.००
	110 mm	गोटा	१८५.००	१८५.००	१९०.००
४	Single Tee				
	50 mm	गोटा	७९.००	७९.००	८१.००
	75 mm	गोटा	१७२.००	१७२.००	१७७.००
	110 mm	गोटा	३२७.००	३२७.००	३३६.००
५	Pipe clip				
	50 mm	गोटा	१६.००	१६.००	१६.००
	75 mm	गोटा	३२.००	३२.००	३२.००
	110 mm	गोटा	४३.००	४३.००	४४.००
६	Bend 87.5 degree with door				
	75 mm	गोटा	१६३.००	१६३.००	१६७.००
	110 mm	गोटा	२८४.००	२८४.००	२९२.००
७	Single Tee with door				
	75 mm	गोटा	२३२.००	२३२.००	२३८.००
	110 mm	गोटा	४३३.००	४३३.००	४४५.००
८	Double Tee				
	75 mm	गोटा	३७८.००	३७८.००	३८९.००
	110 mm	गोटा	५९९.००	५९९.००	६१६.००
९	Double Tee with door				

यु.पि.भि.सि. पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहिरको दररेटललितपुर		
			आ.व.०८१/८२	आ.व.०८२/८३	आ.व. ०८३/८४
	75 mm	गोटा	५०१.००	५०१.००	५१६.००
	110 mm	गोटा	७७८.००	७७८.००	८०१.००
१०	Vent cowl				
	75 mm	गोटा	६२.००	६२.००	६३.००
	110 mm	गोटा	१०२.००	१०२.००	१०५.००
११	Socket plug				
	75 mm	गोटा	७७.००	७७.००	७९.००
	110 mm	गोटा	१२६.००	१२६.००	१२९.००
१२	Single "Y"				
	75 mm	गोटा	१९७.००	१९७.००	२०२.००
	110 mm	गोटा	४२६.००	४२६.००	४३८.००
१३	Single "Y" with door				
	75 mm	गोटा	२७०.००	२७०.००	२७८.००
	110 mm	गोटा	५१४.००	५१४.००	५२९.००
१४	Double "Y"				
	75 mm	गोटा	२९७.००	२९७.००	३०५.००
	110 mm	गोटा	५८६.००	५८६.००	६०३.००
१५	Double "Y" with door				
	75 mm	गोटा	३८२.००	३८२.००	३९३.००
	110 mm	गोटा	६१४.००	६१४.००	६३२.००
१६	Cleaning pipe				
	75 mm	गोटा	१७२.००	१७२.००	१७७.००
	110 mm	गोटा	३३३.००	३३३.००	३४२.००
१७	Reducer				
	110x 75 mm	गोटा	१५३.००	१५३.००	१५७.००
	75x50 mm	गोटा	८१.००	८१.००	८३.००
१८	P-Trap				
	125mmx110mm	गोटा	६३३.००	६३३.००	६५१.००
	110mmx110mm	गोटा	५९३.००	५९३.००	६१०.००
	75mmx75mm	गोटा	२२६.००	२२६.००	२३२.००
१९	Multi-Floor -Trap				
	110mmx75mm	गोटा	३२९.००	३२९.००	३३८.००
२०	Nahani-Trap				
	110mmx75mm	गोटा	२९९.००	२९९.००	३०७.००
२१	W.C. Connector (bent type)	गोटा	३०६.००	३०६.००	३१५.००
२२	Square tile with jali	गोटा	९८.००	९८.००	१००.००
२३	Round jali	गोटा	४४.००	४४.००	४५.००
२४	End cap 50mm	गोटा	२९.००	२९.००	२९.००

पि.भि.सि. पाईप तथा फिटिङहरू



सि.न.	सामग्रीहरूको विवरण	एकाई	मु.व.क बाहिरको दररेट प्रशासन कार्यालय ललितपुर		
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	1/2" dia. (42.19 Kg/cm ²)	र.मि	१२१.००	१२१.००	१२१.००
	3/4" dia. (33.75 Kg/cm ²)	र.मि	१५६.००	१५६.००	१५६.००
	1" dia. (31.84 Kg/cm ²)	र.मि	२४०.००	२४०.००	२४०.००
	1-1/4" dia. (26.01 Kg/cm ²)	र.मि	२९७.००	२९७.००	२९७.००
	1-1/2" dia. (23.20 Kg/cm ²)	र.मि	३६४.००	३६४.००	३६४.००
	2" dia. (19.69 Kg/cm ²)	र.मि	५१७.००	५१७.००	५१७.००
	2-1/2" dia. (21.09 Kg/cm ²)	र.मि	७२२.००	७२२.००	७२२.००
	3" dia. (18.28 Kg/cm ²)	र.मि	९१२.००	९१२.००	९१२.००
	4" dia. (15.47 Kg/cm ²)	र.मि	१३१८.००	१३१८.००	१३१८.००
	6" dia. (12.66 Kg/cm ²)	र.मि	२७४६.००	२७४६.००	२७४६.००
	PVC FITTINGS as per ASTM D 2466				
	PVC Tee - Soc				
	1/2"	गोटा	३४.००	३४.००	३४.००
	3/4"	गोटा	४६.००	४६.००	४६.००
	1"	गोटा	७३.००	७३.००	७३.००
	1-1/4"	गोटा	११६.००	११६.००	११६.००
	1-1/2"	गोटा	१५२.००	१५२.००	१५२.००
	2"	गोटा	२३५.००	२३५.००	२३५.००
	2-1/2"	गोटा	६७४.००	६७४.००	६७४.००
	3"	गोटा	८८६.००	८८६.००	८८६.००
	4"	गोटा	१५७८.००	१५७८.००	१५७८.००
	6"	गोटा	८७५२.००	८७५२.००	८७५२.००
	PVC Reducer Tee - Soc				
	3/4 x 1/2	गोटा	६७.००	६७.००	६७.००
	1 x 1/2	गोटा	१०३.००	१०३.००	१०३.००
	1 x 3/4	गोटा	१०३.००	१०३.००	१०३.००
	1-1/2 x 1/2	गोटा	३५०.००	३५०.००	३५०.००
	1-1/2 x 3/4	गोटा	३५०.००	३५०.००	३५०.००
	1-1/2 x 1	गोटा	३५०.००	३५०.००	३५०.००
	1-1/2 x 1-1/4	गोटा	३५०.००	३५०.००	३५०.००
	2 x 1/2	गोटा	४३२.००	४३२.००	४३२.००
	2 x 3/4	गोटा	४३२.००	४३२.००	४३२.००
	2 x 1	गोटा	४३२.००	४३२.००	४३२.००
	2 x 1-1/4	गोटा	४३२.००	४३२.००	४३२.००
	2 x 1-1/2	गोटा	४३२.००	४३२.००	४३२.००
	2-1/2 x 1/2	गोटा	१०९५.००	१०९५.००	१०९५.००
	2-1/2 x 3/4	गोटा	१०९५.००	१०९५.००	१०९५.००
	2-1/2 x 1	गोटा	१०९५.००	१०९५.००	१०९५.००
	2-1/2 x 1-1/4	गोटा	१०९५.००	१०९५.००	१०९५.००
	2-1/2 x 1-1/2	गोटा	१०९५.००	१०९५.००	१०९५.००

प्रमुख जिल्ला अधिकारी



नेपाल सरकार
रह नन्त्रालय
प्रशासन कार्यालय

पि.भि.सि. पाईप तथा फिटिङहरू

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.अ.क माहिकको दररेट		
			आ.व. ०८१।८२	आ.व. ०८२।८३	ललितपुर आ.व. ०८३।८४
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	2-1/2 X 2	गोटा	१०९५.००	१०९५.००	१०९५.००
	3 X 1/2	गोटा	१५९९.००	१५९९.००	१५९९.००
	3 X 3/4	गोटा	१५९९.००	१५९९.००	१५९९.००
	3 X 1	गोटा	१५९९.००	१५९९.००	१५९९.००
	3 X 1-1/4	गोटा	१५९९.००	१५९९.००	१५९९.००
	3 X 1-1/2	गोटा	१५९९.००	१५९९.००	१५९९.००
	3 X 2	गोटा	१५९९.००	१५९९.००	१५९९.००
	3 X 2-1/2	गोटा	१५९९.००	१५९९.००	१५९९.००
	6 X 1-1/4	गोटा	८४०७.००	८४०७.००	८४०७.००
	6 X 1-1/2	गोटा	८४०७.००	८४०७.००	८४०७.००
	6 X 2	गोटा	८४०७.००	८४०७.००	८४०७.००
	6 X 2-1/2	गोटा	८४०७.००	८४०७.००	८४०७.००
	6 X 3	गोटा	८४०७.००	८४०७.००	८४०७.००
	6 X 4	गोटा	८४०७.००	८४०७.००	८४०७.००
	PVC Brass Tee - Soc x Fipt SCH 80				
	1/2"	गोटा	१७१.००	१७१.००	१७१.००
	3/4"	गोटा	३११.००	३११.००	३११.००
	3/4" X 1/2"	गोटा	२५२.००	२५२.००	२५२.००
	1" X 1/2"	गोटा	४४७.००	४४७.००	४४७.००
	PVC 90° Elbow - Soc				
	1/2"	गोटा	२७.००	२७.००	२७.००
	3/4"	गोटा	३१.००	३१.००	३१.००
	1"	गोटा	५६.००	५६.००	५६.००
	1-1/4"	गोटा	९९.००	९९.००	९९.००
	1-1/2"	गोटा	११६.००	११६.००	११६.००
	2"	गोटा	१७८.००	१७८.००	१७८.००
	2-1/2"	गोटा	५२८.००	५२८.००	५२८.००
	3"	गोटा	६३३.००	६३३.००	६३३.००
	4"	गोटा	१२७६.००	१२७६.००	१२७६.००
	6"	गोटा	५३७७.००	५३७७.००	५३७७.००
	PVC Brass 90° Elbow Soc x Fipt SCH 80		०.००	०.००	०.००
	1/2"	गोटा	१८४.००	१८४.००	१८४.००
	3/4"	गोटा	२५८.००	२५८.००	२५८.००
	3/4" X 1/2"	गोटा	२६६.००	२६६.००	२६६.००
	PVC 45° Elbow - Soc				
	1/2"	गोटा	५८.००	५८.००	५८.००
	3/4"	गोटा	९१.००	९१.००	९१.००
	1"	गोटा	१०८.००	१०८.००	१०८.००
	1-1/4"	गोटा	१५२.००	१५२.००	१५२.००
	1-1/2"	गोटा	१९१.००	१९१.००	१९१.००



पि.भि.सि. पाईप तथा फिटिङहरू

नेपाल सरकार
महामन्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.व.क बाहिरको दररेट		
			आ.व. ०८१।८२	आ.व. ०८२।८३	आ.व. ०८३।८४
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	2"	गोटा	२४९.००	२४९.००	२४९.००
	2-1/2"	गोटा	७३.००	७३.००	७३.००
	3"	गोटा	१०९२.००	१०९२.००	१०९२.००
	4"	गोटा	१९५९.००	१९५९.००	१९५९.००
	6"	गोटा	५३९९.००	५३९९.००	५३९९.००
	PVC Coupling - Soc				
	1/2"	गोटा	१८.००	१८.००	१८.००
	3/4"	गोटा	२७.००	२७.००	२७.००
	1"	गोटा	४३.००	४३.००	४३.००
	1-1/4"	गोटा	५९.००	५९.००	५९.००
	1-1/2"	गोटा	८१.००	८१.००	८१.००
	2"	गोटा	१२४.००	१२४.००	१२४.००
	2-1/2"	गोटा	२६३.००	२६३.००	२६३.००
	3"	गोटा	४११.००	४११.००	४११.००
	4"	गोटा	६४३.००	६४३.००	६४३.००
	6"	गोटा	२५४९.००	२५४९.००	२५४९.००
	PVC Reducer Coupling - Soc				
	3/4 X 1/2	गोटा	४४.००	४४.००	४४.००
	1 X 3/4	गोटा	७७.००	७७.००	७७.००
	1-1/2 X 1-1/4	गोटा	१३९.००	१३९.००	१३९.००
	2 X 1-1/2	गोटा	२२१.००	२२१.००	२२१.००
	4 X 2	गोटा	१४६९.००	१४६९.००	१४६९.००
	4 X 3	गोटा	१४६९.००	१४६९.००	१४६९.००
	6 X 4	गोटा	३०३९.००	३०३९.००	३०३९.००
	PVC Reducer Bushing - (Flush Style)				
	3/4 X 1/2	गोटा	३७.००	३७.००	३७.००
	1 X 1/2	गोटा	५३.००	५३.००	५३.००
	1 X 3/4	गोटा	५३.००	५३.००	५३.००
	1-1/4 X 1/2	गोटा	९१.००	९१.००	९१.००
	1-1/4 X 3/4	गोटा	९१.००	९१.००	९१.००
	1-1/4 X 1	गोटा	९१.००	९१.००	९१.००
	1-1/2 X 1/2	गोटा	९५.००	९५.००	९५.००
	1-1/2 X 3/4	गोटा	९५.००	९५.००	९५.००
	1-1/2 X 1	गोटा	९५.००	९५.००	९५.००
	1-1/2 X 1-1/4	गोटा	९५.००	९५.००	९५.००
	2 X 1/2	गोटा	१७५.००	१७५.००	१७५.००
	2 X 3/4	गोटा	१७५.००	१७५.००	१७५.००
	2 X 1	गोटा	१७५.००	१७५.००	१७५.००
	2 X 1-1/4	गोटा	१७५.००	१७५.००	१७५.००



नेपाल सरकार
महान्त्रालय
जल विभाग
प्रशासन
ललितपुर

पि.भि.सि. पाईप तथा फिटिङहरू

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहिकको दररेट		
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	2 X 1-1/2	गोटा	१७५.००	१७५.००	१७५.००
	2-1/2 X 1-1/4	गोटा	२४७.००	२४७.००	२४७.००
	2-1/2 X 1-1/2	गोटा	२४७.००	२४७.००	२४७.००
	2-1/2 X 2	गोटा	२४७.००	२४७.००	२४७.००
	3 X 1-1/2	गोटा	३६६.००	३६६.००	३६६.००
	3 X 2	गोटा	३६६.००	३६६.००	३६६.००
	3 X 2-1/2	गोटा	३६६.००	३६६.००	३६६.००
	4 X 2	गोटा	७२०.००	७२०.००	७२०.००
	4 X 3	गोटा	७२०.००	७२०.००	७२०.००
	6 X 2	गोटा	२३८४.००	२३८४.००	२३८४.००
	6 X 3	गोटा	२३८४.००	२३८४.००	२३८४.००
	6 X 4	गोटा	२३८४.००	२३८४.००	२३८४.००
	PVC Cap - Soc				
	1/2"	गोटा	२५.००	२५.००	२५.००
	3/4"	गोटा	३१.००	३१.००	३१.००
	1"	गोटा	४४.००	४४.००	४४.००
	1-1/4"	गोटा	६३.००	६३.००	६३.००
	1-1/2"	गोटा	७०.००	७०.००	७०.००
	2"	गोटा	८४.००	८४.००	८४.००
	2-1/2"	गोटा	२७०.००	२७०.००	२७०.००
	3"	गोटा	२९६.००	२९६.००	२९६.००
	4"	गोटा	६७४.००	६७४.००	६७४.००
	6"	गोटा	२६२२.००	२६२२.००	२६२२.००
	PVC Union - Soc With EPDM O-Ring Seal				
	1/2"	गोटा	२७०.००	२७०.००	२७०.००
	3/4"	गोटा	३१०.००	३१०.००	३१०.००
	1"	गोटा	३१७.००	३१७.००	३१७.००
	1-1/4"	गोटा	१०२३.००	१०२३.००	१०२३.००
	1-1/2"	गोटा	१०५१.००	१०५१.००	१०५१.००
	2"	गोटा	१४१७.००	१४१७.००	१४१७.००
	2-1/2"	गोटा	१९८३.००	१९८३.००	१९८३.००
	3"	गोटा	३१६८.००	३१६८.००	३१६८.००
	4"	गोटा	४३८६.००	४३८६.००	४३८६.००
	PVC Male Adaptor - Soc x MBSP				
	1/2"	गोटा	४९.००	४९.००	४९.००
	3/4"	गोटा	५७.००	५७.००	५७.००
	1"	गोटा	७५.००	७५.००	७५.००
	1-1/4"	गोटा	९२.००	९२.००	९२.००
	1-1/2"	गोटा	१२९.००	१२९.००	१२९.००
	2"	गोटा	१६६.००	१६६.००	१६६.००

पि.भि.सि. पाईप तथा फिटिङहरू

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.अ.क माहिकको दररेट प्रशासन कार्यालय ललितपुर		
			आ.व. ०८१।८२	आ.व. ०८२।८३	आ.व. ०८३।८४
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	2-1/2"	गोटा	५८१.००	५८१.००	५८१.००
	3"	गोटा	६९०.००	६९०.००	६९०.००
	4"	गोटा	१०७६.००	१०७६.००	१०७६.००
	6"	गोटा	२४७६.००	२४७६.००	२४७६.००
	PVC Brass Male Adapter - Soc x Mipt SCH 80				
	1/2"	गोटा	२७९.००	२७९.००	२७९.००
	3/4"	गोटा	३७३.००	३७३.००	३७३.००
	1"	गोटा	५६१.००	५६१.००	५६१.००
	PVC Female Adaptor - Soc x FBSP				
	1/2"	गोटा	६२.००	६२.००	६२.००
	3/4"	गोटा	६५.००	६५.००	६५.००
	1"	गोटा	६८.००	६८.००	६८.००
	1-1/4"	गोटा	१७८.००	१७८.००	१७८.००
	1-1/2"	गोटा	२६१.००	२६१.००	२६१.००
	2"	गोटा	२५३.००	२५३.००	२५३.००
	PVC Brass Female Adapter - Soc x Flpt SCH 80				
	1/2"	गोटा	२३४.००	२३४.००	२३४.००
	3/4"	गोटा	३३१.००	३३१.००	३३१.००
	1"	गोटा	४२५.००	४२५.००	४२५.००
	PVC Ball Valve - Soc				
	1/2"	गोटा	९२५.००	९२५.००	९२५.००
	3/4"	गोटा	११००.००	११००.००	११००.००
	1"	गोटा	१५३९.००	१५३९.००	१५३९.००
	1-1/4"	गोटा	२०८४.००	२०८४.००	२०८४.००
	1-1/2"	गोटा	३१७८.००	३१७८.००	३१७८.००
	2"	गोटा	४०१९.००	४०१९.००	४०१९.००
	2-1/2"	गोटा	६६३९.००	६६३९.००	६६३९.००
	3"	गोटा	१०४१८.००	१०४१८.००	१०४१८.००
	4"	गोटा	१७२१८.००	१७२१८.००	१७२१८.००
	6"	गोटा	३७३९९.००	३७३९९.००	३७३९९.००
	PVC Adhesive Solution (Med. Bonded 705)				
	118ML	गोटा	३२१.००	३२१.००	३२१.००
	237ML	गोटा	४६०.००	४६०.००	४६०.००
	473ML	गोटा	८३४.००	८३४.००	८३४.००
	946ML	गोटा	१३७३.००	१३७३.००	१३७३.००
	PVC Adhesive Solution (Heavy Bonded 717)				
	118ML	गोटा	५१६.००	५१६.००	५१६.००
	237ML	गोटा	६८१.००	६८१.००	६८१.००
	473ML	गोटा	११९४.००	११९४.००	११९४.००
	946ML	गोटा	२०६७.००	२०६७.००	२०६७.००



नेपाल सरकार
शह मन्त्रालय
जिल्ला प्रशासन कार्यालय
सल्लिपुर

पि.भि.सि.ओ. पाईप तथा फिटिङहरू

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.व.क नाहेको दररेट		
			आ.व.०८१।८२	आ.व.०८२।८३	आ.व.०८३।८४
1	Class 500 PVC-O pipes-PN 12.5				
	90 mm	र.मि	७३०.००	५८३.००	६२३.००
	110 mm	र.मि	१०५०.००	८६५.००	८९९.००
	125 mm	र.मि	१४५०.००	१२५०.००	१२५०.००
	140 mm	र.मि	१७५०.००	१६६२.००	१६६२.००
	160 mm	र.मि	२२००.००	२०९०.००	२०९०.००
	180 mm	र.मि			२७०७.००
	200 mm	र.मि	३५००.००	३३२५.००	३३२५.००
	225 mm	र.मि	४४००.००	४१८०.००	४१८०.००
	250 mm	र.मि	५२००.००	४९४०.००	४९४०.००
	280 mm	र.मि			६६५०.००
	315 mm	र.मि	८५००.००	८०७५.००	८०७५.००
	355 mm	र.मि	१०८००.००	१०२६०.००	१०२६०.००
	400 mm	र.मि	१३७७८.००	१३०८९.००	१३०८९.००
	450 mm	र.मि	१९०००.००	१९०००.००	१९०००.००
	500 mm	र.मि	२२७००.००	२२७००.००	२२७००.००
	630 mm	र.मि	३६०००.००	३६०००.००	३६०००.००
	800 mm	र.मि	५८०००.००	५८०००.००	५८०००.००
	1000 mm	र.मि	११००००.००	११००००.००	११००००.००
	1200 mm	र.मि	१५००००.००	१५००००.००	१५००००.००
2	Class 500 PVC-O pipes-PN 16				
	90 mm	र.मि	८५४.४०	७३८.००	७७०.००
	110 mm	र.मि	१२६०.००	११९७.००	११९७.००
	125 mm	र.मि	१५५०.००	१४७२.००	१४७२.००
	140 mm	र.मि	१९५०.००	१८५२.००	१८५२.००
	160 mm	र.मि	२६००.००	२४७०.००	२४७०.००
	180 mm	र.मि	२९००.००	२८५०.००	२८५०.००
	200 mm	र.मि	४०००.००	३८००.००	३८००.००
	225 mm	र.मि	४९५०.००	४८०५.००	४८०५.००
	250 mm	र.मि	६३००.००	५९८५.००	५९८५.००
	280 mm	र.मि			७५००.००
	315 mm	र.मि	९६००.००	८८००.००	८८००.००
	355 mm	र.मि	१२७००.००	१२०६५.००	१२०६५.००
	400 mm	र.मि	१५१४७.००	१३०८९.००	१३०८९.००
	450 mm	र.मि	२०१३९.००	२०१३९.००	२०१३९.००
	500 mm	र.मि	२४५९९.००	२४५९९.००	२४५९९.००
	630 mm	र.मि	३८४९२.००	३८४९२.००	३८४९२.००
	800 mm	र.मि	५९३८२.००	५९३८२.००	५९३८२.००
	1000 mm	र.मि	९६०००.००	९६०००.००	९६०००.००
	1200 mm	र.मि	१४००००.००	१४००००.००	१४००००.००
3	Class 500 PVC-O pipes-PN 25				
	90 mm	र.मि	१७००.००	१७००.००	१७००.००
	110 mm	र.मि	२५००.००	२५००.००	२५००.००
	125 mm	र.मि	२७००.००	२७००.००	२७००.००

प्रमुख जिल्ला अधिकारी



नेपाल सरकार
सुदूर पश्चिम प्रदेश
ललितपुर जिल्ला


पि.भि.सि.ओ. पाईप तथा फिटिङहरू

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०८१।८२	आ.व.०८२।८३	आ.व.०८३।८४
	140 mm	र.मि	३१००.००	३१००.००	३१००.००
	160 mm	र.मि	३८००.००	३८००.००	३८००.००
	200 mm	र.मि	५३९७.००	५३९७.००	५३९७.००
	225 mm	र.मि	६५६६.००	६५६६.००	६५६६.००
	250 mm	र.मि	७६८८.००	७६८८.००	७६८८.००
	315 mm	र.मि	१०८९५.०४	१०८९५.०४	१०८९५.०४
	355 mm	र.मि	१४०४०.००	१४०४०.००	१४०४०.००
	400 mm	र.मि	१९४२०.१३	१९४२०.१३	१९४२०.१३
	450 mm	र.मि	२५७०५.५०	२५७०५.५०	२५७०५.५०
	500 mm	र.मि	३१२५५.६८	३१२५५.६८	३१२५५.६८
	630 mm	र.मि	४८१७९.१४	४८१७९.१४	४८१७९.१४
	PVC-O Fittings				
	Elbow 11.25° (PN 16)				
	110	गोटा	६९६९.००	५९४९.००	५९४९.००
	160	गोटा	१४९९६.८४	१०५६८.००	१०५६८.००
	200	गोटा	२७५४५.२८	१६३६५.००	१६३६५.००
	250	गोटा	४९९४३.१६	२५०५३.००	२५०५३.००
	315	गोटा	७९६२४.००	५०४९६.००	५०४९६.००
	400	गोटा	१४७८५.००	८४२००.००	८४२००.००
	Elbow 22.5° (PN 16)				
	110	गोटा	७२४८.००	५७३४.००	५७३४.००
	160	गोटा	१५८३०.३५	१००८९.००	१००८९.००
	200	गोटा	२८६४७.०९	१६३६५.००	१६३६५.००
	250	गोटा	४३६२०.८९	२५०५३.००	२५०५३.००
	315	गोटा	८२८०९.००	५०४९६.००	५०४९६.००
	400	गोटा	१५३०७३.००	८४२००.००	८४२००.००
	Elbow 45° (PN 16)				
	110	गोटा	८०१८.००	६२८६.००	६२८६.००
	160	गोटा	१७३८१.९८	१२८९४.००	१२८९४.००
	200	गोटा	३१५०३.७३	१७९९७.००	१७९९७.००
	250	गोटा	५९६७०.६०	३०६४९.००	३०६४९.००
	315	गोटा	९०७९९.००	५५२८२.००	५५२८२.००
	400	गोटा	१७४९८४.००	९५८९६.००	९५८९६.००
	Elbow 90° (PN 16)				
	110	गोटा	११२७८.५६	७२२७.००	७२२७.००
	160	गोटा	२२५९७.४८	१४७००.००	१४७००.००
	200	गोटा	४०६३८.६९	२३२९३.००	२३२९३.००
	250	गोटा	६७०३८.००	४०१४२.००	४०१४२.००
	315	गोटा	१०३४०३.००	७१४२.००	७१४२.००
	400	गोटा	२०७२८१.००	११४०२९.००	११४०२९.००
	COUPLER (PN 16)				
	110	गोटा	६९५४.००	५९७९.००	५९७९.००
	160	गोटा	१२२८३.०९	८९१३.००	८९१३.००
	200	गोटा	१७७५४.२०	१२८९१.००	१२८९१.००

प्रमुख जिल्ला अधिकारी

पि.भि.सि.ओ. पाईप तथा फिटिङहरू

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.ब.क बाहेकको दररेट		
			आ.व.०८१।८२	आ.व.०८२।८३	आ.व.०८३।८४
	250	गोटा	३३२३०.२७	२१७१.००	२१७१.००
	315	गोटा	६२३८३.००	३९७८७.००	३९७८७.००
	400	गोटा	१३६९२७.००	६८१२७.००	६८१२७.००
	SLIDING COUPLER (PN 16)				
	110	गोटा	६९५४.००	५१७१.००	५१७१.००
	160	गोटा	१२२८३.०९	८९१३.००	८९१३.००
	200	गोटा	१७७५४.२०	१२८९१.००	१२८९१.००
	250	गोटा	३३२३०.२७	२१७१.००	२१७१.००
	315	गोटा	६२३८३.००	३९७८७.००	३९७८७.००
	400	गोटा	१३६९२७.००	६८१२७.००	६८१२७.००
	REDUCING COUPLER (PN 16)				
	110 to 90	गोटा	८६८८.००	५४९९.००	५४९९.००
	125 to 110	गोटा			८२५१.००
	140 to 110	गोटा			९१२६.००
	160 to 110	गोटा	१४१२६.२३	९१९७.००	९१९७.००
	160 to 140	गोटा			९५९०.००
	200 to 160	गोटा	१४१६६.५८	१३९५८.००	१३९५८.००
	225 to 160	गोटा			२०३२९.००
	225 to 200	गोटा			२२०००.००
	250 to 200	गोटा	२४४३६.१३	२०२११.००	२०२११.००
	315 to 250	गोटा	५४०५६.००	३५६२५.००	३५६२५.००
	400 to 315	गोटा	१११११८.००	६१९४१.००	६१९४१.००

प्रमुख जिल्ला अधिकारी





नेपाल सरकार
मुख्य मन्त्रालय
प्रशासन कार्य
सुनितपुर

CP Accessories

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४
	Chrome plated Accessories				
१	C.P. Toilet Paper Holder	गोटा	९२९.००	९२९.००	९२९.००
२	C.P. Soap Dish(Polyurethane)	गोटा	१०४२.००	१०४२.००	१०४२.००
३	Towel rod ½"×18" size	गोटा	५१०.००	५१०.००	५१०.००
४	C.P. Towel Rod 18"	गोटा	१५७८.००	१५७८.००	१५७८.००
५	C.P. Towel Rod 24"	गोटा	१६६३.००	१६६३.००	१६६३.००
६	C.P. Glass Shelf 22"	गोटा	२२६०.००	२२६०.००	२२६०.००
७	Glass shelf	गोटा	६८०.००	६८०.००	६८०.००
८	C.P. bottle trap	गोटा	१२४६.००	१२४६.००	१२४६.००
९	32 mm×60cm long C.P flush pipe	गोटा	५१०.००	५१०.००	५१०.००
१०	15 mm flush cock push type	गोटा	११३३.००	११३३.००	११३३.००
११	15 mm dia. C.P. shower arm	गोटा	९७६.००	९७६.००	९७६.००
१२	15 mm dia. C.P. spreader	गोटा	९४०.००	९४०.००	९४०.००
१३	15 mm dia. C.P. wall mixture	गोटा	५४३५.००	५४३५.००	५४३५.००
१४	3" dia. Shower rose , revolving type	गोटा	९०६.००	९०६.००	९०६.००
१५	4" dia. Shower rose , revolving type	गोटा	१०२०.००	१०२०.००	१०२०.००
१६	Shower rose ordinary	गोटा	५६७.००	५६७.००	५६७.००
१७	Shower rod 12" long	गोटा	२८३.००	२८३.००	२८३.००
१८	C.P. 15 mm dia. Angle Valve	गोटा	१२४४.००	१२४४.००	१२४४.००
१९	C.P. 15 mm dia Concealed Stop Cock	गोटा	१८०७.००	१८०७.००	१८०७.००
२०	C.P. 15mm Bib Cock	गोटा	१३६१.००	१३६१.००	१३६१.००
२१	C.P. 15 mm dia swan neck Pillar Cock	गोटा	१३३१.००	१३३१.००	१३३१.००
२२	C.P. 15 mm dia Stop Cock	गोटा	१३३१.००	१३३१.००	१३३१.००
२३	C.P. 15 mm dia Sink Cock	गोटा	१३०९.००	१३०९.००	१३०९.००
२४	C.P. 15 mm dia Sink Mixture	गोटा	४४७२.००	४४७२.००	४४७२.००
२५	C.P. 32 mm dia Flush Valve	गोटा	५४०४.००	५४०४.००	५४०४.००
२६	C.P. 32 mm dia Waste Coupling for basin	गोटा	४२४.००	४२४.००	४२४.००
२७	C.P. 32 mm dia Waste Coupling for Urinal	गोटा	६८९.००	६८९.००	६८९.००
२८	C.P. Basin Mixture	सेट	४६४०.००	४६४०.००	४६४०.००
२९	15 mm dia Bath Tub Spout with Wall Hinge	सेट	१७३१.००	१७३१.००	१७३१.००
३०	C.P. Exclusive Shower Arm with Hinge	सेट	२०१४.००	२०१४.००	२०१४.००
३१	15 mm bath tub with bottom attachment of telephonic shower	सेट	४१६९.००	४१६९.००	४१६९.००
३२	15 mm wall mixture lever type telephonic shower of flexible type heavy.	सेट	६८४९.००	६८४९.००	६८४९.००
३३	C.P. flexible pipe	गोटा	१८१.००	१८१.००	१८१.००
३४	C.P. Grating - 4" dia.	गोटा	५०.००	५०.००	५०.००
३५	C.P. Grating -5" dia.	गोटा	६२.००	६२.००	६२.००
३६	Self Cleaning Rainfall Showers 8"	गोटा	३९९०.००	३९९०.००	३९९०.००
३७	C.P. Angle Cock				
	15mm C.P. Angle Cock	गोटा	९२७.००	९२७.००	९२७.००
	15 mm C.P. Angle Cock Long Thread	गोटा	९८६.००	९८६.००	९८६.००
३८	C.P. Conceal Stop Cock				
	15 mm Reduced body	गोटा	११३६.००	११३६.००	११३६.००
	15 mm Extra Heavy Body	गोटा	१३९०.००	१३९०.००	१३९०.००
	15mm C.P. Auto Closing Bib Cock With Aerator	गोटा	२६१२.००	२६१२.००	२६१२.००
	15mm C.P. Bib Cock	गोटा	९५२.००	९५२.००	९५२.००
	15mm C.P. Bib Cock with nozzle	गोटा	१०५४.००	१०५४.००	१०५४.००
	15 mm C.P. Pillar Cock With Aerator	गोटा	१२६३.००	१२६३.००	१२६३.००
	15mm Auto Closing Pillar Cock With Aerator	गोटा	२५२७.००	२५२७.००	२५२७.००

CP Accessories

सि.न	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. नाहेकको दररेट		
			आ.व. ०८१।८२	आ.व. ०८२।८३	०८३।८४
	15mm C.P. Sink Cock	गोटा	१६००.००	१६००.००	१६००.००
	C.P. Sink Mixer	गोटा	३९६६.००	३९६६.००	३९६६.००
	15 mm C.P. Sink Mixer With Revolving Spout	गोटा	३४५६.००	३४५६.००	३४५६.००
	C.P. Bottle Trap 32mm	गोटा	१८५२.००	१८५२.००	१८५२.००
	32 mm C.P. Conceal Flush Valve Dual Flow	गोटा	३८७४.००	३८७४.००	३८७४.००
	32 mm C.P. Waste Coupling H/T	गोटा	४४६.००	४४६.००	४४६.००
	32 mm C.P. Waste Coupling F/T	गोटा	४४६.००	४४६.००	४४६.००
	15 mm Urinal Auto-Closing Valve with Built-In Control Cock	गोटा	२६९४.००	२६९४.००	२६९४.००
	15 mm C.P. Wall Mixer With Lower Bend Pipe	गोटा	४४६३.००	४४६३.००	४४६३.००
	15 mm C.P. Wall Mixer With Upper Bend Pipe	गोटा	४४६३.००	४४६३.००	४४६३.००
३९	C.P. Basin Mixer				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	गोटा	३७०६.००	३७०६.००	३७०६.००
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	गोटा	३८९९.००	३८९९.००	३८९९.००
	15mm Bath Tub Spout with wall Flange	गोटा	१२६३.००	१२६३.००	१२६३.००
	15mm Bath Tub Spout with button attachment	गोटा	२०२९.००	२०२९.००	२०२९.००
	15 mm CP Casted Shower Arm Light	गोटा	६७३.००	६७३.००	६७३.००
	15 mm CP Casted Shower Arm Heavy	गोटा	१०९४.००	१०९४.००	१०९४.००
	15 mm Telephonic Hand Shower With 1.50 m. PVC Tube	गोटा	१७९९.००	१७९९.००	१७९९.००
	15 mm Telephonic Hand Shower With 1.5 Flexible Tube	गोटा	२७७९.००	२७७९.००	२७७९.००
	18"x24" drain and 24"x18"x12" sink without frame and legs	गोटा	३२२४.००	३२२४.००	३२२४.००
	18"x24" drain and 24"x18"x12" sink with s.s. frame and legs				
४०	Deep Scrub Sink	गोटा	४८३४.००	४८३४.००	४८३४.००
	28"x28"x24" deep+ 6" splash with	गोटा	२९८.००	२९८.००	२९८.००
	15 mm Health Faucet (Commode Spray)	गोटा	११४६.००	११४६.००	११४६.००
	15 mm pillar cock with 200 mm extended lever handle	गोटा	१५१५.००	१५१५.००	१५१५.००
	15 mm Bib cock with 200 mm extended lever handle	गोटा	१५९८.००	१५९८.००	१५९८.००
	Single lever surgical purpose elbow action basin mixer with extended operating lever	गोटा	५९५६.००	५९५६.००	५९५६.००
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	गोटा	५७७६.००	५७७६.००	५७७६.००
	Sensor mixer for wash basin (Battery operated)	गोटा	२०४८९.००	२०४८९.००	२०४८९.००
	Wall mounted Sensor mixer for operation theater (Battery operated)	गोटा	२०४८९.००	२०४८९.००	२०४८९.००
	Sensor conceal type flushing valve for Western commode (battery operated)	गोटा	१६२२९.००	१६२२९.००	१६२२९.००
	Sensor valve for Urinal	गोटा	१०६५९.००	१०६५९.००	१०६५९.००
	Basin cock Sensor	गोटा	१४४९८.००	१४४९८.००	१४४९८.००
	15mm U shaped sink cock	गोटा	१७१२.००	१७१२.००	१७१२.००
	Sink Mixture with U shape swinging spout	गोटा	३३५८.००	३३५८.००	३३५८.००
	15mm metallic Health Faucet (Commode Spray)	गोटा	२९७९.००	२९७९.००	२९७९.००
४१	European Pattern C.P. Grab Bar for disable				
	a) 30cm long bend type	गोटा	५३६०.००	५३६०.००	५३६०.००
	b) 45 cm long bend type	गोटा	५६९३.००	५६९३.००	५६९३.००
	c) 60 cm long bend type	गोटा	७१८८.००	७१८८.००	७१८८.००

प्रमुख जिल्ला अधिकारी

सि.पि.भि.सि. पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क नगरेको ललितपुर		
			आ.व. ०८१८२	आ.व. ०८२८३	आ.व. ०८३८४
	CPVC Pipe SDR 13.5 (22.5 Kg/cm²)-ASTM F-493 2846				
	1/2" dia	र.मि	१२२.००	१२२.००	१२५.००
	3/4" dia	र.मि	१७०.००	१७०.००	१७५.००
	1" dia	र.मि	२२३.००	२२३.००	२२९.००
	1-1/4" dia	र.मि	२७८.००	२७८.००	२८६.००
	1-1/2" dia	र.मि	३९०.००	३९०.००	४०१.००
	2" dia	र.मि	५९६.००	५९६.००	६१३.००
	CPVC Pipe SDR 11 (28.1 Kg/cm²)-ASTM F-493 2846				
	1/2" dia	र.मि	१३९.००	१३९.००	१४३.००
	3/4" dia	र.मि	१८९.००	१८९.००	१९४.००
	1" dia	र.मि	२६४.००	२६४.००	२७१.००
	1-1/4" dia	र.मि	३९९.००	३९९.००	४२८.००
	1-1/2" dia	र.मि	४४५.००	४४५.००	४५८.००
	2" dia	र.मि	७२१.००	७२१.००	७४२.००
	CPVC Ball Valve (CTS Sockets)				
	1/2"	र.मि	२३५.००	२३५.००	२३५.००
	3/4"	र.मि	३६३.००	३६३.००	३६३.००
	1"	र.मि	५९७.००	५९७.००	५९७.००
	1-1/4"	र.मि	१०५९.००	१०५९.००	१०५९.००
	1-1/2"	र.मि	१७२५.००	१७२५.००	१७२५.००
	2"	र.मि	२२२२.००	२२२२.००	२२२२.००
	CPVC Reducer Brass Coupling				
	3/4" X 1/2"	गोटा	१४७.००	१४७.००	१४७.००
	1" X 1/2"	गोटा	१९२.००	१९२.००	१९२.००
	CPVC Tee				
	1/2"	गोटा	३८.००	३८.००	३८.००
	3/4"	गोटा	८२.००	८२.००	८२.००
	1"	गोटा	१२४.००	१२४.००	१२४.००
	1-1/4"	गोटा	२३४.००	२३४.००	२३४.००
	1-1/2"	गोटा	३४१.००	३४१.००	३४१.००
	2"	गोटा	७३२.००	७३२.००	७३२.००
	CPVC Reducer Tee				
	1/2" x 1/2" x 3/4"	गोटा	७४.००	७४.००	७४.००
	3/4" x 3/4" x 1/2"	गोटा	११४.००	११४.००	११४.००
	3/4" x 1/2" x 3/4"	गोटा	१४२.००	१४२.००	१४२.००
	3/4" x 1/2" x 1/2"	गोटा	१६३.००	१६३.००	१६३.००
	1" x 1" x 3/4"	गोटा	१७१.००	१७१.००	१७१.००
	1-1/2" x 1-1/2" x 1"	गोटा	२६७.००	२६७.००	२६७.००
	2" x 2" x 1"	गोटा	४६४.००	४६४.००	४६४.००
	1-1/4" x 1-1/4" x 1/2"	गोटा	१५१.००	१५१.००	१५१.००

सि.पि.भि.सि. पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०८१।८२	आ.व. ०८२।८३	आ.व. ०८३।८४
	1-1/4" x 1-1/4" x 1"	गोटा	१६३.००	१६३.००	१६३.००
	2" x 2" x 1/2"	गोटा	४५६.००	४५६.००	४५६.००
	1" x 1" x 1/2"	गोटा	१०६.००	१०६.००	१०६.००
	CPVC Brass FPT Tee				
	1/2" x 1/2" x 1/2"	गोटा	१२७.००	१२७.००	१३०.००
	3/4" x 3/4" x 1/2"	गोटा	१३३.००	१३३.००	१३६.००
	1" x 1" x 1/2"	गोटा	१४८.००	१४८.००	१५२.००
	1-1/4" x 1-1/4" x 1-1/4"	गोटा	५३४.००	५३४.००	५५०.००
	1-1/4" x 1-1/4" x 1/2"	गोटा	२९०.००	२९०.००	२९८.००
	CPVC Elbow 90°				
	1/2"	गोटा	१८.००	१८.००	१८.००
	3/4"	गोटा	३३.००	३३.००	३३.००
	1"	गोटा	६१.००	६१.००	६२.००
	1-1/4"	गोटा	१२४.००	१२४.००	१२७.००
	1-1/2"	गोटा	१८०.००	१८०.००	१८५.००
	2"	गोटा	३९६.००	३९६.००	४०७.००
	CPVC Reducer Elbow 90°				
	3/4" X 1/2"	गोटा	५६.००	५६.००	५६.००
	CPVC Brass FPT Elbow 90°				
	1/2" x 1/2"	गोटा	२३९.००	२३९.००	२३९.००
	3/4" x 1/2"	गोटा			
	3/4" x 3/4"	गोटा	२८७.००	२८७.००	२८७.००
	1" X 1/2"	गोटा	४२४.००	४२४.००	४२४.००
	1" X 1"	गोटा	५०२.००	५०२.००	५०२.००
	1-1/4" x 1-1/4"	गोटा	९९९.००	९९९.००	९९९.००
	CPVC Elbow 45°				
	1/2"	गोटा	३१.००	३१.००	३१.००
	3/4"	गोटा	५७.००	५७.००	५७.००
	1"	गोटा	८२.००	८२.००	८२.००
	1-1/4"	गोटा	१४५.००	१४५.००	१४५.००
	1-1/2"	गोटा	२१०.००	२१०.००	२१०.००
	2"	गोटा	४५५.००	४५५.००	४५५.००
	CPVC Male Adapter (CPVC Threads)				
	1/2"	गोटा	२३.००	२३.००	२३.००
	3/4"	गोटा	४१.००	४१.००	४१.००
	1"	गोटा	६२.००	६२.००	६२.००
	1-1/4"	गोटा	११३.००	११३.००	११३.००
	1-1/2"	गोटा	१५८.००	१५८.००	१५८.००
	2"	गोटा	३०९.००	३०९.००	३०९.००
	CPVC Reducing Male Adapter (CPVC Threads)				
	3/4" x 1/2"	गोटा	४३.००	४३.००	४३.००

सि.पि.भि.सि. पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व. ०८१।८२	आ.व. ०८२।८३	आ.व. ०८३।८४
	CPVC Male Adapters (Brass Threads)				
	1/2" गोटा		२१९.००	२१९.००	२१९.००
	3/4" गोटा		२८४.००	२८४.००	२८४.००
	1" गोटा		४४८.००	४४८.००	४४८.००
	1-1/4" गोटा		९८७.००	९८७.००	९८७.००
	1-1/2" गोटा		११५१.००	११५१.००	११५१.००
	2" गोटा		२३७१.००	२३७१.००	२३७१.००
	CPVC Reducing Male Adapter (Brass Threads)				
	3/4" x 1/2" गोटा		२४४.००	२४४.००	२४४.००
	CPVC Female Adapter (CPVC Threads)				
	1/2" गोटा		३३.००	३३.००	३३.००
	3/4" गोटा		४४.००	४४.००	४४.००
	1" गोटा		८२.००	८२.००	८२.००
	CPVC Female Adapters Brass Threads				
	1/2" गोटा		२११.००	२११.००	२११.००
	3/4" गोटा		२८६.००	२८६.००	२८६.००
	1" गोटा		३७२.००	३७२.००	३७२.००
	1-1/4" गोटा		९७७.००	९७७.००	९७७.००
	1-1/2" गोटा		१०७१.००	१०७१.००	१०७१.००
	2" गोटा		२०९३.००	२०९३.००	२०९३.००
	CPVC Caps				
	1/2" गोटा		१३.००	१३.००	१३.००
	3/4" गोटा		२६.००	२६.००	२६.००
	1" गोटा		३९.००	३९.००	३९.००
	1-1/4" गोटा		७६.००	७६.००	७६.००
	1-1/2" गोटा		११३.००	११३.००	११३.००
	2" गोटा		२३९.००	२३९.००	२३९.००
	CPVC Union				
	1/2" गोटा		२८७.००	२८७.००	२८७.००
	3/4" गोटा		४२४.००	४२४.००	४२४.००
	1" गोटा		५०२.००	५०२.००	५०२.००
	1-1/4" गोटा		९१९.००	९१९.००	९१९.००
	1-1/2" गोटा		१००४.००	१००४.००	१००४.००
	2" गोटा		१४१९.००	१४१९.००	१४१९.००
	CPVC Cross Tee				
	1/2" गोटा		५२.००	५२.००	५२.००
	3/4" गोटा		११३.००	११३.००	११३.००
	CPVC Step Over Bend				
	1/2" गोटा		६७.००	६७.००	६७.००
	3/4" गोटा		११०.००	११०.००	११०.००
	CPVC Ball Valve (CTS Sockets)				

सि.पि.भि.सि. पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०८१।८२	आ.व. ०८२।८३	आ.व. ०८३।८४
	1/2"	गोटा	७०४.००	७०४.००	७०४.००
	3/4"	गोटा	८५८.००	८५८.००	८५८.००
	1"	गोटा	९८१.००	९८१.००	९८१.००
	1-1/4"	गोटा	१९७२.००	१९७२.००	१९७२.००
	1-1/2"	गोटा	२५१०.००	२५१०.००	२५१०.००
	2"	गोटा	३२२८.००	३२२८.००	३२२८.००
	CPVC Solvent Cement				
	50ML	गोटा	२१२.००	२१२.००	२१२.००
	118ML	गोटा	३५०.००	३५०.००	३५०.००
	237ML	गोटा	५६८.००	५६८.००	५६८.००
	473ML	गोटा	८९३.००	८९३.००	८९३.००
	946ML	गोटा	१५४४.००	१५४४.००	१५४४.००
	Plastic Strap				
	1/2"	गोटा	५.००	५.००	५.००
	3/4"	गोटा	५.००	५.००	५.००
	1"	गोटा	८.००	८.००	८.००
	1-1/4"	गोटा	११.००	११.००	११.००
	1-1/2"	गोटा	१५.००	१५.००	१५.००
	2"	गोटा	१९.००	१९.००	१९.००
	Metal Strap				
	1/2"	गोटा	१३.००	१३.००	१३.००
	3/4"	गोटा	१७.००	१७.००	१७.००
	1"	गोटा	२२.००	२२.००	२२.००
	1-1/4"	गोटा	२६.००	२६.००	२६.००
	1-1/2"	गोटा	२८.००	२८.००	२८.००
	2"	गोटा	३०.००	३०.००	३०.००
	Tee Holder				
	1/2" X 1/2" X 1/2"	गोटा	५.००	५.००	५.००
	3/4" X 3/4" X 1/2"	गोटा	८.००	८.००	८.००
	Elbow Holder				
	1/2" X 1/2"	गोटा	५.००	५.००	५.००
	1/2" X 3/4"	गोटा	७.००	७.००	७.००
	Snap Fix Repair Coupling				
	1/2"	गोटा	२४४.००	२४४.००	२४४.००
	3/4"	गोटा	२६४.००	२६४.००	२६४.००
	End plug threaded 1/2"	गोटा	११.००	११.००	११.००

ललितपुर जिल्ला अधिकारी

GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट ललितपुर		
			आ.व.०८१।८२	आ.व.०८२।८३	आ.व.०८३।८४
1. GRP PIPES AS PER IS:12709:1994					
A)	PN-3, SN-2500 (124 Kpa)				
	50 mm dia	मिटर			८३५.००
	100 mm dia	मिटर			१७६४.००
	150 mm dia	मिटर			२६९२.००
	200 mm dia	मिटर			३६२०.००
	250 mm dia	मिटर			४५४९.००
	300 mm dia	मिटर	५३१७.००	५३१७.००	५४७६.००
	350 mm dia	मिटर	६१२४.००	६१२४.००	६३०७.००
	400 mm dia	मिटर	८२६१.००	८२६१.००	८५०८.००
	450 mm dia	मिटर	९७९३.००	९७९३.००	१००८६.००
	500 mm dia	मिटर	११९११.००	११९११.००	१२२६८.००
	600 mm dia	मिटर	१४०७७.००	१४०७७.००	१४४९९.००
	700 mm dia	मिटर	२०४८२.००	२०४८२.००	२१०९६.००
	800 mm dia	मिटर	२६७०५.००	२६७०५.००	२७५०६.००
	900 mm dia	मिटर	२८४६५.००	२८४६५.००	२९३१८.००
	1000 mm dia	मिटर	३४३४३.००	३४३४३.००	३५३७३.००
	1100 mm dia	मिटर	४६४४०.००	४६४४०.००	४७८३३.००
	1200 mm dia	मिटर	५४०१९.००	५४०१९.००	५५६३९.००
	1300 mm dia	मिटर	६६३०७.००	६६३०७.००	६८२९६.००
	1400 mm dia	मिटर	७९३२४.००	७९३२४.००	८१४६३.००
	1500 mm dia	मिटर	८१०६३.००	८१०६३.००	८३४९४.००
	1600 mm dia	मिटर	८७९६५.००	८७९६५.००	९०६०३.००
	1700 mm dia	मिटर	९९१७२.००	९९१७२.००	१०२१४७.००
	1800 mm dia	मिटर	१०९१९२.००	१०९१९२.००	११२४६७.००
	1900 mm dia	मिटर	१२०२८९.००	१२०२८९.००	१२३८९७.००
	2000 mm dia	मिटर	१३१३८८.००	१३१३८८.००	१३५३२९.००
	2100 mm dia	मिटर	१४६५४२.००	१४६५४२.००	१५०९३८.००
	2200 mm dia	मिटर	१६१६९५.००	१६१६९५.००	१६६५४५.००
	2300 mm dia	मिटर	१७६९१६.००	१७६९१६.००	१८२२२३.००
	2400 mm dia	मिटर	१९२१३७.००	१९२१३७.००	१९७९०१.००
B)	PN-6, SN-2500 (124 Kpa)				
	50 mm dia	मिटर			१११७.००
	100 mm dia	मिटर			२४१७.००
	150 mm dia	मिटर			३७१७.००
	200 mm dia	मिटर			५०१७.००
	250 mm dia	मिटर			६३१७.००
	300 mm dia	मिटर	५७१७.००	५७१७.००	५८८८.००
	350 mm dia	मिटर	६५८५.००	६५८५.००	६७८२.००
	400 mm dia	मिटर	८८८४.००	८८८४.००	९१५०.००
	450 mm dia	मिटर	१०४३०.००	१०४३०.००	१०७४२.००
	500 mm dia	मिटर	१२८०७.००	१२८०७.००	१३१९१.००
	600 mm dia	मिटर	१५१३७.००	१५१३७.००	१५५९१.००
	700 mm dia	मिटर	२२०२५.००	२२०२५.००	२२६८५.००

GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट ललितपुर		
			आ.व.०८१/८२	आ.व.०८२/८३	आ.व.०८३/८४
1. GRP PIPES AS PER IS:12709:1994					
	800 mm dia	मिटर	२८७५.००	२८७५.००	२९५७६.००
	900 mm dia	मिटर	३०६०९.००	३०६०९.००	३१५२७.००
	1000 mm dia	मिटर	३६९२९.००	३६९२९.००	३८०३६.००
	1100 mm dia	मिटर	४९९३५.००	४९९३५.००	५१४३३.००
	1200 mm dia	मिटर	५८०८५.००	५८०८५.००	५९८२७.००
	1300 mm dia	मिटर	७१२९७.००	७१२९७.००	७३४३५.००
	1400 mm dia	मिटर	७६९९२.००	७६९९२.००	७८९९२.००
	1500 mm dia	मिटर	८७६५४.००	८७६५४.००	८९७७८.००
	1600 mm dia	मिटर	९४५८६.००	९४५८६.००	९७४२३.००
	1700 mm dia	मिटर	१०५६०१.००	१०५६०१.००	१०८७६९.००
	1800 mm dia	मिटर	११७४१०.००	११७४१०.००	१२०९३२.००
	1900 mm dia	मिटर	१२९३४४.००	१२९३४४.००	१३३२२४.००
	2000 mm dia	मिटर	१४१२७७.००	१४१२७७.००	१४५५१५.००
	2100 mm dia	मिटर	१५७५७.००	१५७५७.००	१६२२९८.००
	2200 mm dia	मिटर	१७३८६६.००	१७३८६६.००	१७९०८१.००
	2300 mm dia	मिटर	१९०२३३.००	१९०२३३.००	१९५९३९.००
	2400 mm dia	मिटर	२०६५९९.००	२०६५९९.००	२१२७९६.००
	PN-9, SN-2500 (124 Kpa)				
	50 mm dia	मिटर			११४१.००
	100 mm dia	मिटर			२५३४.००
	150 mm dia	मिटर			३९२७.००
	200 mm dia	मिटर			५३१९.००
	250 mm dia	मिटर			६७१२.००
	300 mm dia	मिटर	६१७५.००	६१७५.००	६७९२.००
	350 mm dia	मिटर	७११२.००	७११२.००	७८२३.००
	400 mm dia	मिटर	९५९४.००	९५९४.००	१०५५३.००
	450 mm dia	मिटर	११२६४.००	११२६४.००	१२३९०.००
	500 mm dia	मिटर	१३८३२.००	१३८३२.००	१४२१५.००
	600 mm dia	मिटर	१६३४७.००	१६३४७.००	१७९८१.००
	700 mm dia	मिटर	२३७८६.००	२३७८६.००	२३७८६.००
	800 mm dia	मिटर	३१०१२.००	३१०१२.००	३१०१२.००
	900 mm dia	मिटर	३३०५७.००	३३०५७.००	३३०५७.००
	1000 mm dia	मिटर	३९८८२.००	३९८८२.००	३९८८२.००
	1100 mm dia	मिटर	५३४११.००	५३४११.००	५३४११.००
	1200 mm dia	मिटर	६२७३२.००	६२७३२.००	६२७३२.००
	1300 mm dia	मिटर	७७००१.००	७७००१.००	७७००१.००
	1400 mm dia	मिटर	८२८२८.००	८२८२८.००	८२८२८.००
	1500 mm dia	मिटर	९४१३७.००	९४१३७.००	९४१३७.००
	1600 mm dia	मिटर	१०२१५३.००	१०२१५३.००	१०२१५३.००
	1700 mm dia	मिटर	११४०४९.००	११४०४९.००	११४०४९.००
	1800 mm dia	मिटर	१२६८०३.००	१२६८०३.००	१२६८०३.००
	1900 mm dia	मिटर	१३९६९९.००	१३९६९९.००	१३९६९९.००

GRP and HDPE/DWC Pipes



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व.०८१।८२	आ.व.०८२।८३	आ.व.०८३।८४
1. GRP PIPES AS PER IS:12709:1994					
	2000 mm dia	मिटर	१५२५७९.००	१५२५७९.००	१५२५७९.००
	2100 mm dia	मिटर	१७०१७७.००	१७०१७७.००	१७०१७७.००
	2200 mm dia	मिटर	१८७७७५.००	१८७७७५.००	१८७७७५.००
	2300 mm dia	मिटर	२०५४५१.००	२०५४५१.००	२०५४५१.००
	2400 mm dia	मिटर	२२३१२८.००	२२३१२८.००	२२३१२८.००
D)	PN-12, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	६७३०.००	६७३०.००	७४०३.००
	350 mm dia	मिटर	७७५३.००	७७५३.००	८५२८.००
	400 mm dia	मिटर	१०४५८.००	१०४५८.००	११५०३.००
	450 mm dia	मिटर	१२२७८.००	१२२७८.००	१३५०५.००
	500 mm dia	मिटर	१५०७६.००	१५०७६.००	१६५८३.००
	600 mm dia	मिटर	१७८१९.००	१७८१९.००	१९६००.००
	700 mm dia	मिटर	२५९२७.००	२५९२७.००	२८५१९.००
	800 mm dia	मिटर	३३८०३.००	३३८०३.००	३५९५५.००
	900 mm dia	मिटर	३६०३२.००	३६०३२.००	३७४७३.००
	1000 mm dia	मिटर	४३४७३.००	४३४७३.००	४५२९१.००
	1100 mm dia	मिटर	५८२१९.००	५८२१९.००	५९९६५.००
	1200 mm dia	मिटर	६८३७८.००	६८३७८.००	७०४२९.००
	1300 mm dia	मिटर	८३९३२.००	८३९३२.००	८६४४९.००
	1400 mm dia	मिटर	९०२८२.००	९०२८२.००	९२९९०.००
	1500 mm dia	मिटर	१०२६१०.००	१०२६१०.००	१०५६८८.००
	1600 mm dia	मिटर	११०२६६.००	११०२६६.००	११३५७३.००
	1700 mm dia	मिटर	१२४३१४.००	१२४३१४.००	१२८०४३.००
	1800 mm dia	मिटर	१३८२९६.००	१३८२९६.००	१४२३६२.००
	1900 mm dia	मिटर	१५२२६३.००	१५२२६३.००	१५६८३०.००
	2000 mm dia	मिटर	१६६३१२.००	१६६३१२.००	१७१३०१.००
	2100 mm dia	मिटर	१८५४९४.००	१८५४९४.००	१९१०५८.००
	2200 mm dia	मिटर	२०४६७५.००	२०४६७५.००	२१०८१५.००
	2300 mm dia	मिटर	२२३९४२.००	२२३९४२.००	२३०६६०.००
	2400 mm dia	मिटर	२४३२०८.००	२४३२०८.००	२५०५०४.००
E)	PN-15, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	७४०३.००	७४०३.००	८१४३.००
	350 mm dia	मिटर	८५२८.००	८५२८.००	९३८०.००
	400 mm dia	मिटर	११३९४.००	११३९४.००	१२५३३.००
	450 mm dia	मिटर	१३५०६.००	१३५०६.००	१४८५६.००
	500 mm dia	मिटर	१६५८४.००	१६५८४.००	१८२४२.००
	600 mm dia	मिटर	१९६०१.००	१९६०१.००	२१५६१.००
	700 mm dia	मिटर	२८५१९.००	२८५१९.००	३१३७०.००
	800 mm dia	मिटर	३७४२८.००	३७४२८.००	४०९०२.००
	900 mm dia	मिटर	३९६३६.००	३९६३६.००	४३५९९.००
	1000 mm dia	मिटर	४७८२०.००	४७८२०.००	५२६०२.००
	1100 mm dia	मिटर	६४०४९.००	६४०४९.००	६४०४९.००

GRP and HDPE/DWC Pipes



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०८१।८२	आ.व.०८२।८३	आ.व.०८३।८४
1. GRP PIPES AS PER IS:12709:1994					
	1200 mm dia	मिटर	७५२१६.००	७५२१६.००	७५२१६.००
	1300 mm dia	मिटर	९२३२५.००	९२३२५.००	९२३२५.००
	1400 mm dia	मिटर	९९३१०.००	९९३१०.००	९९३१०.००
	1500 mm dia	मिटर	१११७७५.००	१११७७५.००	१११७७५.००
	1600 mm dia	मिटर	१२१२९३.००	१२१२९३.००	१२१२९३.००
	1700 mm dia	मिटर	१३६७४५.००	१३६७४५.००	१३६७४५.००
	1800 mm dia	मिटर	१५२०३७.००	१५२०३७.००	१५२०३७.००
	1900 mm dia	मिटर	१६७४९०.००	१६७४९०.००	१६७४९०.००
	2000 mm dia	मिटर	१८२९४३.००	१८२९४३.००	१८२९४३.००
	2100 mm dia	मिटर	२०४०४२.००	२०४०४२.००	२०४०४२.००
	2200 mm dia	मिटर	२२५१४३.००	२२५१४३.००	२२५१४३.००
	2300 mm dia	मिटर	२४६३३७.००	२४६३३७.००	२४६३३७.००
	2400 mm dia	मिटर	२६७५३०.००	२६७५३०.००	२६७५३०.००
F)	PN-3, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	६९२२.००	६९२२.००	७६१४.००
	350 mm dia	मिटर	७९७४.००	७९७४.००	८७७१.००
	400 mm dia	मिटर	१०६५४.००	१०६५४.००	११७१९.००
	450 mm dia	मिटर	१२६२८.००	१२६२८.००	१२६२८.००
	500 mm dia	मिटर	१५५०८.००	१५५०८.००	१५५०८.००
	600 mm dia	मिटर	१८३२८.००	१८३२८.००	१८३२८.००
	700 mm dia	मिटर	२६६६८.००	२६६६८.००	२६६६८.००
	800 mm dia	मिटर	३४७७०.००	३४७७०.००	३४७७०.००
	900 mm dia	मिटर	३७०६३.००	३७०६३.००	३७०६३.००
	1000 mm dia	मिटर	४४७१५.००	४४७१५.००	४४७१५.००
	1100 mm dia	मिटर	५९८८४.००	५९८८४.००	५९८८४.००
	1200 mm dia	मिटर	७०३३३.००	७०३३३.००	७०३३३.००
	1300 mm dia	मिटर	८६३३२.००	८६३३२.००	८६३३२.००
	1400 mm dia	मिटर	९२८६३.००	९२८६३.००	९२८६३.००
	1500 mm dia	मिटर	१०४५१९.००	१०४५१९.००	१०४५१९.००
	1600 mm dia	मिटर	११३४१८.००	११३४१८.००	११३४१८.००
	1700 mm dia	मिटर	१२७८६८.००	१२७८६८.००	१२७८६८.००
	1800 mm dia	मिटर	१४२९६७.००	१४२९६७.००	१४२९६७.००
	1900 mm dia	मिटर	१५६६१६.००	१५६६१६.००	१५६६१६.००
	2000 mm dia	मिटर	१७१०६७.००	१७१०६७.००	१७१०६७.००
	2100 mm dia	मिटर	१९०७९७.००	१९०७९७.००	१९०७९७.००
	2200 mm dia	मिटर	२१०५२८.००	२१०५२८.००	२१०५२८.००
	2300 mm dia	मिटर	२३०३४५.००	२३०३४५.००	२३०३४५.००
	2400 mm dia	मिटर	२५०१६३.००	२५०१६३.००	२५०१६३.००
G)	PN-6, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	८००४.००	८००४.००	८८०४.००
	350 mm dia	मिटर	९२२०.००	९२२०.००	१०१४२.००
	400 mm dia	मिटर	११३१८.००	१२३१८.००	१३५४९.००

GRP and HDPE/DWC Pipes



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट ललितपुर		
			आ.व.०८१।८२	आ.व.०८२।८३	आ.व.०८३।८४
1. GRP PIPES AS PER IS:12709:1994					
	450 mm dia	मिटर	१४६०१.००	१४६०१.००	१६०६१.००
	500 mm dia	मिटर	१७९३०.००	१७९३०.००	१७९३०.००
	600 mm dia	मिटर	२१९९२.००	२१९९२.००	२१९९२.००
	700 mm dia	मिटर	३०८३४.००	३०८३४.००	३०८३४.००
	800 mm dia	मिटर	४०२०१.००	४०२०१.००	४०२०१.००
	900 mm dia	मिटर	४२८५२.००	४२८५२.००	४२८५२.००
	1000 mm dia	मिटर	५१७००.००	५१७००.००	५१७००.००
	1100 mm dia	मिटर	६९२३७.००	६९२३७.००	६९२३७.००
	1200 mm dia	मिटर	८१३१९.००	८१३१९.००	८१३१९.००
	1300 mm dia	मिटर	९९८१७.००	९९८१७.००	९९८१७.००
	1400 mm dia	मिटर	१०६३२७.००	१०६३२७.००	१०६३२७.००
	1500 mm dia	मिटर	१२०८४६.००	१२०८४६.००	१२०८४६.००
	1600 mm dia	मिटर	१३११३५.००	१३११३५.००	१३११३५.००
	1700 mm dia	मिटर	१४७८४१.००	१४७८४१.००	१४७८४१.००
	1800 mm dia	मिटर	१६४३७५.००	१६४३७५.००	१६४३७५.००
	1900 mm dia	मिटर	१८१०८१.००	१८१०८१.००	१८१०८१.००
	2000 mm dia	मिटर	१९७७८८.००	१९७७८८.००	१९७७८८.००
	2100 mm dia	मिटर	२२०६००.००	२२०६००.००	२२०६००.००
	2200 mm dia	मिटर	२४३४१२.००	२४३४१२.००	२४३४१२.००
	2300 mm dia	मिटर	२६६३२६.००	२६६३२६.००	२६६३२६.००
	2400 mm dia	मिटर	२८९२३९.००	२८९२३९.००	२८९२३९.००
H)	PN-9, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	९३३६.००	९३३६.००	९६१६.००
	350 mm dia	मिटर	१०६५१.००	१०६५१.००	१०९७०.००
	400 mm dia	मिटर	१४३६८.००	१४३६८.००	१४७९९.००
	450 mm dia	मिटर	१७०३२.००	१७०३२.००	१७५४२.००
	500 mm dia	मिटर	२०९१४.००	२०९१४.००	२१५४१.००
	600 mm dia	मिटर	२४७१८.००	२४७१८.००	२५४५९.००
	700 mm dia	मिटर	३५९६५.००	३५९६५.००	३५९६५.००
	800 mm dia	मिटर	४६८९०.००	४६८९०.००	४६८९०.००
	900 mm dia	मिटर	४९९८३.००	४९९८३.००	४९९८३.००
	1000 mm dia	मिटर	५९७२३.००	५९७२३.००	५९७२३.००
	1100 mm dia	मिटर	८०७५९.००	८०७५९.००	८०७५९.००
	1200 mm dia	मिटर	९४८५१.००	९४८५१.००	९४८५१.००
	1300 mm dia	मिटर	११५२९६.००	११५२९६.००	११५२९६.००
	1400 mm dia	मिटर	१२४०१९.००	१२४०१९.००	१२४०१९.००
	1500 mm dia	मिटर	१४०९५४.००	१४०९५४.००	१४०९५४.००
	1600 mm dia	मिटर	१५२९५६.००	१५२९५६.००	१५२९५६.००
	1700 mm dia	मिटर	१७२४४३.००	१७२४४३.००	१७२४४३.००
	1800 mm dia	मिटर	१९१७२६.००	१९१७२६.००	१९१७२६.००
	1900 mm dia	मिटर	२११२१३.००	२११२१३.००	२११२१३.००
	2000 mm dia	मिटर	२३०७००.००	२३०७००.००	२३०७००.००

GRP and HDPE/DWC Pipes



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०८१।८२	आ.व.०८२।८३	आ.व.०८३।८४
1. GRP PIPES AS PER IS:12709:1994					
	2100 mm dia	मिटर	२५७३०८.००	२५७३०८.००	२५७३०८.००
	2200 mm dia	मिटर	२८३९१७.००	२८३९१७.००	२८३९१७.००
	2300 mm dia	मिटर	३१०६४३.००	३१०६४३.००	३१०६४३.००
	2400 mm dia	मिटर	३३७३६९.००	३३७३६९.००	३३७३६९.००
I)	PN-12, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	१०१७६.००	१०१७६.००	१०४८१.००
	350 mm dia	मिटर	११६१०.००	११६१०.००	११९५८.००
	400 mm dia	मिटर	१५६६१.००	१५६६१.००	१६१३०.००
	450 mm dia	मिटर	१८५६५.००	१८५६५.००	१९१२१.००
	500 mm dia	मिटर	२२७९६.००	२२७९६.००	२३४७९.००
	600 mm dia	मिटर	२६९४३.००	२६९४३.००	२७७५१.००
	700 mm dia	मिटर	३९२०२.००	३९२०२.००	३९२०२.००
	800 mm dia	मिटर	४१११०.००	४१११०.००	४१११०.००
	900 mm dia	मिटर	४३९५७.००	४३९५७.००	४३९५७.००
	1000 mm dia	मिटर	६५०९९.००	६५०९९.००	६५०९९.००
	1100 mm dia	मिटर	८८०२७.००	८८०२७.००	८८०२७.००
	1200 mm dia	मिटर	१०२३८४.००	१०२३८४.००	१०२३८४.००
	1300 mm dia	मिटर	१२५६७३.००	१२५६७३.००	१२५६७३.००
	1400 mm dia	मिटर	१३५१८१.००	१३५१८१.००	१३५१८१.००
	1500 mm dia	मिटर	१५३६४०.००	१५३६४०.००	१५३६४०.००
	1600 mm dia	मिटर	१६६७२३.००	१६६७२३.००	१६६७२३.००
	1700 mm dia	मिटर	१८७९६२.००	१८७९६२.००	१८७९६२.००
	1800 mm dia	मिटर	२०८९८२.००	२०८९८२.००	२०८९८२.००
	1900 mm dia	मिटर	२३०२२२.००	२३०२२२.००	२३०२२२.००
	2000 mm dia	मिटर	२५१४६२.००	२५१४६२.००	२५१४६२.००
	2100 mm dia	मिटर	२८०४६६.००	२८०४६६.००	२८०४६६.००
	2200 mm dia	मिटर	३०९४७०.००	३०९४७०.००	३०९४७०.००
	2300 mm dia	मिटर	३३८६०१.००	३३८६०१.००	३३८६०१.००
	2400 mm dia	मिटर	३६७७३२.००	३६७७३२.००	३६७७३२.००
J)	PN-15, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	११०८७.००	११०८७.००	१२१९५.००
	350 mm dia	मिटर	१२७७२.००	१२७७२.००	१४०४९.००
	400 mm dia	मिटर	१७२२७.००	१७२२७.००	१८९४९.००
	450 mm dia	मिटर	२०४२१.००	२०४२१.००	२२४६३.००
	500 mm dia	मिटर	२५०७६.००	२५०७६.००	२७५८३.००
	600 mm dia	मिटर	२९६३७.००	२९६३७.००	३२६००.००
	700 mm dia	मिटर	४३१२२.००	४३१२२.००	४४४१५.००
	800 mm dia	मिटर	५५६८१.००	५५६८१.००	५५६८१.००
	900 mm dia	मिटर	५९३५३.००	५९३५३.००	५९३५३.००
	1000 mm dia	मिटर	७९०८८.००	७९०८८.००	७९०८८.००
	1100 mm dia	मिटर	९५८९०.००	९५८९०.००	९५८९०.००

ललितपुर जिल्ला अधिकारी

GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०८११८२	आ.व.०८२१८३	आ.व.०८३१८४
1. GRP PIPES AS PER IS:12709:1994					
	1200 mm dia	मिटर	११२६२३.००	११२६२३.००	११२६२३.००
	1300 mm dia	मिटर	१३८२४०.००	१३८२४०.००	१३८२४०.००
	1400 mm dia	मिटर	१४८७००.००	१४८७००.००	१४८७००.००
	1500 mm dia	मिटर	१६९००४.००	१६९००४.००	१६९००४.००
	1600 mm dia	मिटर	१८३३९४.००	१८३३९४.००	१८३३९४.००
	1700 mm dia	मिटर	२०६७५९.००	२०६७५९.००	२०६७५९.००
	1800 mm dia	मिटर	२२९८८०.००	२२९८८०.००	२२९८८०.००
	1900 mm dia	मिटर	२५३२४४.००	२५३२४४.००	२५३२४४.००
	2000 mm dia	मिटर	२७६६०९.००	२७६६०९.००	२७६६०९.००
	2100 mm dia	मिटर	३०८४९३.००	३०८४९३.००	३०८४९३.००
	2200 mm dia	मिटर	३४०४९६.००	३४०४९६.००	३४०४९६.००
	2300 mm dia	मिटर	३७२४६९.००	३७२४६९.००	३७२४६९.००
	2400 mm dia	मिटर	४०४५०५.००	४०४५०५.००	४०४५०५.००
HDPE DOUBLE -WALL CORRUGATED PIPES (DWC)(SN 8					
	100mm dia.	मिटर	५५६.००	५५६.००	५५६.००
	150mm dia.	मिटर	१११२.००	१११२.००	१११२.००
	200mm dia.	मिटर	१६६८.००	१६६८.००	१६६८.००
	250mm dia.	मिटर	२११३.००	२११३.००	२११३.००
	300mm dia.	मिटर	३५१५.००	३५१५.००	३५१५.००
	400mm dia.	मिटर	४५२७.००	४५२७.००	४५२७.००
	500mm dia.	मिटर	५४०६.००	५४०६.००	५४०६.००
	600mm dia.	मिटर	९३१०.००	९३१०.००	९३१०.००
	800mm dia.	मिटर	१४९८५.००	१४९८५.००	१४९८५.००
	1000mm dia.	मिटर	२२५७२.००	२२५७२.००	२२५७२.००

प्रमुख जिल्ला अधिकारी



नेपाल सरकार
जिल्ला मुख्यालय
ललितपुर

किचन र बाथरूममा प्रयोग हुने सामानहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दर		
			आ.व. ०८१।८२	आ.व. ०८२।८३	आ.व. ०८३।८४
	Porcelain Clay Sanitaryware				
१	White glazed porcelain pan				
	530mm size white glazed without siphon	सेट	२५२४.००	२५२४.००	२५२४.००
	500 mm size white glazed without siphon	सेट	२७४१.००	२७४१.००	२७४१.००
	580 mm size orrisa Pan	सेट	३३७१.००	३३७१.००	३३७१.००
	580 mm size white glazed Indian pan	सेट	१०४९.००	१०४९.००	१०४९.००
	Siphon 'p' or 's' type	सेट	५९०.००	५९०.००	५९०.००
	Asian Pan 51x40 Rectangular	सेट	२५२४.००	२५२४.००	२५२४.००
२	Porcelain Clay Cistern				
	white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	सेट	३५५९.००	३५५९.००	३५५९.००
	White glazed porcelain clay 10 lit. Cistern cover only.	सेट	६६७.००	६६७.००	६६७.००
	White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	सेट	३६९८.००	३६९८.००	३६९८.००
३	Commode				
	White glaze porcelain clay regular commode with 'p' trap	सेट	१५८७.००	१५८७.००	१५८७.००
	White glazed porcelain clay EWC regular commode with 's' & 'p' trap	सेट	१८२५.००	१८२५.००	१८२५.००
	White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.	सेट	१८११९.००	१८११९.००	१८११९.००
	White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.	सेट	२८८७५.००	२८८७५.००	२८८७५.००
	White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.	सेट	२०३८९.००	२०३८९.००	२०३८९.००
	White glazed porcelain clay Ewc wall mounted commode without cistern all complete set.	सेट	५२५२.००	५२५२.००	५२५२.००
	White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	सेट	८६५६.००	८६५६.००	८६५६.००
	600 to 900 mm Grab bar	सेट	६०६२.००	६०६२.००	६०६२.००
	Supplying of white vitreous Flexio Washdown one piece commode with soft closing seat cover, Size: (L715XW360XH710mm) made of sanitary ceramics with connection pipe and angle valve	सेट	२४८००.००	२४८००.००	२४८००.००
	Supplying of white vitreous Concept Washdown wall hung commode with soft closing seat cover, Size: (355x550x352mm) with concealed cistern	सेट	२७९००.००	२७९००.००	२७९००.००
	Supplying of white vitreous Compact Codie Washdown, rimless wall hung commode with soft closing seat cover, Size: (368x540x400mm) made of sanitary ceramics with concealed cistern and Flush Plate	सेट	२६१५०.००	२६१५०.००	२६१५०.००
४	Bidet set				
	Porcelain clay white glaze Bidet.	सेट	३५८४.००	३५८४.००	३५८४.००
	Urinal set				
	Porcelain clay white glaze large flat back urinal 61x41x38 cm size	सेट	४१७४.००	४१७४.००	४१७४.००
	Porcelain clay small Urinal (46.5x35.5x28.5) cm size)	सेट	१८८०.००	१८८०.००	१८८०.००
	White glazed porcelain clay corner Urinal (35x35x44)cm size with complete set	सेट	१६१९.००	१६१९.००	१६१९.००
	Wall mounted Urinal with sensor complete set.	सेट	१००२९१.००	१००२९१.००	१००२९१.००

पनेस जिल्ला अधिकारी



किचन र बाथरूममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क नभिककोपुलौस नगरपालिका		
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४
	Supplying of white vitreous Mini Washbrook Wall Hung Urinal with back inlet, Size: (L355xP320xH815mm) made of sanitary ceramics with Sense Flow Concealed Urinal Sensor (DC)	सेट	३१८६०.००	३१८६०.००	३१८६०.००
	Supplying of white vitreous Lynbrook Floor Standing Urinal, Size (373X404X940mm) made of sanitary ceramics with Sense Flow Concealed Urinal Sensor (DC)	सेट	६०५३०.००	६०५३०.००	६०५३०.००
	Porcelain clay white glaze large flat back urinal 385*320*615 mm size	सेट	४३२०.००	४३२०.००	४३२०.००
	Porcelain clay Small Urinal 315*280*465 size	सेट	२५४०.००	२५४०.००	२५४०.००
	Wall mounted Urinal with sensor complete set(280*250*500)MM	सेट	१६४७०.००	१६४७०.००	१६४७०.००
	Porcelain clay white glaze large flat back with spreader urinal 400*380*610 mm size	सेट	५०७०.००	५०७०.००	५०७०.००
	Porcelain clay flat back medium Urinal 300*250*500 size	सेट	३५८०.००	३५८०.००	३५८०.००
५	Porcelain Clay Urinal Squatting Plate				
	white glaze squatting plate Small Size (45*35)cm	सेट	१२१२.००	१२१२.००	१२१२.००
	Porcelain clay white glaze squatting plate large size	सेट	१४५५.००	१४५५.००	१४५५.००
	Porcelain clay super color squatting plate large size.	सेट	२८२१.००	२८२१.००	२८२१.००
	Urinal Spreader	सेट	९९५.००	९९५.००	९९५.००
६	Wash basin				
	Porcelain clay white glaze wash basin (500*400) cm size regular.	सेट	१०७०.००	१०७०.००	१०७०.००
	Porcelain clay white glaze wash basin (50*40) cm	सेट	१४८१.००	१४८१.००	१४८१.००
	Do but wash basin (45*32)cm	सेट	१०६५.००	१०६५.००	१०६५.००
	white glazed porcelain clay Corner basin 40x40 complete set	सेट	१२०१.००	१२०१.००	१२०१.००
	white glazed porcelain clay U-counter basin,	सेट	८३४८.००	८३४८.००	८३४८.००
	white glazed porcelain clay D-counter wash basin,(63*50)cm	सेट	१३७७६.००	१३७७६.००	१३७७६.००
	White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	सेट	९७८५.००	९७८५.००	९७८५.००
	White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	सेट	६२३२.००	६२३२.००	६२३२.००
	White glaze porcelain clay Basin for disable with grab bar all complete	सेट	२०५४९.००	२०५४९.००	२०५४९.००
	Supplying of white vitreous Cadet Undercounter Basin, Size: (380x550x175mm) made of sanitary ceramics with simplicity square single lever basin mixer, pipe connector, bottle trap, and waste coupling	सेट	१७२७५.००	१७२७५.००	१७२७५.००
	Supplying of white vitreous Winston Wall hung Basin, Size: (506x460x194mm) with full basin pedestal made of sanitary ceramics with with simplicity square single lever basin mixer, pipe connector, bottle trap, and waste coupling	सेट	२०६७५.००	२०६७५.००	२०६७५.००
	Supplying of white vitreous Flexio Counter Top Basin, Size: (499x449x181mm) made of sanitary ceramics with simplicity square single lever basin mixer, pipe connector, bottle trap, and waste coupling	सेट	१९२५५.००	१९२५५.००	१९२५५.००



नेपाल सरकार
जल नुद मन्त्रालय
जल नुद विकास कार्यालय

किचन र बाथरूममा प्रयोग हुने सामानहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाह्रककोडाँसे ललितपुर		
			आ.व. ०८१।८२	आ.व. ०८२।८३	आ.व. ०८३।८४
	Supplying of white vitreous Acacia E semi recessed Basin, , Size: (W460xL500xH181mm) made of sanitary ceramics with simplicity square single lever basin mixer, pipe connector, bottle trap, and waste coupling	सेट	२३१५०.००	२३१५०.००	२३१५०.००
७	Pedestal:				
	Porcelain clay white glaze pedestal	सेट	१३७८.००	१३७८.००	१३७८.००
	White glazed Porcelain clay half pedestal complete set.	सेट	१६७०.००	१६७०.००	१६७०.००
	First color glazed Porcelain clay half pedestal complete set.	सेट	१९७३.००	१९७३.००	१९७३.००
८	Urinal Partition				
	White glaze porcelain clay (68x30)cm division plate	सेट	१६९०.००	१६९०.००	१६९०.००
९	Lab sink				
	Porcelain clay white glaze large size	सेट	२२२२.००	२२२२.००	२२२२.००
	Porcelain clay white glaze small size	सेट	१६५३.००	१६५३.००	१६५३.००
	Porcelain clay janitor sink 58x71x43.5 size	सेट	२७५५३.००	२७५५३.००	२७५५३.००
१०	Super lab sink	गोटा			
	super lab sink large size	गोटा	४३१३.००	४३१३.००	४३१३.००
	super lab sink small size	गोटा	३४०१.००	३४०१.००	३४०१.००
११	Kitchen sink				
	i) Porcelain clay large	सेट	३७६३.००	३७६३.००	३७६३.००
	ii) Porcelain clay small	सेट	३४०९.००	३४०९.००	३४०९.००
	iii) drain board white 53x45	सेट	१३०४.००	१३०४.००	१३०४.००
	iii) Soap dish	सेट	६६१.००	६६१.००	६६१.००
	iv) White glaze foot rest	सेट	४१९.००	४१९.००	४१९.००
	v) White glaze Toilet paper holder	सेट	११५७.००	११५७.००	११५७.००
१२	Super kitchen sink				
	super kitchen sink large size	गोटा	७४६५.००	७४६५.००	७४६५.००
	super kitchen sink small size	गोटा	६७५६.००	६७५६.००	६७५६.००
१३	PVC Cistern Set				
	single flush	सेट	१९७३.००	१९७३.००	१९७३.००
	Deluxe single flush	सेट	२२०४.००	२२०४.००	२२०४.००
	Dual flush 6/3 lit. cistern complete set.	सेट	२९६६.००	२९६६.००	२९६६.००
	concealed cistern with plate complete set.	सेट	१६८६२.००	१६८६२.००	१६८६२.००
	32 mm pvc bottle trap set.	पिस	४७६.००	४७६.००	४७६.००
	1.5x45 cm pvc pipe connector set.	पिस	१४३.००	१४३.००	१४३.००
	Bakelite toilet seat cover set.	पिस	२७६.००	२७६.००	२७६.००

[Signature]

[Signature]

[Signature]

[Signature]

प्रमुख जिल्ला अधिकारी



नेपाल सरकार
गृह मन्त्रालय
जिल्ला गृह मन्त्रालय कार्यालय

किचन र बाथरूममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको बरिष्ठतम कार्यालय		
			आ.व. ०८१।८२	आ.व. ०८२।८३	आ.व. ०८३।८४
१४	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs/Wall Hung WCs for standard Height execution ,can be shortened 1070-820 mm Front OR Top flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-) With immediate reflushing possibility after big flush. inlet connection switchable from left to right.Suitable for mechanical actuation technology ,flushing pipe bow, flushing pipe extension, fixing material,without actuator plate and assembly including fixing frame,fixing set complete, providing protection cover over cistern,cutting and making good the walls wherever required.	सेट	१००००.००	१००००.००	१००००.००
१५	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs for wet and dry execution Front flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-)With immediate reflushing possiblitiy after big flush.inlet connection switchable from left to right. Suitable for mechanical actuation technology comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread,Galvanised Steel Frame ,comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread, WC connection elbow DN90 made of PE,eccentric adapter DN90/100,WC connection fittings,reinforcement fabric,EPS-foam revision frameflushing pipe bow, flushing pipe extension, fixing material,without actuator plate and assembly , providing protection cover over cistern,.Cutting and making good the walls wherever required.	सेट	१६०००.००	१६०००.००	१६०००.००
१६	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs for wet and dry execution.Installation hieght 1120 Front flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-)With immediate reflushing possiblitiy after big flush.inlet connection switchable from left to right. Suitable for mechanical actuation technology comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread,Powder Coated Steel frame,comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread, WC connection elbow DN90 made of PP,eccentric adapter DN90/100,WC connection fittings,reinforcement fabric,EPS-foam revision frame flushing pipe bow, flushing pipe extension, fixing material (for floor) and ceramic, screws (Self - drilling) for fixing metal support profiles, Hole dia 11mm for fixing in wooden fram construction,without actuator plate and assembly , providing protection cover over cistern,.Cutting and making good the walls wherever required.	सेट	१८०००.००	१८०००.००	१८०००.००
१७	Providing, fixing, testing & commissioning of Actuator Plate for top and front actuation (For Dual Flush) made of PlasticChrome Matt Alpine White and Assembly including fixing frame, fixing set complete for concealed type cistern	सेट	२५००.००	२५००.००	२५००.००

प्रमुख जिल्ला अधिकारी

किचन र बाथरूममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.ब.क बाहेकको दररेटललितपुर		
			आ.व. ०८१/८२	आ.व. ०८२/८३	आ.व. ०८३/८४
१८	Providing, fixing, testing & commissioning of Actuator Plate for top and front actuation (For Dual Flush) made of Plastic Chrome Matt Alpine White and Assembly including fixing frame, fixing set complete for concealed type cistern	सेट	२५००.००	२५००.००	२५००.००
१९	Stainless Steel Sink/Pan/Basin and Bathroom fittings etc.				
	Stainless steel Deep sink 45x45x30 size	पिस	१८१८५.००	१८१८५.००	१८१८५.००
	Stainless steel Orissa pan LP 210 size	पिस	८४८६.००	८४८६.००	८४८६.००
	Stainless steel wash basin model 251 12" round size with pedestal	पिस	१३२६२.००	१३२६२.००	१३२६२.००
	Stainless steel wash basin 500 mm model 277 with complete set	पिस	१०२७६.००	१०२७६.००	१०२७६.००
	Stainless steel commode S trap with self closing complete set	पिस	१७५५४.००	१७५५४.००	१७५५४.००
	Wall mixer (single lever) bath faucet with hand shower	पिस	१४६३४.००	१४६३४.००	१४६३४.००
	Bath tub (single lever) with hand shower	पिस	१८४३२.००	१८४३२.००	१८४३२.००
	External Shower Wall mixer (single control) bath faucet with hand shower	पिस	२५७६४.००	२५७६४.००	२५७६४.००
	Wall mixer (single control) bath faucet with hand shower (conceal system)	पिस	१५९५२.००	१५९५२.००	१५९५२.००
	Wall mixer (single control) shower faucet (conceal system)	पिस	४१८२.००	४१८२.००	४१८२.००
	conceal mixer faucet	पिस	६४५५.००	६४५५.००	६४५५.००
	Stainless steel Angle valve	पिस	८२७.००	८२७.००	८२७.००
	Stainless steel two way Angle valve	पिस	११५७.००	११५७.००	११५७.००
	Stainless steel bowl 19"x18" diamond board 37" long	पिस	२६७३.००	२६७३.००	२६७३.००
	Stainless steel bowl with diamond board 37" long	पिस	३६६०.००	३६६०.००	३६६०.००
	Stainless steel bowl with ordinary board 37" long	पिस	२३१४.००	२३१४.००	२३१४.००
	Stainless steel double bowl with double drain board 36" * 18" size	पिस	१३९१७.००	१३९१७.००	१३९१७.००
	Stainless steel double bowl with single drain board ordinary	पिस	५७८६.००	५७८६.००	५७८६.००
	Stainless steel p trap bottle trap for basin	पिस	२३२४.००	२३२४.००	२३२४.००
	Stainless steel Kitchen sink mixture	पिस	८४०८.००	८४०८.००	८४०८.००
	Stainless steel Kitchen sink faucet	पिस	५५६५.००	५५६५.००	५५६५.००
	Stainless steel Kitchen sink mixture	पिस	८४०८.००	८४०८.००	८४०८.००
	Stainless steel 1500mm flexible hose pipe (connection pipe)	पिस	१४६२.००	१४६२.००	१४६२.००
	Stainless steel Hose ringer 1200 mm	पिस	१२७४.००	१२७४.००	१२७४.००
	Stainless steel commode spray with hose pipe	पिस	१७९८.००	१७९८.००	१७९८.००
	Stainless steel basin mixer (single control)	पिस	६९४३.००	६९४३.००	६९४३.००
	Stainless steel single faucet for basin	पिस	४४२५.००	४४२५.००	४४२५.००
	Stainless steel Sink 700*450*200	पिस	२४२४६.००	२४२४६.००	२४२४६.००
	Stainless steel Sink table top 1200*600*300	पिस	३३५०४.००	३३५०४.००	३३५०४.००
	Steel Split clamp with washer all complete	पिस	३३५०४.००	३३५०४.००	३३५०४.००
	75 mm dia	पिस	३३१.००	३३१.००	३३१.००
	110 mm dia	पिस	४४१.००	४४१.००	४४१.००
	160 mm dia	पिस	७७१.००	७७१.००	७७१.००
	Stainless steel telephonic shower	गोटा	१२४०.००	१२४०.००	१२४०.००
	Stainless steel shower with sliding bar	गोटा	२९७६.००	२९७६.००	२९७६.००
	Stainless steel shower with sliding bar	गोटा	९७८५.००	९७८५.००	९७८५.००
	Stainless steel bottle trap	गोटा	६४७.००	६४७.००	६४७.००



नेपाल सरकार

मुख्य मन्त्रालय

ललितपुर जिल्ला अदालत

किचन र बाथरूममा प्रयोग हुने सामानहरू


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क. बाहेकको प्रत्येक सामग्रीको लागि		
			आ.व. ०८११८२	आ.व. ०८२१८३	आ.व. ०८३१८४
	Stainless steel towel bar 450 mm	गोटा	१२४०.००	१२४०.००	१२४०.००
	Supplying of C.P. brass Simplicity Square Concealed Bath & Shower Mixer, with concealed body and Shower Head with arm and Bath Spout	गोटा	१८०५५.००	१८०५५.००	१८०५५.००
	Supplying of C.P. brass Neo Modern Exposed Bath & Shower Mixer, with iColor Chrome Hand Shower & Hose, complete as required.	गोटा	२०५३०.००	२०५३०.००	२०५३०.००
२०	Modern Sanitaryware:				
	Hand dryer Germany	गोटा	१९३९७.००	१९३९७.००	१९३९७.००
	Hand Dryer Chinese	गोटा	७९६४.००	७९६४.००	७९६४.००
	Indian Mark Brand Flush valve	गोटा	५७३९.००	५७३९.००	५७३९.००
	Auto sensor for basin	गोटा	३५२६७.००	३५२६७.००	३५२६७.००
	European pattern liquid soap container stainless steel	गोटा	६०६२.००	६०६२.००	६०६२.००
	Looking Mirror Modi guard 450x600mm (18"x 24")	गोटा	१४५९.००	१४५९.००	१४५९.००
	Supplying of C.P. brass Angle valve connection 1/2" plastic handle marking, complete as required, with easy clean, eco start, twist free and Water Saving features.	गोटा	७५०.००	७५०.००	७५०.००
	Supplying of Hygiene Spray with hose and flexible pipe, complete as required, with easy clean, eco start, twist free and Water Saving features.	गोटा	२९२५.००	२९२५.००	२९२५.००
	Supplying of Winston Wall Bib Tap (Cross Handle), Mcomplete as required with easy clean, eco start, twist free and Water Saving features.	गोटा	२४८०.००	२४८०.००	२४८०.००
	Supplying of High Speed automatic Hand Dryer, complete as required, ready for operation.	गोटा	३७९७०.००	३७९७०.००	३७९७०.००
	Supplying of Chrome plated Seva Toilet Paper Holder with Flap, complete as required, ready for operation.	गोटा	३४००.००	३४००.००	३४००.००
	Supplying of Chrome plated Seva Soap Dish, complete as required, ready for operation.	गोटा	२८३०.००	२८३०.००	२८३०.००
	Supplying of Chrome plated Seva Robe Hook, complete as required, ready for operation.	गोटा	२९२५.००	२९२५.००	२९२५.००
	Supplying of Chrome plated Seva Towel Rod, complete as required, ready for operation.	गोटा	३७००.००	३७००.००	३७००.००
	Supplying of Chrome plated Seva Glass Holder, complete as required, ready for operation.	गोटा	२६२०.००	२६२०.००	२६२०.००
	Supplying of Stainless Steel Grade 304 Foldable Swing type Grab bar, size (580x220mm), OD: 32mm Make	गोटा	८६००.००	८६००.००	८६००.००
	Supplying of Wall Mounted liquid Soap Dispenser with all necessary accessories.	गोटा	३०००.००	३०००.००	३०००.००
	Supplying of Stainless Bucket (Container) 5ltrs with all necessary accessories and complete set.	गोटा	५०००.००	५०००.००	५०००.००
२१	Electric & Solar Geyser				
	i) 10 lit. cap. electric water heater	गोटा	१०९९४.००	१०९९४.००	१०९९४.००
	ii) 25 lit cap. electric water heater	गोटा	१६८२६.००	१६८२६.००	१६८२६.००
	iii) 35 lit cap. electric water heater	गोटा	२०९९९.००	२०९९९.००	२०९९९.००
	iv) 50 lit cap. electric water heater	गोटा	२५०९९.००	२५०९९.००	२५०९९.००

ललितपुर जिल्ला अदालत

किचन र बाथरूममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०८१।८२	आ.व. ०८२।८३	ललितपुर
	iv) Gas water heater with cylinder	रोटा	८२००.००	८२००.००	८२००.००
	v) Supplying of 25lts Electric water heater (Geyser) with built up check valve, pressure relief valve all complete set with testing and ready for operation.	रोटा	१५०००.००	१५०००.००	१५०००.००
२२	15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	११७७०.००	११७७०.००	११७७०.००



प्रमुख जिल्ला अधिकारी



नेपाल सरकार
मुख्य मन्त्रालय
ललितपुर जिल्ला अदालत

विभिन्न प्रकारका वाटर टैंक र पम्पहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व. ०८११/८२	आ.व. ०८२१/८३	आ.व. ०८३१/८४
1	G.I. Water Tank (17 Gauge)				
	100 gls	गोटा	८४७८.००	८४७८.००	८४७८.००
	200 gls	गोटा	१३१९२.००	१३१९२.००	१३१९२.००
	300 gls	गोटा	१६५९३.००	१६५९३.००	१६५९३.००
	400 gls	गोटा	१९९२१.००	१९९२१.००	१९९२१.००
	500 gls	गोटा	२३२५९.००	२३२५९.००	२३२५९.००
2	Roof Top PVC Water Tank				
	200 lit - 5000 lit cap.	लीटर	१०.००	१०.००	१०.००
	5000 lit - 10,000 lit cap	लीटर	११.००	११.००	११.००
	Horizontal PVC water tank	लीटर	१२.००	१२.००	१२.००
3	Stainless steel water tank with accessories				
	Capacity 500 ltr	गोटा	१३११४.००	१३११४.००	१३११४.००
	Capacity 1000 ltr	गोटा	१९३२३.००	१९३२३.००	१९३२३.००
	Capacity 1500 ltr	गोटा	२९६८१.००	२९६८१.००	२९६८१.००
	Capacity 2000 ltr	गोटा	३५८९०.००	३५८९०.००	३५८९०.००
	Capacity 3000 ltr	गोटा	५३३२३.००	५३३२३.००	५३३२३.००
	Capacity 4000 ltr	गोटा	७११००.००	७११००.००	७११००.००
	Capacity 5000 ltr	गोटा	९३४३१.००	९३४३१.००	९३४३१.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 300 Ltrs (Height: 56.5", Diameter: 25", Manhole Diameter: 16")	गोटा	११७५२.००	११७५२.००	११७५२.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 500 Ltrs (Height: 65.5", Diameter: 28.5", Manhole Diameter: 16")	गोटा	१५०८०.००	१५०८०.००	१५०८०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 1000 Ltrs (Height: 69", Diameter: 38.5", Manhole Diameter: 16")	गोटा	२२८८०.००	२२८८०.००	२२८८०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 1500 Ltrs (Height: 73", Diameter: 48.5", Manhole Diameter: 16")	गोटा	३४८४०.००	३४८४०.००	३४८४०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 2000 Ltrs (Height: 87", Diameter: 48.5", Manhole Diameter: 16")	गोटा	४२६४०.००	४२६४०.००	४२६४०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 3000 Ltrs (Height: 90.5", Diameter: 63", Manhole Diameter: 22.5")	गोटा	६९०१०.००	६९०१०.००	६९०१०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 5000 Ltrs (Height: 126", Diameter: 63", Manhole Diameter: 22.5")	गोटा	१०६०८०.००	१०६०८०.००	१०६०८०.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 1000 Ltrs (Length: 58", Width: 41", Height: 51")	गोटा	२७०४०.००	२७०४०.००	२७०४०.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 1500 Ltrs (Length: 62", Width: 51", Height: 61")	गोटा	३९०००.००	३९०००.००	३९०००.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 2000 Ltrs (Length: 77", Width: 51", Height: 61.5")	गोटा	४७८४०.००	४७८४०.००	४७८४०.००

ललितपुर जिल्ला अदालत

नेपाल सरकार
महानगरपालिका
कार्यालय

विभिन्न प्रकारका वाटर टैंक र पम्पहरू

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट/प्रमाणित कार्यालय		
			आ.व. ०८१५२	आ.व. ०८२५२	आ.व. ०८३५४
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 3000 Ltrs (Length: 87", Width: 58", Height: 66")	गोटा	७५१९०.००	७५१९०.००	७५१९०.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 5000 Ltrs (Length: 114", Width: 65.5", Height: 74")	गोटा	११६२५०.००	११६२५०.००	११६२५०.००
	Plastic Water Tank प्लास्टिक वाटर ट्यांक				
	LLDPE Plastic Tank - Extra Heavy - Black (100 Litres)	लीटर	१४.००	१४.००	१४.००
	LLDPE Plastic Tank - N.S. Certified - Black (200 Litres)	लीटर	१४.००	१४.००	१४.००
	LLDPE Plastic Tank - N.S. Certified - Black (300 Litres)	लीटर	१४.००	१४.००	१४.००
	LLDPE Plastic Tank - N.S. Certified - Black (500 Litres)	लीटर	१३.००	१३.००	१३.००
	LLDPE Plastic Tank - N.S. Certified - Black (750 Litres)	लीटर	१३.००	१३.००	१३.००
	LLDPE Plastic Tank - N.S. Certified - Black (1000 Litres)	लीटर	१३.००	१३.००	१३.००
	LLDPE Plastic Tank - Extra Heavy - Black (1500 Litres)	लीटर	१२.००	१२.००	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (2000 Litres)	लीटर	१२.००	१२.००	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (3000 Litres)	लीटर	१२.००	१२.००	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (4000 Litres)	लीटर	१२.००	१२.००	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (5000 Litres)	लीटर	१२.००	१२.००	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (7500 Litres)	लीटर	१३.००	१३.००	१३.००
	LLDPE Plastic Tank - Extra Heavy - Black (10000 Litres)	लीटर	१३.००	१३.००	१३.००
	LLDPE Plastic Horizontal Shape Tank - Extra Heavy - Black (1000 Litres)	गोटा	१३०००.००	१३०००.००	१३०००.००
	LLDPE Plastic Horizontal Underground Septic Tank - Extra Heavy - Black (1000 Litres). Brand: Hilltake	गोटा	१९२४०.००	१९२४०.००	१९२४०.००
11	Water Pumps/Hand Pumps				
	Indian Mark-III, Deep Well Hand Pump	गोटा	१२८५४.००	१२८५४.००	१२८५४.००
	6 No. hand pump	गोटा	१६६१.००	१६६१.००	१६६१.००
	Water Pump :				
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	११३२०.००	११३२०.००	११३२०.००
	ii) ½ H.P. Water Pump mono block type	सेट	६५७०.००	६५७०.००	६५७०.००
	iii) 1.0 H.P. water pump Multistage	सेट	१४८२५.००	१४८२५.००	१४८२५.००
	iv) 1.0 H.P. water pump (mono block type)	सेट	९९३५.००	९९३५.००	९९३५.००
	v) 2.0 H.P. water pump	सेट	२३४९०.००	२३४९०.००	२३४९०.००
	vi) 2.0 H.P. 3 phase water pump	सेट	२४८००.००	२४८००.००	२४८००.००
	vii) 5.0 HP 3 phase water pump	सेट	२९८०२.००	२९८०२.००	२९८०२.००
	Jet Water Pump				

पल्लु जिल्ला अधिकारी



नेपाल सरकार
महानगरपालिका
प्रशासन कार्यालय
ललितपुर ०८३१८४

विभिन्न प्रकारका वाटर टैंक र पम्पहरू

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०८१।८२	आ.व. ०८२।८३	आ.व. ०८३।८४
	i) 1.10 H.P.	सेट	२२४९५.००	२२४९५.००	२२४९५.००
	ii) Double Stage Jet 1.10 H.P.	सेट	२६९९४.००	२६९९४.००	२६९९४.००
	ii) 1.5 H.P.	सेट	३०३६९.००	३०३६९.००	३०३६९.००
	Super Sunction				
	i) 0.50 H.P.	सेट	९३६८.००	९३६८.००	९३६८.००
	ii) 0.75 H.P.	सेट	८७४४.००	८७४४.००	८७४४.००
	iii) 1.0 H.P.	सेट	१४८४७.००	१४८४७.००	१४८४७.००
	Water Pump (Grundfoss, pentair, Pedrello or equiv)				
	1.0 H.P. Single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	१८९३०.००	१८९३०.००	१८९३०.००
	2 H.P. single pump set single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	३०४०२.००	३०४०२.००	३०४०२.००
	Submersible Pump (Italian)				
	i) 1.0 H.P.	सेट	२७१३२.००	२७१३२.००	२७१३२.००
	ii) 2.0 H.P.	सेट	५०३३२.००	५०३३२.००	५०३३२.००
	Electric Water Pump (Chinese)				
	i) ½ H.P.	सेट	१७८८.००	१७८८.००	१७८८.००
	ii) ¾ H.P.	सेट	२३२९.००	२३२९.००	२३२९.००
	iii) 1.0 H.P.	सेट	३४३३.००	३४३३.००	३४३३.००
	Submersible Pump Indian				
	i) ½ H.P open well type	सेट	१७३२९.००	१७३२९.००	१७३२९.००
	ii) 1.1 H.P open well type	सेट	२५३६३.००	२५३६३.००	२५३६३.००
	iii) 1.5 H.P open well type	सेट	३०९३०.००	३०९३०.००	३०९३०.००
	Vertical Submersible Pump Sarvo/Bimal or equivalent				
	i) 1.1 H.P.	सेट	२८३४४.००	२८३४४.००	२८३४४.००
	iii) 1.5 H.P.	सेट	३४२४९.००	३४२४९.००	३४२४९.००

[Signature]

[Signature]

पनस जिल्ला अधिकारी

साधारण हाते औजारहरु



सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट प्रशासन कार्यालय ललितपुर		
			आ.व.०८१/८२	आ.व.०८२/८३	आ.व.०८३/८४
1	Adjustable spanner				
	10"	गोटा	२६५.००	२६५.००	२६५.००
	12"	गोटा	५०१.००	५०१.००	५०१.००
	15"	गोटा	१४४३.००	१४४३.००	१४४३.००
	18"	गोटा	१७०८.००	१७०८.००	१७०८.००
2	Blow Torch				
	1/2 pint	गोटा	१४९१.००	१४९१.००	१४९१.००
	1 pint	गोटा	१८३७.००	१८३७.००	१८३७.००
3	Building Trowel	गोटा	८२.००	८२.००	८२.००
4	Chain Pipe wrench				
	50mm	गोटा	१७०८.००	१७०८.००	१७०८.००
	75mm	गोटा	२०३३.००	२०३३.००	२०३३.००
	100mm	गोटा	२३८६.००	२३८६.००	२३८६.००
	150mm	गोटा	३३५८.००	३३५८.००	३३५८.००
	200mm	गोटा	५७१४.००	५७१४.००	५७१४.००
5	Chain Pulley in Ton				
	3 ton	गोटा	१८२६४.००	१८२६४.००	१८२६४.००
	5 ton	गोटा	३०१६५.००	३०१६५.००	३०१६५.००
6	Stone Chisel 1"x12"	गोटा	३८३.००	३८३.००	३८३.००
7	Die teeth oil with cane (250 ml size)	गोटा	२९४.००	२९४.००	२९४.००
8	Smooth steel file half round				
	8"	गोटा	५६०.००	५६०.००	५६०.००
	10"	गोटा	१०७२.००	१०७२.००	१०७२.००
	Flat file 10"	गोटा	५६०.००	५६०.००	५६०.००
9	Hacksaw Blade				
	Single	गोटा	४.००	४.००	४.००
	double	गोटा	९.००	९.००	९.००
10	Hacksaw Frame 6mm	गोटा	२००.००	२००.००	२००.००
11	Handle die set				
	25 mm	गोटा	३३२९.००	३३२९.००	३३२९.००
	50 mm	गोटा	३७७१.००	३७७१.००	३७७१.००
	60 mm	गोटा	१००१६.००	१००१६.००	१००१६.००
12	Heating Plate				
	80 mm	गोटा	१००१.००	१००१.००	१००१.००
	100 mm	गोटा	११४९.००	११४९.००	११४९.००
	125 mm	गोटा	१४७२.००	१४७२.००	१४७२.००
	150 mm	गोटा	१७५५.००	१७५५.००	१७५५.००
	200 mm	गोटा	२८४०.००	२८४०.००	२८४०.००
	250 mm	गोटा	३४४०.००	३४४०.००	३४४०.००
	300 mm	गोटा	४०१८.००	४०१८.००	४०१८.००
13	Iron Brush 12"	गोटा	७६.००	७६.००	७६.००
14	Iron Pan (medium)	गोटा	२७१.००	२७१.००	२७१.००
15	Pick Axe 1.7 Kg.	गोटा	४४८.००	४४८.००	४४८.००
16	Pipe Cutter				
	15-50 mm	गोटा	२१२०.००	२१२०.००	२१२०.००
	65-80 mm	गोटा	३२९८.००	३२९८.००	३२९८.००
	100 mm	गोटा	५३०२.००	५३०२.००	५३०२.००

साधारण हाते औजारहरू



सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व.०८१/८२	आ.व.०८२/८३	आ.व.०८३/८४
	125 mm	गोटा	५८९९.००	५८९९.००	५८९९.००
	150 mm	गोटा	९०४८७.००	९०४८७.००	९०४८७.००
17	Pipe Jack Machine (Heavy)	गोटा	३३५८२.००	३३५८२.००	३३५८२.००
18	Pipe Vice				
	2"	गोटा	२५९२.००	२५९२.००	२५९२.००
	3"	गोटा	३७७९.००	३७७९.००	३७७९.००
	4"	गोटा	५६८५.००	५६८५.००	५६८५.००
	5"	गोटा	९०५४५.००	९०५४५.००	९०५४५.००
19	Pipe Wrench				
	10"	गोटा	३२९.००	३२९.००	३२९.००
	12"	गोटा	६९२.००	६९२.००	६९२.००
	14"	गोटा	७३०.००	७३०.००	७३०.००
	18"	गोटा	९९६९.००	९९६९.००	९९६९.००
	24"	गोटा	९६०२.००	९६०२.००	९६०२.००
	36"	गोटा	५६५५.००	५६५५.००	५६५५.००
	48"	गोटा	९००९६.००	९००९६.००	९००९६.००
20	Plumb Bob Line	गोटा	९४.००	९४.००	९४.००
21	Ratchet Die Set				
	1/2"-1"	गोटा	४४७७.००	४४७७.००	४४७७.००
	1 1/4"-2"	गोटा	८३६५.००	८३६५.००	८३६५.००
	2 1/2"-3"	गोटा	९८२६४.००	९८२६४.००	९८२६४.००
22	Round File 10"	गोटा	३८३.००	३८३.००	३८३.००
23	Screw Driver 12"	गोटा	२९२.००	२९२.००	२९२.००
24	Shovel 1.5 Kg	गोटा	३८३.००	३८३.००	३८३.००
25	Slide wrench				
	10"	गोटा	३७७.००	३७७.००	३७७.००
	12"	गोटा	५०६.००	५०६.००	५०६.००
	15"	गोटा	९४७८.००	९४७८.००	९४७८.००
26	Spade	गोटा	४५९.००	४५९.००	४५९.००
27	Spare Die Teeth				
	15 mm	गोटा	६९२.००	६९२.००	६९२.००
	20 mm	गोटा	६९२.००	६९२.००	६९२.००
	25 mm	गोटा	६९२.००	६९२.००	६९२.००
	32 mm	गोटा	९७२.००	९७२.००	९७२.००
	40 mm	गोटा	९६६९.००	९६६९.००	९६६९.००
	50 mm	गोटा	९६७९.००	९६७९.००	९६७९.००
	65 mm	गोटा	९९४३.००	९९४३.००	९९४३.००
	80 mm	गोटा	२९७९.००	२९७९.००	२९७९.००
28	Telflon Cover				
	5'x5'	गोटा	३२४.००	३२४.००	३२४.००
	7'x7'	गोटा	४४२.००	४४२.००	४४२.००
29	Telflon Cloth	र.मि	३५६५.००	३५६५.००	३५६५.००
30	Telflon Tape 10 mm	रोल	९८.००	९८.००	९८.००
31	Thermochrome Crayon				
	Indian	गोटा	७९५.००	७९५.००	७९५.००
32	Tool Box (14"x8"x22")	गोटा	२९८६.००	२९८६.००	२९८६.००


नेपाल सरकार
मुख्य मन्त्रालय
प्रशासन कार्यालय

RCC Ring and Boring Work

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.म.क बाहेकको दररेट प्रशासन कार्यालय		
			आ.व. ०८१।८२	आ.व. ०८३।८३	आ.कोलितपुर ०८३।८४
१	RCC Ring for well and Toliets				
	i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	६४५.००	६४५.००	६४५.००
	ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	८००.००	८००.००	८००.००
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	९३०.००	९३०.००	९३०.००
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	१२३१.००	१२३१.००	१२३१.००
२	RCC cover				
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	१९५०.००	१९५०.००	१९५०.००
	ii) 36" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	२५८३.००	२५८३.००	२५८३.००
	iii) 42" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	२८३३.००	२८३३.००	२८३३.००
	iv) 48" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	३३८५.००	३३८५.००	३३८५.००
४	Drilling of tube well by DTH Method				
	Drilling of hole in all formation (6 inch)	मी.	५९०४.००	५९०४.००	५९०४.००
	Drilling of hole in all formation (8 inch)	मी.	६९०६.००	६९०६.००	६९०६.००

ललितपुर जिल्ला अधिकारी



नेपाल सरकार
महानगरपालिका
प्रशासन कार्यालय
ललितपुर

Multilayer Composite Pipe

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०८१।८२	आ.व. ०८२।८३	आ.व. ०८३।८४
१	Cold Water Pipe (White)				
	12-16 mm ½"	र.मि	१०६.००	१०६.००	१०६.००
	14-18 mm ½"	र.मि	११६.००	११६.००	११६.००
	16-20 mm ½"	र.मि	१२४.००	१२४.००	१२४.००
	20-25 mm ¾"	र.मि	१८९.००	१८९.००	१८९.००
	26-32 mm 1"	र.मि	२९५.००	२९५.००	२९५.००
	32-40 mm 1¼"	र.मि	४६८.००	४६८.००	४६८.००
	41-50 mm 1½"	र.मि	६८५.००	६८५.००	६८५.००
२	Hot Water Pipe (Orange)				
	12-16 mm ½"	र.मि	११६.००	११६.००	११६.००
	14-18 mm ½"	र.मि	१२९.००	१२९.००	१२९.००
	16-20 mm ½"	र.मि	१४८.००	१४८.००	१४८.००
	20-25 mm ¾"	र.मि	२१८.००	२१८.००	२१८.००
	26-32 mm 1"	र.मि	३१७.००	३१७.००	३१७.००
	32-40 mm 1¼"	र.मि	४८८.००	४८८.००	४८८.००
३	Gas Lines Pipe (Yellow)				
	12-16 mm ½"	र.मि	९१.००	९१.००	९१.००
	14-18 mm ½"	र.मि	९१.००	९१.००	९१.००
४	MULTILAYER COMPOSITE Fittings				
	a. Equal Straight Union				
	½" (16mm Ø)	गोटा	१३९.००	१३९.००	१३९.००
	½" (18mm Ø)	गोटा	१४७.००	१४७.००	१४७.००
	½" (20mm Ø)	गोटा	१६१.००	१६१.००	१६१.००
	¾" (25 mm Ø)	गोटा	२३६.००	२३६.००	२३६.००
	1" (32 mm Ø)	गोटा	३६८.००	३६८.००	३६८.००
	1¼" (40 mm Ø)	गोटा	१३६०.००	१३६०.००	१३६०.००
	1½" (50 mm Ø)	गोटा	२०५५.००	२०५५.००	२०५५.००
	b. Unequal Straight Union				
	25 - 16 mm Ø	गोटा	२६४.००	२६४.००	२६४.००
	25 - 18 mm Ø	गोटा	२७४.००	२७४.००	२७४.००
	25 - 20 mm Ø	गोटा	२८८.००	२८८.००	२८८.००
	32 - 16 mm Ø	गोटा	३५४.००	३५४.००	३५४.००
	32 - 18 mm Ø	गोटा	३७३.००	३७३.००	३७३.००
	32 - 20 mm Ø	गोटा	४०२.००	४०२.००	४०२.००
	32 - 25 mm Ø	गोटा	४३०.००	४३०.००	४३०.००
	40 - 32 mm Ø	गोटा	११७७.००	११७७.००	११७७.००
	50 - 20 mm Ø	गोटा	१७१५.००	१७१५.००	१७१५.००
	50 - 32 mm Ø	गोटा	२०५५.००	२०५५.००	२०५५.००
	50 - 40 mm Ø	गोटा	१९३७.००	१९३७.००	१९३७.००
	c. Male Union				
	16mm x ½"M	गोटा	९९.००	९९.००	९९.००
	18mm x ½"M	गोटा	११५.००	११५.००	११५.००



Multilayer Composite Pipe

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व. ०८१।८२	आ.व. ०८२।८३	आ.व. ०८३।८४
	20mm x 1/2"M	गोटा	१३२.००	१३२.००	१३२.००
	25mm x 1/2"M	गोटा	१६०.००	१६०.००	१६०.००
	25mm x 3/4"M	गोटा	२०३.००	२०३.००	२०३.००
	25mm x 1"M	गोटा	२६०.००	२६०.००	२६०.००
	32mm x 3/4"M	गोटा	२९६.००	२९६.००	२९६.००
	32mm x 1"M	गोटा	३२६.००	३२६.००	३२६.००
	32mm x 1 1/2"M	गोटा	३३०.००	३३०.००	३३०.००
	40mm x 1"M	गोटा	१०४४.००	१०४४.००	१०४४.००
	40mm x 1 1/2"M	गोटा	१०८१.००	१०८१.००	१०८१.००
	50mm x 1"M	गोटा	१६४१.००	१६४१.००	१६४१.००
	50mm x 1 1/4"M	गोटा	१६६९.००	१६६९.००	१६६९.००
	50mm x 1 1/2"M	गोटा	२२६८.००	२२६८.००	२२६८.००
	50mm x 2"M	गोटा	१७०४.००	१७०४.००	१७०४.००
d. Female Straight Union					
	16mm x 1/2"F	गोटा	१०९.००	१०९.००	१०९.००
	18mm x 1/2"F	गोटा	११८.००	११८.००	११८.००
	20mm x 1/2"F	गोटा	१२८.००	१२८.००	१२८.००
	25mm x 1/2"F	गोटा	१७०.००	१७०.००	१७०.००
	25mm x 3/4"F	गोटा	२०३.००	२०३.००	२०३.००
	25mm x 1"F	गोटा	२०७.००	२०७.००	२०७.००
	32mm x 1/2"F	गोटा	२१३.००	२१३.००	२१३.००
	32mm x 3/4"F	गोटा	२१७.००	२१७.००	२१७.००
	32mm x 1"F	गोटा	३०७.००	३०७.००	३०७.००
	40mm x 1 1/2"F	गोटा	१२२६.००	१२२६.००	१२२६.००
	50mm x 1 1/4"F	गोटा	१६५३.००	१६५३.००	१६५३.००
	50mm x 1 1/2"F	गोटा	२२६८.००	२२६८.००	२२६८.००
	50mm x 2"F	गोटा	१७१९.००	१७१९.००	१७१९.००
e. Equal Elbow					
	1/2" (16mm)	गोटा	१३२.००	१३२.००	१३२.००
	1/2" (18mm)	गोटा	१६०.००	१६०.००	१६०.००
	1/2" (20mm)	गोटा	२१७.००	२१७.००	२१७.००
	3/4" (25mm)	गोटा	३३०.००	३३०.००	३३०.००
	1" (32mm)	गोटा	५३४.००	५३४.००	५३४.००
	1 1/4" (40mm)	गोटा	१७३८.००	१७३८.००	१७३८.००
	1 1/2" (50mm)	गोटा	२६९३.००	२६९३.००	२६९३.००
f. Unequal Elbow					
	40 - 32 mm	गोटा	१९२७.००	१९२७.००	१९२७.००
	50 - 20 mm	गोटा	२२२०.००	२२२०.००	२२२०.००
	50 - 40 mm	गोटा	२२६३.००	२२६३.००	२२६३.००
g. Female Elbow					
	16mm x 1/2"F	गोटा	१७५.००	१७५.००	१७५.००
	18mm x 1/2"F	गोटा	१९४.००	१९४.००	१९४.००
	20mm x 1/2"F	गोटा	२१३.००	२१३.००	२१३.००
	25mm x 1/2"F	गोटा	२३६.००	२३६.००	२३६.००



नेपाल सरकार
महानिर्माण विभाग
सलितपुर कार्यालय

Multilayer Composite Pipe

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दर		
			आ.व. ०८१।८२	आ.व. ०८२।८३	सलितपुर आ.व. ०८३।८४
	25mm x 3/4"F	गोटा	२९२.००	२९२.००	२९२.००
	25mm x 1"F	गोटा	३२९.००	३२९.००	३२९.००
	32mm x 3/4"F	गोटा	३४५.००	३४५.००	३४५.००
	32mm x 1"F	गोटा	४३०.००	४३०.००	४३०.००
	50mm x 1 1/2"F	गोटा	२२२०.००	२२२०.००	२२२०.००
	h. Male Elbow				
	25mm x 3/4"M	गोटा	२३६.००	२३६.००	२३६.००
	25mm x 1"M	गोटा	३०७.००	३०७.००	३०७.००
	32mm x 3/4"M	गोटा	२३२.००	२३२.००	२३२.००
	32mm x 1"M	गोटा	३९२.००	३९२.००	३९२.००
	40mm x 1"M	गोटा	१२७५.००	१२७५.००	१२७५.००
	50mm x 1"M	गोटा	१८१८.००	१८१८.००	१८१८.००
	i. Equal Tee				
	1/2" (16mm Ø)	गोटा	२३६.००	२३६.००	२३६.००
	1/2" (18mm Ø)	गोटा	२६४.००	२६४.००	२६४.००
	1/2" (20mm Ø)	गोटा	३३०.००	३३०.००	३३०.००
	3/4" (25 mm Ø)	गोटा	४७७.००	४७७.००	४७७.००
	1" (32 mm Ø)	गोटा	७४६.००	७४६.००	७४६.००
	1 1/4" (40 mm Ø)	गोटा	२७९०.००	२७९०.००	२७९०.००
	1 1/2" (50 mm Ø)	गोटा	४०७८.००	४०७८.००	४०७८.००
	j. Unequal Tee				
	20 mm x 16 mm x 20 mm	गोटा	२१३.००	२१३.००	२१३.००
	20 mm x 18 mm x 20 mm	गोटा	२३६.००	२३६.००	२३६.००
	25 mm x 16 mm x 25 mm	गोटा	३५४.००	३५४.००	३५४.००
	25 mm x 18 mm x 25 mm	गोटा	४०२.००	४०२.००	४०२.००
	25 mm x 20 mm x 25 mm	गोटा	४१५.००	४१५.००	४१५.००
	32 mm x 16 mm x 32 mm	गोटा	६८५.००	६८५.००	६८५.००
	32 mm x 18 mm x 32 mm	गोटा	७०८.००	७०८.००	७०८.००
	32 mm x 20 mm x 32 mm	गोटा	७३७.००	७३७.००	७३७.००
	32 mm x 25 mm x 32 mm	गोटा	७५६.००	७५६.००	७५६.००
	40 mm x 32 mm x 32 mm	गोटा	२०६५.००	२०६५.००	२०६५.००
	40 mm x 32 mm x 40 mm	गोटा	२३९१.००	२३९१.००	२३९१.००
	50 mm x 20 mm x 50 mm	गोटा	३२६०.००	३२६०.००	३२६०.००
	50 mm x 32 mm x 32 mm	गोटा	२१४९.००	२१४९.००	२१४९.००
	50 mm x 32 mm x 50 mm	गोटा	३२९३.००	३२९३.००	३२९३.००
	50 mm x 40 mm x 40 mm	गोटा	३३०४.००	३३०४.००	३३०४.००
	50 mm x 40 mm x 50 mm	गोटा	३७७४.००	३७७४.००	३७७४.००
	k. Female Tee				
	16mm x 1/2"F x 16mm	गोटा	२३६.००	२३६.००	२३६.००
	18mm x 1/2"F x 18mm	गोटा	२४५.००	२४५.००	२४५.००
	20mm x 1/2"F x 20mm	गोटा	२६४.००	२६४.००	२६४.००
	25mm x 1/2"F x 25mm	गोटा	२४८.००	२४८.००	२४८.००

प्रमुख जिल्ला अधिकारी



नेपाल सरकार
जिल्ला प्रशासन कार्यालय
ललितपुर

Multilayer Composite Pipe

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व. ०८१।८२	आ.व. ०८२।८३	आ.व. ०८३।८४
	25mm x 1/4"F x 25mm	गोटा	२७४.००	२७४.००	२७४.००
	25mm x 1"F x 25mm	गोटा	३५४.००	३५४.००	३५४.००
	32mm x 1/2"F x 32mm	गोटा	३८३.००	३८३.००	३८३.००
	32mm x 3/4"F x 32mm	गोटा	३९२.००	३९२.००	३९२.००
	32mm x 1"F x 32mm	गोटा	४३२.००	४३२.००	४३२.००
	40mm x 3/4"F x 32mm	गोटा	१५७०.००	१५७०.००	१५७०.००
	50mm x 3/4"F x 40mm	गोटा	२३२९.००	२३२९.००	२३२९.००
	l. Equal Ball Valve Union				
	1/2" (18mm Ø)	गोटा	२७५.००	२७५.००	२७५.००
	1/2" (18mm Ø)	गोटा	३०५.००	३०५.००	३०५.००
	1/2" (20mm Ø)	गोटा	४०२.००	४०२.००	४०२.००
	3/4" (25 mm Ø)	गोटा	६६६.००	६६६.००	६६६.००
	1" (32 mm Ø)	गोटा	९२६.००	९२६.००	९२६.००
	1 1/2" (40 mm Ø)	गोटा	३०२६.००	३०२६.००	३०२६.००
	1 1/2" (50 mm Ø)	गोटा	४३६६.००	४३६६.००	४३६६.००
	m. Female Ball Valve Union				
	16mm x 1/4"F	गोटा	२५६.००	२५६.००	२५६.००
	18mm x 1/4"F	गोटा	२९४.००	२९४.००	२९४.००
	20mm x 1/2"F	गोटा	३२८.००	३२८.००	३२८.००
	20mm x 3/4"F	गोटा	३६८.००	३६८.००	३६८.००
	25mm x 3/4"F	गोटा	६८५.००	६८५.००	६८५.००
	25mm x 1"F	गोटा	६९९.००	६९९.००	६९९.००
	32mm x 1"F	गोटा	७३७.००	७३७.००	७३७.००
	n. Plug				
	1 1/4" (40 mm Ø)	गोटा	१५१२.००	१५१२.००	१५१२.००
	1 1/2" (50 mm Ø)	गोटा	२०७९.००	२०७९.००	२०७९.००
	p. Wall Plated Female Elbow				
	16mm x 1/2"F	गोटा	१९८.००	१९८.००	१९८.००
	18mm x 1/2"F	गोटा	२१७.००	२१७.००	२१७.००
	20mm x 1/2"F	गोटा	२३६.००	२३६.००	२३६.००
	Nipple				
	N 1/2F*1/2F	गोटा	४१.००	४१.००	४१.००
	N 1/2M*1/2M	गोटा	४१.००	४१.००	४१.००
	N 3/4F*1/2F	गोटा	७१.००	७१.००	७१.००
	N 1F*1/2F	गोटा	८०.००	८०.००	८०.००
	N 1F*3/4F	गोटा	९१.००	९१.००	९१.००
	N 3/4M*1/2M	गोटा	७१.००	७१.००	७१.००
	N 1M*1/2M	गोटा	८०.००	८०.००	८०.००
	N 1M*3/4M	गोटा	९१.००	९१.००	९१.००
	N 1/2F*1/2M	गोटा	६१.००	६१.००	६१.००
	N 1/2F*3/4M	गोटा	७१.००	७१.००	७१.००
	N 1/2F*1M	गोटा	११२.००	११२.००	११२.००
	N 1/2M*3/4F	गोटा	७१.००	७१.००	७१.००

Multilayer Composite Pipe

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क माहेकको दररेट		
			आ.व. ०८१।८२	आ.व. ०८२।८३	आ.व. ०८३।८४
	N 1/2M*1F	गोटा	११७.००	११७.००	११७.००
	N 3/4F*3/4M	गोटा	९९.००	९९.००	९९.००
	N 3/4F*1M	गोटा	१००.००	१००.००	१००.००
	N 3/4M*1F	गोटा	१३३.००	१३३.००	१३३.००

[Signature]

[Signature]

[Signature]

सप्तरी जिल्ला अधिकारी

Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट ललितपुर		
			आ.व.०८१।८२	आ.व.०८२।८३	आ.व.०८३।८४
१	140 mm Dia.				
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	र.मि	१६६.००	१६६.००	१६६.००
	JOINT BRACKET To connect two lengths of roof water	गोटा	२६९.००	२६९.००	२६९.००
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	३६९.००	३६९.००	३६९.००
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	गोटा	४५३.००	४५३.००	४५३.००
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	४५३.००	४५३.००	४५३.००
	SHORT STOP END To close the end of roof water pipe line.	गोटा	९९.००	९९.००	९९.००
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	गोटा	३२०.००	३२०.००	३२०.००
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	८०.००	८०.००	८०.००
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	५२.००	५२.००	५२.००
	CLAMP To ensure perfect fixing between pipe and fittings.	गोटा	३३.००	३३.००	३३.००
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	८०.००	८०.००	८०.००
	RUBBER GASKET To provide leak proof joints.	गोटा	३१.००	३१.००	३१.००
२	75 mm dia.				
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	६६.००	६६.००	६६.००
	RUBBER SEALS To ensure leak proof joint of single socket elbow.	गोटा	३९.००	३९.००	३९.००
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	गोटा	१३२.००	१३२.००	१३२.००
	180 mm dia.				
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	गोटा	३१७.००	३१७.००	३१७.००
	JOINT BRACKET To connect two lengths of roof water	गोटा	३७५.००	३७५.००	३७५.००
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	५४३.००	५४३.००	५४३.००
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	गोटा	६२१.००	६२१.००	६२१.००
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	६२१.००	६२१.००	६२१.००



नेपाल सरकार
महानगरपालिका
जिल्ला प्रशासन कार्यालय

Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट ललितपुर		
			आ.व.०८१।८२	आ.व.०८२।८३	आ.व.०८३।८४
	SHORT STOP END To close the end of roof water pipe line.	गोटा	१४७.००	१४७.००	१४७.००
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	गोटा	४४५.००	४४५.००	४४५.००
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	११३.००	११३.००	११३.००
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	९५.००	९५.००	९५.००
	CLAMP To ensure perfect fixing between pipe and fittings.	गोटा	५३.००	५३.००	५३.००
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	११५.००	११५.००	११५.००
	RUBBER GASKET To provide leak proof joints.	गोटा	४३.००	४३.००	४३.००
३	110 mm dia.				
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	७१.००	७१.००	७१.००
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	गोटा	४६.००	४६.००	४६.००
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	गोटा	२५५.००	२५५.००	२५५.००
४	250 mm dia.				
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	गोटा	६१४.००	६१४.००	६१४.००
	JOINT BRACKET To connect two lengths of roof water	गोटा	६४४.००	६४४.००	६४४.००
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	१०१३.००	१०१३.००	१०१३.००
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	गोटा	१४५६.००	१४५६.००	१४५६.००
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	१४५६.००	१४५६.००	१४५६.००
	SHORT STOP END To close the end of roof water pipe line.	गोटा	३१७.००	३१७.००	३१७.००
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	गोटा	८४२.००	८४२.००	८४२.००
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	३१५.००	३१५.००	३१५.००
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	१७२.००	१७२.००	१७२.००
	CLAMP To ensure perfect fixing between pipe and fittings.	गोटा	१२८.००	१२८.००	१२८.००
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	३३३.००	३३३.००	३३३.००

ललितपुर जिल्ला अधिकारी

Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. नाहेकको दररेट ललितपुर		
			आ. व. ०८१।८२	आ. व. ०८२।८३	आ. व. ०८३।८४
	RUBBER GASKET To provide leak proof joints.	गोटा	१७४.००	१७४.००	१७४.००
५	160 mm dia.				
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	८६.००	८६.००	८६.००
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	गोटा	२००.००	२००.००	२००.००
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	गोटा	४५८.००	४५८.००	४५८.००
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems				
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY				
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	र.मि	२५९.००	२५९.००	२५९.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	४५९.००	४५९.००	४५९.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	२७५.००	२७५.००	२७५.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	४९३.००	४९३.००	४९३.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	र.मि	४६९.००	४६९.००	४६९.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	७०६.००	७०६.००	७०६.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	४९६.००	४९६.००	४९६.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	७३०.००	७३०.००	७३०.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 180 mm dia	र.मि	१००६.००	१००६.००	१००६.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	१२५५.००	१२५५.००	१२५५.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	र.मि	१०७३.००	१०७३.००	१०७३.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	१४१७.००	१४१७.००	१४१७.००
	ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY				
	DWV Bend 45 Degree 75 mm size	गोटा	१४७.००	१४७.००	१४७.००
	DWV Bend 87.5 Degree	गोटा	१८५.००	१८५.००	१८५.००
	DWV Bend 87.5 Degree with Door	गोटा	८५.००	८५.००	८५.००
	DWV Socket Plug	गोटा	१९८.००	१९८.००	१९८.००
	DWV Cleansing Pipe	गोटा	११९.००	११९.००	११९.००
	DWV Coupler	गोटा	२१२.००	२१२.००	२१२.००
	DWV Single Tee	गोटा	२३३.००	२३३.००	२३३.००
	DWV Single Tee with Door	गोटा	३६६.००	३६६.००	३६६.००
	DWV Cross Tee	गोटा	५१५.००	५१५.००	५१५.००
	DWV Cross Tee with Door	गोटा	३७९.००	३७९.००	३७९.००
	DWV Double 'Y'	गोटा	५०५.००	५०५.००	५०५.००
	DWV Double 'Y' with Door	गोटा	२३७.००	२३७.००	२३७.००
	DWV Single 'Y'	गोटा	३०२.००	३०२.००	३०२.००
	DWV Single 'Y' with Door	गोटा	१२.००	१२.००	१२.००
	DWV Pipe Clip	गोटा	२६.००	२६.००	२६.००

Rainwater Collection System



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट ललितपुर		
			आ.व.०८१।८२	आ.व.०८२।८३	आ.व.०८३।८४
	DWV Vent Cowel	गोटा	२४१.००	२४१.००	२४१.००
	DWV Bend 45 Degree 110mm size	गोटा	२९६.००	२९६.००	२९६.००
	DWV Bend 87.5 Degree	गोटा	३३९.००	३३९.००	३३९.००
	DWV Bend 87.5 Degree with Door	गोटा	१०८.००	१०८.००	१०८.००
	DWV Socket Plug	गोटा	३८८.००	३८८.००	३८८.००
	DWV Cleansing Pipe	गोटा	२१६.००	२१६.००	२१६.००
	DWV Coupler	गोटा	७१.००	७१.००	७१.००
	DWV Double 'Y'	गोटा	८४८.००	८४८.००	८४८.००
	DWV Double 'Y' with Door	गोटा	५९४.००	५९४.००	५९४.००
	DWV Cross Tee	गोटा	६७४.००	६७४.००	६७४.००
	DWV Cross Tee with Door	गोटा	३८८.००	३८८.००	३८८.००
	DWV Single Tee	गोटा	४५८.००	४५८.००	४५८.००
	DWV Single Tee with Door	गोटा	४७५.००	४७५.००	४७५.००
	DWV Single 'Y'	गोटा	४९८.००	४९८.००	४९८.००
	DWV Single 'Y' with Door	गोटा	४९.००	४९.००	४९.००
	DWV Vent Cowel	गोटा	१६९.००	१६९.००	१६९.००
	DWV Reducer 110*75 mm	गोटा	३७.००	३७.००	३७.००
	DWV Pipe Clip 110mm size	गोटा	४५७.००	४५७.००	४५७.००
	DWV W.C. Connectore (Straight type)	गोटा	३६५.००	३६५.००	३६५.००
	DWV W.C. Connectore (Bend type)	गोटा	१८२.००	१८२.००	१८२.००
	DWV Nahani Trap - 3" Height without Jall 75 mm	गोटा	२५.००	२५.००	२५.००
	DWV Nahani Trap Jall	गोटा	५६५.००	५६५.००	५६५.००
	DWV P-Trap with Leap Ring 10*110 mm	गोटा	८११.००	८११.००	८११.००
	DWV P-Trap with Leap Ring 25*110 mm	गोटा	२४३.००	२४३.००	२४३.००
	DWV Multi Floor Trap 4" w/o Jall 75 mm	गोटा	४९३.००	४९३.००	४९३.००
	DWV Reducer 80*110 mm	गोटा	४७१.००	४७१.००	४७१.००
	DWV Coupler 160mm size	गोटा	११३०.००	११३०.००	११३०.००
	DWV Single Tee	गोटा	१२१४.००	१२१४.००	१२१४.००
	DWV Single Tee with Door	गोटा	२११६.००	२११६.००	२११६.००
	DWV Single 'Y'	गोटा	२२२३.००	२२२३.००	२२२३.००
	DWV Single 'Y' with Door	गोटा	७७९.००	७७९.००	७७९.००
	DWV Bend 87.5 Degree	गोटा	१०३७.००	१०३७.००	१०३७.००
	DWV Bend 87.5 Degree with Door	गोटा	९०७.००	९०७.००	९०७.००
६	FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR				
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	र.मि	६१३.००	६१३.००	६१३.००
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	र.मि	६३६.००	६३६.००	६३६.००
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	र.मि	६६१.००	६६१.००	६६१.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	र.मि	६२२.००	६२२.००	६२२.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	र.मि	६३४.००	६३४.००	६३४.००
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	र.मि	११३१.००	११३१.००	११३१.००
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	र.मि	११७६.००	११७६.००	११७६.००
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	र.मि	१२२१.००	१२२१.००	१२२१.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	११५०.००	११५०.००	११५०.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	११७१.००	११७१.००	११७१.००
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	र.मि	१७७२.००	१७७२.००	१७७२.००


Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट प्रशासन कार्यालय		
			आ.व.०८१।८२	आ.व.०८२।८३	ललितपुर आ.व.०८३।८४
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	१८०३.००	१८०३.००	१८०३.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	१८३३.००	१८३३.००	१८३३.००
	FOAMCORE Plain Both End (3mtrs length) SN-4	र.मि	२९४१.००	२९४१.००	२९४१.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	२९९१.००	२९९१.००	२९९१.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	३०४३.००	३०४३.००	३०४३.००
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	र.मि	३८९४.००	३८९४.००	३८९४.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	र.मि	३९६१.००	३९६१.००	३९६१.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	र.मि	४०२९.००	४०२९.००	४०२९.००
	FOAMCORE Plain Both End (3mtrs length) SN-4	र.मि	४८१२.००	४८१२.००	४८१२.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	४८९६.००	४८९६.००	४८९६.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	४९८०.००	४९८०.००	४९८०.००
	FOAMCORE Plain Both End (6mtrs length) SN-8	र.मि	६१२.००	६१२.००	६१२.००
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	र.मि	६२७.००	६२७.००	६२७.००
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	र.मि	६४३.००	६४३.००	६४३.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	र.मि	६२३.००	६२३.००	६२३.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	र.मि	६३५.००	६३५.००	६३५.००
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	११३०.००	११३०.००	११३०.००
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	र.मि	११६४.००	११६४.००	११६४.००
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	र.मि	११९५.००	११९५.००	११९५.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	११५१.००	११५१.००	११५१.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	११७१.००	११७१.००	११७१.००
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	१७७२.००	१७७२.००	१७७२.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	१८०३.००	१८०३.००	१८०३.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	१८३४.००	१८३४.००	१८३४.००
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	२९४१.००	२९४१.००	२९४१.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	२९९१.००	२९९१.००	२९९१.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	३०४२.००	३०४२.००	३०४२.००
	FOAMCORE Plain Both End (6mtrs length) SN-2	र.मि	३८९४.००	३८९४.००	३८९४.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	र.मि	३९६१.००	३९६१.००	३९६१.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	र.मि	४०२९.००	४०२९.००	४०२९.००
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	४८१२.००	४८१२.००	४८१२.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	४८९६.००	४८९६.००	४८९६.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	४९८०.००	४९८०.००	४९८०.००
	DWV Coupler SN-8 110mm	गोटा	३०८.००	३०८.००	३०८.००
	DWV Coupler SN-4 160 mm	गोटा	७४३.००	७४३.००	७४३.००
	DWV Coupler SN-4 200 mm	गोटा	१५१९.००	१५१९.००	१५१९.००
	DWV Coupler SN-4 250 mm	गोटा	२८३१.००	२८३१.००	२८३१.००
	DWV Coupler SN-2 315mm	गोटा	४५५४.००	४५५४.००	४५५४.००
	DWV Coupler SN-4 315 mm	गोटा	४९७२.००	४९७२.००	४९७२.००
	DWV Long Radius Bend - 90 Degree SN-8 110mm	गोटा	१०५१.००	१०५१.००	१०५१.००
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	गोटा	२९२६.००	२९२६.००	२९२६.००
	DWV Long Radius Bend - 90 Degree SN-4 200mm	गोटा	५४६५.००	५४६५.००	५४६५.००
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	गोटा	१२२५१.००	१२२५१.००	१२२५१.००
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	गोटा	२९०९०.००	२९०९०.००	२९०९०.००

सिचाई संवन्धि कार्य

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व. ०८१५२	आ.व. ०८२५३	आ.व. ०८३५४
१	Supply flexible,kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm	मिटर	१५७.००	१५७.००	१५७.००
२	Supply of Xeri bug emitter pressure compensating with selfpiercing barbs,flow rates 1.89LPH to7.57LPH UV resistant colour coded with working pressure 1.0to 3.5bar	गोटा	३१.००	३१.००	३१.००
३	SPRINKLERS & ACCESSORIES				
	Unispray	गोटा	६९३.००	६९३.००	६९३.००
	Providing of Pop up spray head having and two piece stem ratchet (0 to 360 degrees) nozzle capable of covering 1.2*8.5 Bars with a STRIP NOZZLE discharge rate of 0.075lps.The Spray Head body, stem, nozzle ,ratchet and screen shall be constructed f heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover 15SST	गोटा	१२६०.००	१२६०.००	१२६०.००
	Providing of Shrub spray head having variable adjustable arc (0 to 360 degrees) nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps.The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover PA series	गोटा	१२६०.००	१२६०.००	१२६०.००
	Gear rotors 5004	गोटा	३२५५.००	३२५५.००	३२५५.००
	Providing of 1/2" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 16.8 kg/cm2. The fittings shall be made of UV resistant thermo plastic.SA Series	गोटा	४०९.००	४०९.००	४०९.००
	Providing of 3/4" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 16.8 kg/cm2. The fittings shall be made of UV resistant thermo plastic.SA	गोटा	५०४.००	५०४.००	५०४.००
	Providing and fixing of HDPE service saddle of varying size		८९२.००	८९२.००	८९२.००
४	VALVES & ACCESSORIES				
	Providing and fixing PVC Ball Valve,security pivot to maintain lever in space,double water tight joint,direct injection stem non mechanical ,with a base which permits maximum penetration into the valve of size 63mm.	गोटा	३९९०.००	३९९०.००	३९९०.००
	Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminium / plastic with fibre glass reinforced . The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	गोटा	२२०५.००	२२०५.००	२२०५.००
	12" Rectangular Valve Box with greenlid and corrugated structure with unique shovel access slot and bolt hole knockout	गोटा	७८७५.००	७८७५.००	७८७५.००
	6"Round box.	गोटा	१३१२.००	१३१२.००	१३१२.००
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring 3RC	गोटा	१४०४०.००	१४०४०.००	१४०४०.००
	Key threads into top of QCV to provide water access 33DK	गोटा	१०२३७.००	१०२३७.००	१०२३७.००



प्रमुख जिल्ला अधिकारी

Plastic Dustbin, Compost-Bin, Planter & Road Divider

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			वा.व. ०८१।८२	मा.व. ०८२।८३	मा.व. ०८३।८४
१	LLDPE PLASTIC DUSTBIN - SMALL SIZE (सानो डस्टबिन) (Capacity: 70 Litre) WITH BASE OF 12.5" * 12.5", TOP LID 17.5" * 17.5", TOTAL HEIGHT 29.5", HEIGHT WITHOUT LID 22.5", AND 4.5 KG PRODUCT WEIGHT, WITH OPENING ON BOTH SIDE OF TOP LID	गोटा	३१२०.००	३१२०.००	३१२०.००
२	LLDPE PLASTIC DUSTBIN - MEDIUM SIZE (मझौला डस्टबिन) (Capacity: 125 Litre) WITH BASE OF 14" * 14", TOP LID 20" * 20", HEIGHT (WITHOUT LID) 27.5", TOTAL HEIGHT 36.5", AND 8 KG PRODUCT WEIGHT, WITH OPENING ON BOTH SIDE OF TOP LID	गोटा	४१६०.००	४१६०.००	४१६०.००
३	LLDPE PLASTIC LARGE WHEEL DUSTBIN (परायावासा सार्थ डस्टबिन) (Capacity: 140 Litre) WITH BASE OF 16" * 14.5", TOP LID 25.5" * 21", HEIGHT 35", AND 10 KG PRODUCT WEIGHT; WITH HANDLE AND WHEEL INSTALLED.	गोटा	७२८०.००	७२८०.००	७२८०.००
४	LLDPE PLASTIC EXTRA LARGE WHEEL DUSTBIN (परायावासा एक्स्ट्रा सार्थ डस्टबिन) (Capacity: 300 Litre) WITH BASE OF 21" * 18", TOP LID 28" * 28", HEIGHT 42", AND 16 KG PRODUCT WEIGHT; WITH HANDLE AND WHEEL INSTALLED	गोटा	८३२०.००	८३२०.००	८३२०.००
५	M.S. STAND, HOLDING CAPACITY: TWO SMALL DUSTBINS SIZE: TOTAL HEIGHT: 62", TOTAL LENGTH: 41", TOTAL BASE WIDTH: 24", TOTAL WEIGHT: 19 KG	गोटा	६२४०.००	६२४०.००	६२४०.००
६	M.S. STAND, HOLDING CAPACITY: TWO MEDIUM DUSTBINS SIZE: TOTAL HEIGHT: 63", TOTAL LENGTH: 46", TOTAL BASE WIDTH: 24" TOTAL WEIGHT: 20 KG	गोटा	८३२०.००	८३२०.००	८३२०.००
७	LLDPE ROTO MOLDED COMPOST-BIN WITH ACCESSORIES (कम्पोस्ट बिन फिटिङ सहित) BIN DIMENSIONS: TOTAL HEIGHT: 865MM, HEXAGON SHAPED BASE WITH SIDE LENGTH: 250MM AND HEXAGON LENGTH ACROSS THE CORNERS 16.5", FLAP OPENING: 245MM*125MM, LID/COVER DIAMETER: 355MM, BIN WEIGHT: 4.2 KGS; WITH COMPLETE SET OF ACCESSORIES IN PACKAGING INCLUDING SQUARE SCREENER/MESH (10.5" * 10.5"), POWDER COATED FOLDABLE TRAY (DIAMETER 17.25"), POWDER COATED LINE ROD (15" HEIGHT) & POWDER COATED SMALL SCOOP SHOVEL (9.5" HEIGHT).	गोटा	४१६०.००	४१६०.००	४१६०.००
८	LLDPE ROAD-DIVIDER - SMALL (रोड विभाजक, सानो साइज) WITH HEXAGON SHAPED BASE WITH SIDE LENGTH: 8.5", AND HEXAGON LENGTH ACROSS THE CORNERS 16.5", AND TOP LENGTH 13.5", TOP STICKER AREA HEIGHT 6.75", BASE HEXAGON HEIGHT 2", OVERALL TOTAL PRODUCT HEIGHT 32", ORANGE IN COLOUR AND TOTAL PRODUCT WEIGHT OF 2.5 KG	गोटा	३१२०.००	३१२०.००	३१२०.००
९	LLDPE ROAD-DIVIDER - LARGE (रोड विभाजक, ठूलो साइज) WITH BASE WIDTH 495MM, TOP WIDTH 215MM, LENGTH 1210MM AND HEIGHT 1060MM. ORANGE IN COLOUR AND MINIMUM 20 KG WEIGHT; WITH INLET & OUTLET FITTING, AND EMBOSSED 'WATER LEVEL' MARK.	गोटा	१७१६०.००	१७१६०.००	१७१६०.००
१०	LLDPE LARGE PLANTER (ठूलो प्लास्टिक गमला) WITH BASE DIAMETER OF 23", TOP DIAMETER OF 30", TOTAL HEIGHT 27", WITH FULL OPENING ON TOP, WITH HOLES FOR DRAINAGE AT BASE.	गोटा	५७२०.००	५७२०.००	५७२०.००



नेपाल सरकार
मुख्य मन्त्रालय
जिल्ला विकास कार्यालय
ललितपुर

Sewage Treatment Plant

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट शासन कार्यालय		
			आ.व. ०८१।८२	आ.व. ०८२।८३	आ.व. ०८३।८४
१	Sewage Treatment Plant PWTS Series (1300 mm Dia X 1500 mm Height or 1.2 KLD) inlet /outlet pipe 100 mm X Vent 50 mm ,with BOD reduction upto 70%. ISO Certified.	गोटा	१२०७३६.०	१२०७३६.०	१२०७३६.०
२	Sewage Treatment Plant PWTS Series (1440 mm Dia X 1550 mm Height or 1.6 KLD) inlet /outlet pipe 100 mm X Vent 50 mm,with BOD reduction upto 70%. ISO	गोटा	१६१३९२.०	१६१३९२.०	१६१३९२.०
३	Sewage Treatment Plant PWTS Series (1490 mm Dia X 1615 mm Height or 1.8 KLD) inlet /outlet pipe 100mm X Vent 50mm ,with BOD reduction upto 70%. ISO Certified,	गोटा	२१५६००.०	२१५६००.०	२१५६००.०
४	Sewage Treatment Plant PWTS Series (1540 mm Dia X 1640 mm Height or 2 KLD) inlet/outlet pipe 100mm X Vent 50 mm,with BOD reduction upto 70%. ISO Certified.	गोटा	२७२२७२.०	२७२२७२.०	२७२२७२.०
५	Sewage Treatment Plant PWTS Series (1830 mm Dia X 1880 mm Height or 3 KLD) inlet /outlet pipe 100mm X Vent 50 mm ,with BOD reduction upto 70%. ISO certified,	गोटा	३२१५५२.०	३२१५५२.०	३२१५५२.०
६	Sewage Treatment Plant PWTS series (1900 mm Dia X 2020 mm Height or 4 KLD) inlet /outlet pipe 100mm X Vent 50 mm ,with BOD reduction upto 70%. ISO certified.,	गोटा	३७५७६०.०	३७५७६०.०	३७५७६०.०
७	Sewage Treatment Plant PWTS Series (1970 mm Dia X 2280 mm Height or 5 KLD) inlet/ outlet pipe 100mm X vent 50 mm,with BOD reduction upto 70%. ISO Certified,	गोटा	४४९६८०.०	४४९६८०.०	४४९६८०.०
८	Sewage Treatment Plant PWTS series (2070 mm Dia X 2510 mm Height or 6 KLD) inlet/outlet pipe 100mm X Vent 50 mm, with BOD reduction upto 70%. ISO Certified,	गोटा	४८६६४०.०	४८६६४०.०	४८६६४०.०

प्रमुख जिल्ला अधिकारी



नेपाल सरकार
मुह मन्त्रालय
ललितपुर

मेनहोल कभरहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट प्रशासन क		
			आ.व. ०८१।८२	आ.व. ०८२।८३	आ.व. ०८३।८४
	C.I. Manhole Cover including frame.				
१	Square Frame Medium Duty				
	i) 10" x 10" (4 Kg.)	सेट	६७५.००	६७५.००	६७५.००
	ii) 12" x 12" (5 Kg.)	सेट	८३५.००	८३५.००	८३५.००
	iii) 14" x 14" (7 Kg.)	सेट	१२४७.००	१२४७.००	१२४७.००
	v) 16" x 16" (10 Kg.)	सेट	१६७१.००	१६७१.००	१६७१.००
	vi) 18" x 18" (14 Kg.)	सेट	२५९८.००	२५९८.००	२५९८.००
	viii) 20" x 20" (16 Kg.)	सेट	२९३०.००	२९३०.००	२९३०.००
	ix) 22" x 22" (20 Kg.)	सेट	३३५३.००	३३५३.००	३३५३.००
	x) 24" x 24" (24 Kg.)	सेट	४६५९.००	४६५९.००	४६५९.००
	xi) 27" x 27" (31 Kg.)	सेट	५८७१.००	५८७१.००	५८७१.००
२	Square Frame Heavy Duty				
	iii) 14" x 14" (14 Kg.)	सेट	२५४१.००	२५४१.००	२५४१.००
	viii) 20" x 20" (16 Kg.)	सेट	४१४३.००	४१४३.००	४१४३.००
	ix) 22" x 22" (22 Kg.)	सेट	५६६५.००	५६६५.००	५६६५.००
	xi) 27" x 27" (45 Kg.)	सेट	८१०४.००	८१०४.००	८१०४.००
३	Rounded Manhole Cover				
	Round Manhole cover medium 450mm(22")	सेट	४४८७.००	४४८७.००	४४८७.००
	Round Manhole cover Heavy 450mm(22")	सेट	८८४८.००	८८४८.००	८८४८.००
	Round Manhole cover medium 500 mm(24")	सेट	७०६३.००	७०६३.००	७०६३.००
	Round Manhole cover Heavy 500 mm(24")	सेट	१०५६५.००	१०५६५.००	१०५६५.००
	Rounded Manhole Cover with square frame				
	i) 18" dia. with square frame (60 Kg.)	सेट	१००५०.००	१००५०.००	१००५०.००
	ii) 20" dia. with square frame (70 Kg.)	"	११७२२.००	११७२२.००	११७२२.००
	iii) 20" dia. with square frame (100 Kg.)	"	१६७४७.००	१६७४७.००	१६७४७.००
	iv) 22" dia. Medium class. (125 Kg.)	"	२१०३९.००	२१०३९.००	२१०३९.००
	v) 22" dia. Heavy class. (208Kg.)	"	३४९०२.००	३४९०२.००	३४९०२.००
	vi) 24" dia. Medium class. (70 Kg.)	"	१२०५३.००	१२०५३.००	१२०५३.००
	vii) 24" dia. Heavy class (Load Test 8 Ton) (850 Kg.)	"	१४५४९.००	१४५४९.००	१४५४९.००
	viii) 24" with square frame (IS:1726) (70 Kg.)	"	११७७९.००	११७७९.००	११७७९.००
	ix) 26" with square frame (IS:1726) (85 Kg.)	"	१४३०८.००	१४३०८.००	१४३०८.००
	x) 28" with square frame (IS:1726) (116 Kg.)	"	१९७४६.००	१९७४६.००	१९७४६.००
	x) 30" with square frame (IS:1726) (100 Kg.)	"	१६८२७.००	१६८२७.००	१६८२७.००
	xi) 30" with square frame (IS:1726) (116 Kg.)	"	१९७४६.००	१९७४६.००	१९७४६.००
	xi) 32" with square frame (IS:1726) (208Kg.)	"	३४९०२.००	३४९०२.००	३४९०२.००
४	C.I. Tank Cover Locking Types- Round				
	18" (8 Kg.)	सेट	१९३४.००	१९३४.००	१९३४.००

मेनहोल कभरहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.व.क बाहेकको दररेट ललितपुर		
			आ.व. ०८१।८२	आ.व. ०८२।८३	आ.व. ०८३।८४
	20" (12 Kg.)	"	२८३७.००	२८३७.००	२८३७.००
	22" (14 Kg.)	"	३२२२.००	३२२२.००	३२२२.००
	24" (16 Kg.)	"	३८६८.००	३८६८.००	३८६८.००
	28" (24 Kg.)	"	५८०२.००	५८०२.००	५८०२.००
५	C.I. Tank Cover Locking Types- Rectangular				
	18" x 18" (13 Kg.)	सेट	३२२२.००	३२२२.००	३२२२.००
	24" x 24" (50 Kg.)	सेट	११६०४.००	११६०४.००	११६०४.००
	18" x 24" (27 Kg.)	सेट	६४४८.००	६४४८.००	६४४८.००
६	C.I. Gully Gratings & Jali strip-Medium Duty				
	4"	सेट	११५.००	११५.००	११५.००
	5"	सेट	१५४.००	१५४.००	१५४.००
	6"	सेट	२०६.००	२०६.००	२०६.००
	10"	सेट	७०८.००	७०८.००	७०८.००
७	C.I. Gully Gratings & Jali Strip- Medium Duty				
	4" x 4"	सेट	१०२.००	१०२.००	१०२.००
	5" x 5"	सेट	१२९.००	१२९.००	१२९.००
	6" x 6"	सेट	१५४.००	१५४.००	१५४.००
	9" x 9"	सेट	४५१.००	४५१.००	४५१.००
	10" x 10"	सेट	५८०.००	५८०.००	५८०.००
	12" x 12"	सेट	८३८.००	८३८.००	८३८.००
८	C.I. Gully Gratings				
	i) 15"x18" Medium (18 Kg.)	सेट	४२५५.००	४२५५.००	४२५५.००
	ii) 15"x18" Heavy (25 Kg.)	सेट	५८०२.००	५८०२.००	५८०२.००
९	Grit Cover - फलामे एङ्गलको फ्रेममा फलामे पत्तिको जाली बनाई फोब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम	के.जी.	१८७.००	१८७.००	१८७.००
१०	Aluminum Grating 4" dia.	गोटा	४८.००	४८.००	४८.००
११	SMC Manhole Cover				
	Frame Size 880mm (Dia.) *Cover Size 700mm (Dia.)-Round-Yellow and Grey (50 Ton Capacity)	गोटा	२८२९७.००	२८२९७.००	२८२९७.००
	Frame Size 725mm (Dia.) *Cover Size 600 mm (Dia.)-Round-Yellow and Grey (40 Ton Capacity)	गोटा	२०३६१.००	२०३६१.००	२०३६१.००
	Frame Size 725mm (Dia.) *Cover Size 600mm (Dia.) -Round-Yellow and Grey (10 Ton Capacity)	गोटा	१८३००.००	१८३००.००	१८३००.००
	Frame Size 670mm*670mm *Cover Size 570mm*570mm-Square-Yellow and Grey (15 Ton Capacity)	गोटा	११४२५.००	११४२५.००	११४२५.००

मेनहोल कभरहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट ललितपुर		
			आ.व. ०८१।०२	आ.व. ०८२।०२	आ.व. ०८३।०४
	Frame Size 670mm*670mm-Cover Size 570mm*570mm-Square-Yellow and Grey (5 Ton Capacity)	गोटा	१२२७२.००	१२२७२.००	१२२७२.००
	Frame Size 670mm*670mm-Cover Size*625mm*625mm-Square-Yellow and Grey (Overlapping 50 Ton Capacity)	गोटा	२००००.००	२००००.००	२००००.००
	Frame Size 570mm*570mm- Cover Size 475mm*475mm-Square-Yellow and Grey (5 Ton Capacity)	गोटा	७८४८.००	७८४८.००	७८४८.००
	Frame Size 570mm*570mm- Cover Size 475mm*475mm-Square-Yellow and Grey (2 Ton Capacity)	गोटा	६४९९.००	६४९९.००	६४९९.००
	Frame Size 570mm*570mm- Cover Size 525mm*525mm-Square-Yellow and Grey (Overlapping 15 Ton Capacity)	गोटा	१२०००.००	१२०००.००	१२०००.००
	Frame Size 400mm*400mm-Cover Size 300mm*300mm-Square-Yellow and Grey (7.5 Ton Capacity)	गोटा	४३६१.००	४३६१.००	४३६१.००
	Frame Size 400mm*400mm - Cover 300mm*300mm-Square-Yellow and Grey (5 Ton Capacity)	गोटा	२७७९.००	२७७९.००	२७७९.००
	Frame Size 400mm*400mm - Cover Size 300mm*300mm-Square-Yellow and Grey (10 Ton Capacity-Jali)	गोटा	७८००.००	७८००.००	७८००.००
	SMC Manhole Set 600mm (Top Dia.) *1000mm (Height)*800mm (Bottom Dia.) including frame and cover (Complete Set)	सेट	७५००.००	७५००.००	७५००.००
	SMC water tank shield and footpath cover 610 mm x 510 mm-rectangular black cover.	गोटा	६२४५.००	६२४५.००	६२४५.००
	Manhole Cover Lock Set	सेट	१५००.००	१५००.००	१५००.००
	Plastic Prefab Manholes				
	LLDPE PLASTIC MANHOLE (DN 1000MM SERIES) Includes Reducer Cone, Shaft, 2nos Gasket & End Cap				
	Height 2.5 mtr	गोटा	११४६००.००	११४६००.००	११४६००.००
	Height 3 mtr	गोटा	१२४५५०.००	१२४५५०.००	१२४५५०.००
	LLDPE PLASTIC MANHOLE (DN 800MM SERIES) Includes Reducer Cone, Shaft, 2nos Gasket & End Cap				
	Height 2 mtr	गोटा	७९९००.००	७९९००.००	७९९००.००
	LLDPE PLASTIC MANHOLE (DN 600MM SERIES) Includes Shaft, 2nos Gasket & End Cap				
	Height 2 mtr	गोटा	४०८००.००	४०८००.००	४०८००.००
	Height 4 mtr	गोटा	४९५००.००	४९५००.००	४९५००.००
	LLDPE PLASTIC MANHOLE (DN 500MM SERIES) Includes Shaft, 2nos Gasket & End Cap				
	Height 4 mtr	गोटा	४२५००.००	४२५००.००	४२५००.००

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट ललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
A	SWITCH & OUTLETS				
१	SWITCH SOCKET- (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	One Gang one way switch	सेट	५८.००	५८.००	५८.००
	One Gang two way switch	सेट	६९.००	६९.००	६९.००
	One way bell switch	सेट	७२.००	७२.००	७२.००
	Two gang one way switch	सेट	९६.००	९६.००	९६.००
	Two gang one way switch with one bell push	सेट	१०५.००	१०५.००	१०५.००
	Two gang Full two way switch	सेट	१०७.००	१०७.००	१०७.००
	Three Gang one way switch	सेट	१२७.००	१२७.००	१२७.००
	Four gang one way switch	सेट	१६९.००	१६९.००	१६९.००
	Six gang one way switch (3x5)	सेट	२५३.००	२५३.००	२५३.००
	Eight gang one way switch	सेट	३०४.००	३०४.००	३०४.००
	Dimmer single 300 watt	सेट	३०९.००	३०९.००	३०९.००
	Dimmer single 750 watt	सेट	४५९.००	४५९.००	४५९.००
	5 Step humming free dimmer	सेट	४०७.००	४०७.००	४०७.००
	16Amp 3 Pin Plug Top	सेट	१२१.००	१२१.००	१२१.००
	1 switch with dimmer	सेट	३६८.००	३६८.००	३६८.००
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	१५१.००	१५१.००	१५१.००
	6/16 Amp , Power sockets with switch , indicator & safety shutter	सेट	१६९.००	१६९.००	१६९.००
	20/25 A Single phase A.C. motor Starter with 6/16 Amp safety shutter power socket	सेट	३७१.००	३७१.००	३७१.००
	32A D.P. switch with fuse & Indicator Surface Mounting	सेट	२०६.००	२०६.००	२०६.००
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	६९१.००	६९१.००	६९१.००
	Blanking plate angle	सेट	४०.००	४०.००	४०.००
	Telephone socket single	सेट	११८.००	११८.००	११८.००
	Telephone socket Double	सेट	१६९.००	१६९.००	१६९.००
	Angle / bottom holder	सेट	३५.००	३५.००	३५.००
	Ceiling Rose	सेट	३५.००	३५.००	३५.००
	Buzzer	सेट	९७.००	९७.००	९७.००
	Musical bell	सेट	२२२.००	२२२.००	२२२.००
	T.V. antenna single Socket	सेट	८२.००	८२.००	८२.००
	6A 2/3 Pin unshuttered multi switch socket	सेट	१२८.००	१२८.००	१२८.००
	RJ 45 Computer Socket for modem	सेट	२३४.००	२३४.००	२३४.००
	Flush Mounting metallic Box for Plate Series switch / socket (78mm x 78mm x 50mm)	सेट	३५.००	३५.००	३५.००
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	सेट	६३.००	६३.००	६३.००
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 205 x 50	सेट	९८.००	९८.००	९८.००
२	Switch / socket outlet, Plate series having round switch buttons & white surrounding plate, suitable to fix on box size 3"x3" . (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	10A 1gang 1way Switch	सेट	८३.००	८३.००	८३.००
	10A 2gang 1way Switch	सेट	१६३.००	१६३.००	१६३.००
	10A 3gang 1way Switch	सेट	२१६.००	२१६.००	२१६.००
	10A 4gang 1way Switch	सेट	३५०.००	३५०.००	३५०.००
	10A 5gang 1way Switch	सेट	३७१.००	३७१.००	३७१.००
	10A 6gang 1way Switch	सेट	६१७.००	६१७.००	६१७.००

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	10A 1gang 2way Switch	सेट	१४४.००	१४४.००	१४४.००
	10A 2gang 2way Switch	सेट	२७८.००	२७८.००	२७८.००
	10A 3gang 2way Switch	सेट	४०७.००	४०७.००	४०७.००
	10A 4gang 2way Switch	सेट	६१३.००	६१३.००	६१३.००
	T V Socket outlet	सेट	२९९.००	२९९.००	२९९.००
	Telephone Socket	सेट	२६८.००	२६८.००	२६८.००
	13A Universal socket outlet	सेट	४६४.००	४६४.००	४६४.००
	13A Socket	सेट	२७३.००	२७३.००	२७३.००
	15A switched Socket outlet	सेट	४४३.००	४४३.००	४४३.००
	5A Socket	सेट	३४०.००	३४०.००	३४०.००
	RJ 45 8way Computer Socket	सेट	८२४.००	८२४.००	८२४.००
	TV and Telephone Socket	सेट	४९२.००	४९२.००	४९२.००
	7+2 PIN SOCKET OUTLET	सेट	९२७.००	९२७.००	९२७.००
	3+2 PIN SOCKET OUTLET	सेट	५७७.००	५७७.००	५७७.००
	X5 2+2 - 2 PIN SOCKET OUTLET	सेट	७८३.००	७८३.००	७८३.००
	SCHUKO SOCKET WITH ONE SWITCH	सेट	५०५.००	५०५.००	५०५.००
	Bell Press	सेट	२३७.००	२३७.००	२३७.००
	Blank Plate	सेट	९३.००	९३.००	९३.००
	400W Light Dimmer W/ Switch	सेट	९०६.००	९०६.००	९०६.००
	400W Fan Controller / Multi Step Dimmer	सेट	९१७.००	९१७.००	९१७.००
	5 Step Fan Controller	सेट	८९६.००	८९६.००	८९६.००
	2 Pin Socket W/ Switch	सेट	४५३.००	४५३.००	४५३.००
	13A Twin Socket	सेट	६८०.००	६८०.००	६८०.००
३	MODULAR SWITCH PLATES (संयोजित उत्पादक राष्ट्रको गुणस्तर भित्र राख्दा)				
	1 MODULAR PLATE	सेट	१४८.००	१४८.००	१४८.००
	2 MODULAR PLATE	सेट	१४८.००	१४८.००	१४८.००
	3 MODULAR PLATE	सेट	१९२.००	१९२.००	१९२.००
	4 MODULAR PLATE	सेट	२२१.००	२२१.००	२२१.००
	6 MODULAR PLATE	सेट	३०१.००	३०१.००	३०१.००
	8 MODULAR PLATE	सेट	३५४.००	३५४.००	३५४.००
	12 MODULAR PLATE	सेट	४८२.००	४८२.००	४८२.००
	16 MODULAR PLATE	सेट	५६२.००	५६२.००	५६२.००
	18 MODULAR PLATE	सेट	५९३.००	५९३.००	५९३.००
४	SWITCHES (संयोजित उत्पादक राष्ट्रको गुणस्तर भित्र राख्दा)				
	10A 1 WAY SWITCH	सेट	१३०.००	१३०.००	१३०.००
	10A 2 WAY SWITCH	सेट	२३९.००	२३९.००	२३९.००
	16A 1 WAY SWITCH WITH INDICATOR	सेट	२८३.००	२८३.००	२८३.००
	16A 1 WAY SWITCH	सेट	२५२.००	२५२.००	२५२.००
	20A DP SWITCH WITH INDICATOR	सेट	५४६.००	५४६.००	५४६.००
	32A DP SWITCH WITH INDICATOR	सेट	६५५.००	६५५.००	६५५.००
	10A BELL PUSH	सेट	२५२.००	२५२.००	२५२.००
	10A 2 MODULAR BELL PUSH	सेट	३७२.००	३७२.००	३७२.००
	25A MOTOR STATER	सेट	११६२.००	११६२.००	११६२.००
	400W 1 MODULAR DIMMER	सेट	६७३.००	६७३.००	६७३.००

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.म.क. बाहेकको दररेटललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	100W 2 MODULAR DIMMER	सेट	१३१३.००	१३१३.००	१३१३.००
	STEP REGULATOR 4 STEP DIMMER	सेट	६९०.००	६९०.००	६९०.००
	20A 2 WAY SWITCH 1M	सेट	३९६.००	३९६.००	३९६.००
	20A 1 WAY SWITCH WITH IND 1M	सेट	४८०.००	४८०.००	४८०.००
५	SOCKETS (संलग्नित उत्पादक राष्ट्रको गुणस्तर बिना प्राप्त)				
	6A 2 PIN SOCKET	सेट	२१२.००	२१२.००	२१२.००
	13A UNIVERSAL SOCKET	सेट	२७९.००	२७९.००	२७९.००
	6/16A 3 PIN SOCKET	सेट	४२९.००	४२९.००	४२९.००
	RJ11 SOCKET	सेट	२८२.००	२८२.००	२८२.००
	TV SOCKET	सेट	२२६.००	२२६.००	२२६.००
	USB CHARGER	सेट	२१५५.००	२१५५.००	२१५५.००
	BUZZER OFF	सेट	५३६.००	५३६.००	५३६.००
	BLANK OFF	सेट	५०.००	५०.००	५०.००
	LED FOOT LIGHT 2M	सेट	१०८५.००	१०८५.००	१०८५.००
	LED PHASE INDICATOR	सेट	२८५.००	२८५.००	२८५.००
	RJ 45 SOCKET	सेट	८१९.००	८१९.००	८१९.००
	CALL BELL INDICATOR	सेट	२०३१.००	२०३१.००	२०३१.००
	MOVEMENT SENSOR	सेट	७२३०.००	७२३०.००	७२३०.००
६	HOSPITALITY				
	SAVER SOCKET 4M	सेट	६२९६.००	६२९६.००	६२९६.००
	MECHANICAL KEY/TAG 32A + KEY FOB	सेट	१५००.००	१५००.००	१५००.००
	DND MMR INSIDE ROOM UNIT	सेट	१३०१.००	१३०१.००	१३०१.००
	DND MMR OUTSIDE ROOM UNIT	सेट	९२५.००	९२५.००	९२५.००
७	MODULAR SWITCH IN GANG MODULE WHITE				
	1 GANG ONE WAY SWITCH	सेट	२७८.००		
	2 GANG ONE WAY SWITCH	सेट	४०८.००		
	3 GANG ONE WAY SWITCH	सेट	५८२.००		
	4 GANG ONE WAY SWITCH	सेट	७४१.००		
	6 GANG ONE WAY SWITCH	सेट	१०८१.००		
	8 GANG ONE WAY SWITCH	सेट	१३९४.००		
	12 GANG ONE WAY SWITCH	सेट	२०४२.००		
	16 GANG ONE WAY SWITCH	सेट	२६४२.००		
	18 GANG ONE WAY SWITCH	सेट	२९३३.००		
	1 GANG TWO WAY SWITCH	सेट	३८७.००		
	16A POWER SOCKET SET	सेट	८७३.००		
	13A UNIVERSAL SOCKET SET	सेट	७२३.००		
	400W DIMMER SET	सेट	८२१.००		
	1000W DIMMER SET	सेट	१४६४.००		
	RJ45 SOCKET SET	सेट	९६७.००		
	RJ11 SOCKET SET	सेट	४३०.००		
	BLANK PLATE	सेट	५०.००		
	TV SOCKET SET	सेट	३७४.००		
	BELL PUSH SET	सेट	४००.००		
	20A DP SWITCH WITH INDICATOR SET	सेट	६९४.००		
	32A D.P SWITCH WITH INDICATOR SET	सेट	८०३.००		

विद्युतिय सामग्रीहरु


 नेपाल सरकार
 वि. मन्त्रालय
 प्रशासन कार्यसम

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
८	GI METAL BOX RATES				
	GI METAL BOX 1/2 MODULE 3*3	सेट	१०३.००	१०३.००	१०३.००
	GI METAL BOX 3 MODULE 3*4	सेट	१२८.००	१२८.००	१२८.००
	GI METAL BOX 4 MODULE 3*5	सेट	१४१.००	१४१.००	१४१.००
	GI METAL BOX 6 MODULE 3*8	सेट	२१०.००	२१०.००	२१०.००
	GI METAL BOX 8 MODULE HORIZONTAL 3*9	सेट	२६७.००	२६७.००	२६७.००
	GI METAL BOX 8 MODULE SQUARE 5*5	सेट	२६७.००	२६७.००	२६७.००
	GI METAL BOX 12/16 MODULE 6*8	सेट	४०५.००	४०५.००	४०५.००
	GI METAL BOX 18 MODULE 8*8	सेट	४६२.००	४६२.००	४६२.००
९	NON MODULAR SWITCHES LOCAL BRAND				
	16A MULTI POWER SOCKET	सेट	३२५.००	३२५.००	३२५.००
	16A POWER MULTI SOCKET + USB	सेट	८००.००	८००.००	८००.००
	16A DOUBLE MULTI POWER SOCKET	सेट	६६५.००	६६५.००	६६५.००
	2 GANG + SOCKET SWITCH	सेट	३२०.००	३२०.००	३२०.००
	4 GANG + SOCKET SWITCH	सेट	५२५.००	५२५.००	५२५.००
	6 GANG + SOCKET SWITCH	सेट	६४०.००	६४०.००	६४०.००
	1 GANG SWITCH	सेट	१३५.००	१३५.००	१३५.००
	2 GANG SWITCH	सेट	२००.००	२००.००	२००.००
	3 GANG SWITCH	सेट	२६७.००	२६७.००	२६७.००
	4 GANG SWITCH	सेट	३५०.००	३५०.००	३५०.००
	6 GANG SWITCH	सेट	५२५.००	५२५.००	५२५.००
	8 GANG SWITCH	सेट	६५५.००	६५५.००	६५५.००
	10 GANG SWITCH	सेट	८००.००	८००.००	८००.००
	DIMMER KNOB	सेट	४४५.००	४४५.००	४४५.००
	2 PIN SOCKET KNOB	सेट	१००.००	१००.००	१००.००
	2 WAY SWITCH KNOB	सेट	९४.००	९४.००	९४.००
	DOOR BELL KNOB	सेट	९४.००	९४.००	९४.००
	1 GANG WATER PROOF BELL PUSH SWITCH	सेट	१७५.००	१७५.००	१७५.००
	20A D.P SWITCH	सेट	४४५.००	४४५.००	४४५.००
	45A D.P SWITCH	सेट	६६०.००	६६०.००	६६०.००
	TV SOCKET	सेट	२०६.००	२०६.००	२०६.००
	TELEPHONE SOCKET	सेट	२०६.००	२०६.००	२०६.००
	RJ45 SOCKET KNOB	सेट	२९०.००	२९०.००	२९०.००
	TV+ TELEPHONE SOCKET	सेट	२७५.००	२७५.००	२७५.००
	1 GANG PLATE	सेट	९४.००	९४.००	९४.००
	2 GANG PLATE	सेट	९४.००	९४.००	९४.००
	3X3 WOODEN PLATE	सेट	१२५.००	१२५.००	१२५.००
	3X5 WOODEN PLATE	सेट	१६५.००	१६५.००	१६५.००
१०	White Plate series modular type(polycarbonate) SWITCH SOCKET (संयन्त्रित उत्पादक शब्दको गुणस्तर चिन्ह प्राप्त)				
	One Gang one way switch	सेट	१००.००		
	One Gang two way switch	सेट	११२.००		
	One way bell switch	सेट	११२.००		
	Two gang one way switch	सेट	१३३.००		
	Two gang one way switch with one bell push	सेट	१४६.००		

प्रमुख जिल्ला अधिकारी

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Two gang Full two way switch	सेट	१५८.००		
	Three Gang one way switch	सेट	१६७.००		
	Four gang one way switch	सेट	२०२.००		
	Six gang one way switch	सेट	३०७.००		
	Eight gang one way switch	सेट	३७४.००		
	Dimmer single 400 watt	सेट	४८६.००		
	1 switch with dimmer	सेट	४९९.००		
	6/16 Amp, 2/3 Pin Power sockets with switch & indicator	सेट	२६०.००		
	6/13 Amp, Power sockets with switch, indicator	सेट	२६३.००		
	20 A D.P. switch with fuse & indicator Surface Mounting	सेट	३५४.००		
	4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	३९१.००		
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	४७४.००		
	Blanking plate single	सेट	६२.००		
	Telephone socket single	सेट	१५२.००		
	Telephone socket Double	सेट	२४९.००		
	T.V. antenna single Socket	सेट	१४२.००		
	RJ 45 Computer Socket for modem	सेट	२०६.००		
	CAT-6 Computer Socket for modem	सेट	३२१.००		
११	Modular Type Switch Socket set (संनधित उत्पादक राष्ट्रको गुणस्तर भिन्न प्राप्त)				
	1P - 6A/10A 1 way switch	गोटा	१३९.००	१३९.००	१३९.००
	1P - 16A/20A 1 way switch	गोटा	२२३.००	२२३.००	२२३.००
	1P - 25A 1 way switch	गोटा	३२६.००	३२६.००	३२६.००
	1P - 6A/10A 2 way switch	गोटा	१६७.००	१६७.००	१६७.००
	1P - 16A/20A 2 way switch	गोटा	२५३.००	२५३.००	२५३.००
	1P - 6A push button	गोटा	१८४.००	१८४.००	१८४.००
	1 gang blanking module	गोटा	४३.००	४३.००	४३.००
	2 gang blanking module	गोटा	८६.००	८६.००	८६.००
१२	FAN REGULATOR / DIMMER				
	Step type fan regulator	गोटा	६३८.००	६३८.००	६३८.००
	60 - 500 W dimmer	गोटा	७९७.००	७९७.००	७९७.००
	1000 W dimmer	गोटा	१५२४.००	१५२४.००	१५२४.००
१३	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS				
	6A - multi socket 5 pin	गोटा	२४०.००	२४०.००	२४०.००
	6/16A twin socket 3 pin (flushed)	गोटा	३३२.००	३३२.००	३३२.००
	6/16A twin socket 3 pin (projected)	गोटा	३३२.००	३३२.००	३३२.००
	25A 3 pin socket	गोटा	४०१.००	४०१.००	४०१.००
	13A 3 pin socket	गोटा	२७०.००	२७०.००	२७०.००
	RJ 11 telephone jack	गोटा	१५९.००	१५९.००	१५९.००
	RJ 45 cat.6e computer socket	गोटा	५५७.००	५५७.००	५५७.००
	TV socket	गोटा	१६९.००	१६९.००	१६९.००
	HOSPITALITY RANGE				
	250V/110V shaver socket	गोटा	४३५५.००	४३५५.००	४३५५.००
	Indicator (DO NOT DISTURB)	गोटा	१८०.००	१८०.००	१८०.००

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.ब.क. बाहेकको दररेट ललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	LED yellow night lamp	गोटा	५६०.००	५६०.००	५६०.००
	LED Blue night lamp	गोटा	५६०.००	५६०.००	५६०.००
१४	FRONT PLATE (COMPATIBLE TO MARKET BOXES)	गोटा			
	1 module front plate	गोटा	७२.००	७२.००	७२.००
	2 module front plate	गोटा	७७.००	७७.००	७७.००
	3 module front plate	गोटा	८४.००	८४.००	८४.००
	4 module front plate	गोटा	८९.००	८९.००	८९.००
	6 module front plate	गोटा	१६२.००	१६२.००	१६२.००
	8 module front plate(4+4)	गोटा	२१७.००	२१७.००	२१७.००
	8 module front plate (Horizontal)	गोटा	१७४.००	१७४.००	१७४.००
	12 module front plate	गोटा	२६०.००	२६०.००	२६०.००
	18 module front plate	गोटा	३५०.००	३५०.००	३५०.००
१५	Modular Type Switch Socket (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Seperate Module for Modular Switch & Socket				
	1P-6A/10A 1 way switch	गोटा	९०.००	९०.००	९०.००
	1P-16A/20A 1 way switch	गोटा	१५०.००	१५०.००	१५०.००
	1P-6A/10A 2 way switch	गोटा	१३९.००	१३९.००	१३९.००
	1P-16A/20A 2 way switch	गोटा	१८२.००	१८२.००	१८२.००
	1P-6A push button	गोटा	१३९.००	१३९.००	१३९.००
	1 gang blanking module	गोटा	४२.००	४२.००	४२.००
	2 gang blanking module	गोटा	८१.००	८१.००	८१.००
	Modular Switch, Sockets, Plates				
	6A SWITCH 1W 1 MODULE	गोटा	१३७.६०	१३७.६०	१३७.६०
	6A SWITCH 2W 1 MODULE	गोटा	२६५.६०	२६५.६०	२६५.६०
	6A SWITCH 1W 1 MODULE WITH INDICATOR	गोटा	२६५.६०	२६५.६०	२६५.६०
	10A SWITCH 1W 2 MODULE	गोटा	३२३.२०	३२३.२०	३२३.२०
	10A SWITCH 2W 2 MODULE	गोटा	३८०.८०	३८०.८०	३८०.८०
	10A INTERMEDIATE SWITCH 2 MODULE	गोटा	२१५३.६०	२१५३.६०	२१५३.६०
	10A SWITCH 1W WITH INDICATOR 2 MODULE	गोटा	४१२.८०	४१२.८०	४१२.८०
	16A SWITCH 1W 1 MODULE	गोटा	३००.८०	३००.८०	३००.८०
	16A SWITCH 2W 1 MODULE	गोटा	३७७.६०	३७७.६०	३७७.६०
	16A SWITCH 1W WITH INDICATOR 1 MODULE	गोटा	३९०.४०	३९०.४०	३९०.४०
	20A SWITCH 1W 1 MODULE	गोटा	४४१.६०	४४१.६०	४४१.६०
	20A DP SWITCH 1W 2 MODULE	गोटा	६४९.६०	६४९.६०	६४९.६०
	20A DP SWITCH 1W WITH INDICATOR 2 MODULE	गोटा	६६२.४०	६६२.४०	६६२.४०
	20A SWITCH 2W 2 MODULE	गोटा	७४२.४०	७४२.४०	७४२.४०
	25 A SP 1W SWITCH WITH INDICATOR 1 MODULE	गोटा	४६०.८०	४६०.८०	४६०.८०
	32A DP SWITCH WITH INDICATOR 2 MODULE	गोटा	८९६.००	८९६.००	८९६.००
	6/16 A 2 PIN EURO US SOCKET 1 MODULE	गोटा	४८३.२०	४८३.२०	४८३.२०
	16A 3 PIN SWITCHED SOCKET 3 MODULE	गोटा	९५०.४०	९५०.४०	९५०.४०
	MULTISTANDARD SOCKET 6/10/13 A 2/3 PIN FOR 250 VAC 15A 2PIN 2 M	गोटा	४०५.६०	४०५.६०	४०५.६०
	6A 5 PIN UNIVERSAL SOCKET 2 MODULE	गोटा	३९०.४०	३९०.४०	३९०.४०
	6/16 A SOCKET 3 MODULE	गोटा	४९८.४०	४९८.४०	४९८.४०

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट ललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	6/16 A SOCKET 2 MODULE	गोटा	४०४.६०	४०४.६०	४०४.६०
	6/16A EURO SOCKET 2 MODULE	गोटा	४२४.८०	४२४.८०	४२४.८०
	25A SOCKET 2 MODULE	गोटा	४०४.६०	४०४.६०	४०४.६०
	6A 3 PIN ISI SOCKET 2M	गोटा	२४२.८०	२४२.८०	२४२.८०
	ROTARY LIGHT DIMMER 400W 1 MODULE	गोटा	८९९.२०	८९९.२०	८९९.२०
	ROTARY LIGHT DIMMER 500W 2 MODULE	गोटा	११४८.८०	११४८.८०	११४८.८०
	REMOVABLE LED LAMP 2 MODULE	गोटा	३६९६.००	३६९६.००	३६९६.००
	LED SKIRTING LIGHT 3 MODULE	गोटा	७७१.००	७७१.००	७७१.००
	INDICATOR UNIT 1 MODULE WITH TRANSPARENT LED AND COLORED LABELS	गोटा	८९६.००	८९६.००	८९६.००
	BELL CALL INDICATOR 240V 1 MODULE	गोटा	१५२९.६०	१५२९.६०	१५२९.६०
	HUZZER 230 V 1 MODULE	गोटा	१०२७.२०	१०२७.२०	१०२७.२०
	INFRARED SENSOR 400W 2 MODULE	गोटा	२४४४.८०	२४४४.८०	२४४४.८०
	REMOTE CONTROL UNIT FOR LIGHT & FAN 4 MODULE	गोटा	५८६९.००	५८६९.००	५८६९.००
	REMOTE CONTROL HAND UNIT	गोटा	९०८.००	९०८.००	९०८.००
	16A KEY CARD SWITCH 2 MODULE	गोटा	४९५०.४०	४९५०.४०	४९५०.४०
	CREDIT CARD SIZE KEY FOB	गोटा	१६६.४०	१६६.४०	१६६.४०
	DND & MMR INDICATOR WITH BELL PUSH 1+1 MODULE	गोटा	५४४.००	५४४.००	५४४.००
	INTERNAL CONTROL UNIT FOR DND & MMR 1+1 MODULE	गोटा	४४१.६०	४४१.६०	४४१.६०
	SHAYER SOCKET 120/240 V MONOBLOCK WITH PLATE 2 MODULE	गोटा	३८०४.८०	३८०४.८०	३८०४.८०
	RJ45 UTP CAT 5 TOOLESS WITH SHUTTER 1 M GREY	गोटा	७६१.६०	७६१.६०	७६१.६०
	RJ45 UTP CAT 6 TOOLESS WITH SHUTTER 1 M GREY	गोटा	१०६८.८०	१०६८.८०	१०६८.८०
	PRETERMINATED AUDIO VIDEO CONNECTOR 1 MODULE	गोटा	२०४७.६०	२०४७.६०	२०४७.६०
	PRETERMINATED HDMI SOCKET 1 MODULE	गोटा	२५२८.००	२५२८.००	२५२८.००
	PRETERMINATED PROJECTOR CONNECTOR 1 MODULE	गोटा	२५२८.००	२५२८.००	२५२८.००
	VOLUME CONTROLLER 2 MODULE	गोटा	१६२५.६०	१६२५.६०	१६२५.६०
	16A MOTOR STARTER 2 MODULE	गोटा	९७६.००	९७६.००	९७६.००
	25A MOTOR STARTER 2 MODULE	गोटा	९७६.००	९७६.००	९७६.००
	VOLTAGE SURGE PROTECTOR 230V 1 MODULE	गोटा	३०८४.८०	३०८४.८०	३०८४.८०
	16A SP MCB 1 C CURVE 1 M	गोटा	६४६.४०	६४६.४०	६४६.४०
	20A SP MCB 1 C CURVE 1 M	गोटा	६४६.४०	६४६.४०	६४६.४०
	32A SP MCB 1 C CURVE 1 M	गोटा	६४६.४०	६४६.४०	६४६.४०
	USB CHARGER 1000 mA 1 MODULAR TYPE A	गोटा	१६१६.००	१६१६.००	१६१६.००
	USB CHARGER 1500 mA 1 MODULAR TYPE A	गोटा	१५५१.००	१५५१.००	१५५१.००
	DOUBLE USB CHARGER 3000 Ma 2 MODULE	गोटा	३७४४.००	३७४४.००	३७४४.००
	USB CHARGER 1500 mA 1 MODULAR C TYPE	गोटा	१७९८.४०	१७९८.४०	१७९८.४०
	COMBI TWIN USB 2400 m A MULTISTANDARD SOCKET TYPE A	गोटा	४३१६.८०	४३१६.८०	४३१६.८०
	COMBI TWIN USB 2400 m A MULTISTANDARD SOCKET TYPE A & TYPE C	गोटा	४७५२.००	४७५२.००	४७५२.००
	COMBI TWIN USB 3.1A EURO SOCKET TYPE A -2 MODULE	गोटा	२८२५.६०	२८२५.६०	२८२५.६०
	COMBI TWIN USB 3.1A EURO SOCKET TYPE A & TYPE C -2 MODULE	गोटा	३७६३.२०	३७६३.२०	३७६३.२०
	WIRELESS CHARGER +TYPE-A USB 1A-5V/5W CHARGER WITH ONE 2.4A/12W	गोटा	१०२५६.००	१०२५६.००	१०२५६.००
	LOUDSPEAKER FOR FALSE CEILING & PLASTER BOARD 8 OHMS 10W	गोटा	३२६०.८०	३२६०.८०	३२६०.८०

विद्युतिय सामग्रीहरु



नेपाल सरकार
मुख्य मन्त्रालय
जलविद्युत विकास कार्यालय

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.म.क. बाहेकको दर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	ललितपुर २०८३/८४
	BLUETOOTH SOUND DIFFUSION 2 MODULE	गोटा	७१९०.४०	७१९०.४०	७१९०.४०
	ROTARY LED DIMMER 50 W	गोटा	३३२४.८०	३३२४.८०	३३२४.८०
	6A TOUCH SWITCH 1W 2 MODULE	गोटा	४९५६.८०	४९५६.८०	४९५६.८०
	6A TOUCH SWITCH 2W 2 MODULE	गोटा	५७२८.००	५७२८.००	५७२८.००
	16A TOUCH SWITCH 1W 2 MODULE	गोटा	५७२८.००	५७२८.००	५७२८.००
	6A TOUCH BELL PUSH 2 MODULE	गोटा	४९५६.८०	४९५६.८०	४९५६.८०
	TOUCH FAN REGULATOR 100W 2 MODULE	गोटा	५७२८.००	५७२८.००	५७२८.००
	300 W UNIVERSAL LED TOUCH LIGHT SCROLL DIMMING 2 MODULE	गोटा	५७२८.००	५७२८.००	५७२८.००
	READING LIGHT RED	गोटा	२८७३.६०	२८७३.६०	२८७३.६०
	CABLE OUTLET 8 mm 1 MODULE	गोटा	२४६.४०	२४६.४०	२४६.४०
	BLANKING PLATE 1 MODULE	गोटा	६३.००	६३.००	६३.००
	BLANKING PLATE 2 MODULE	गोटा	८६.४०	८६.४०	८६.४०
	CLASSIC WHITE PLATE+ FRAME 1 M	गोटा	२०१.६०		
	CLASSIC WHITE PLATE+ FRAME 2 M	गोटा	२०१.६०		
	CLASSIC WHITE PLATE+ FRAME 3 M	गोटा	२५९.२०		
	CLASSIC WHITE PLATE+ FRAME 4 M	गोटा	२९१.२०		
	CLASSIC WHITE PLATE + FRAME 6M	गोटा	३६१.६०		
	CLASSIC WHITE PLATE+ FRAME 8 M (H)	गोटा	४६४.००		
	CLASSIC WHITE PLATE + FRAME 2 X 4M	गोटा	४८९.६०		
	CLASSIC WHITE PLATE+ FRAME 9M	गोटा	५१८.४०		
	CLASSIC WHITE PLATE+ FRAME 12 M	गोटा	६७५.२०		
	CLASSIC WHITE PLATE+ FRAME 16M	गोटा	७८४.००		
	CLASSIC WHITE PLATE+ FRAME 18 M	गोटा	१०६२.४०		
	BRUSHED SILVER PLATE+ FRAME 1M	गोटा	२६५.६०		
	BRUSHED SILVER PLATE+ FRAME 2M	गोटा	२६५.६०		
	BRUSHED SILVER PLATE+ FRAME 3M	गोटा	३७१.२०		
	BRUSHED SILVER PLATE+ FRAME 4M	गोटा	३८४.००		
	BRUSHED SILVER PLATE+ FRAME 6M	गोटा	४९६.००		
	BRUSHED SILVER PLATE+ FRAME 8M(H)	गोटा	६४६.४०		
	BRUSHED SILVER PLATE+ FRAME 2X 4M	गोटा	६४६.४०		
	BRUSHED SILVER PLATE+ FRAME 9M	गोटा	७००.८०		
	BRUSHED SILVER PLATE+ FRAME 12M	गोटा	९२८.००		
	BRUSHED SILVER PLATE+ FRAME 16M	गोटा	१०६८.८०		
	BRUSHED SILVER PLATE+ FRAME 18M	गोटा	१४४६.४०		
	ALU SUN SET PLATE + FRAME 1M	गोटा	२५९.२०		
	ALU SUN SET PLATE + FRAME 2M	गोटा	२५९.२०		
	ALU SUN SET PLATE + FRAME 3M	गोटा	३५५.२०		
	ALU SUN SET PLATE + FRAME 4M	गोटा	३८०.८०		
	ALU SUN SET PLATE + FRAME 6M	गोटा	४८९.६०		
	ALU SUN SET PLATE + FRAME 8M(H)	गोटा	६२७.२०		
	ALU SUN SET PLATE + FRAME 2 X 4 M	गोटा	६३०.४०		
	ALU SUN SET PLATE + FRAME 9M	गोटा	६७८.४०		
	ALU SUN SET PLATE + FRAME 12M	गोटा	८९६.००		
	ALU SUN SET PLATE + FRAME 16M	गोटा	१०२७.२०		
	ALU SUN SET PLATE + FRAME 18M	गोटा	१४२०.८०		

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको ललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	CHAMPAGNE PLATE + FRAME 1M	गोटा	२५९.२०		
	CHAMPAGNE PLATE + FRAME 2M	गोटा	२५९.२०		
	CHAMPAGNE PLATE + FRAME 3M	गोटा	३५५.२०		
	CHAMPAGNE PLATE + FRAME 4M	गोटा	३८०.८०		
	CHAMPAGNE PLATE + FRAME 6M	गोटा	४८९.६०		
	CHAMPAGNE PLATE + FRAME 8M(H)	गोटा	६२७.२०		
	CHAMPAGNE PLATE + FRAME 2 X 4 M	गोटा	६३०.४०		
	CHAMPAGNE PLATE + FRAME 9M	गोटा	६७८.४०		
	CHAMPAGNE PLATE + FRAME 12M	गोटा	८९६.००		
	CHAMPAGNE PLATE + FRAME 16M	गोटा	१०२७.२०		
	CHAMPAGNE PLATE + FRAME 18M	गोटा	१४२०.८०		
	MATT SILVER PLATE + FRAME 1M	गोटा	२५९.२०		
	MATT SILVER PLATE + FRAME 2M	गोटा	२५९.२०		
	MATT SILVER PLATE + FRAME 3M	गोटा	३५५.२०		
	MATT SILVER PLATE + FRAME 4M	गोटा	३८०.८०		
	MATT SILVER PLATE + FRAME 6M	गोटा	४८९.६०		
	MATT SILVER PLATE + FRAME 8M(H)	गोटा	६२७.२०		
	MATT SILVER PLATE + FRAME 2 X 4 M	गोटा	६३०.४०		
	MATT SILVER PLATE + FRAME 9M	गोटा	६७८.४०		
	MATT SILVER PLATE + FRAME 12M	गोटा	८९६.००		
	MATT SILVER PLATE + FRAME 16M	गोटा	१०२७.२०		
	MATT SILVER PLATE + FRAME 18M	गोटा	१४२०.८०		
१६	FAN REGULATOR / DIMMER				
	Stop type fan regulator	गोटा	७३१.००	७३१.००	७३१.००
	60 - 500 W dimmer	गोटा	६२३.००	६२३.००	६२३.००
	FAN STEP REGULATOR 100W 1 MODULE	गोटा	८२२.४०	८२२.४०	८२२.४०
	FAN STEP REGULATOR 100W 360 DEGREE 2 MODULE	गोटा	१०१७.६०	१०१७.६०	१०१७.६०
	FAN STEP REGULATOR 120W360 DEGREE 2 MODULE	गोटा	११६४.८०	११६४.८०	११६४.८०
	FAN STEP REGULATOR 70W 2 MODULE	गोटा	१११३.६०	१११३.६०	१११३.६०
	FAN REGULATOR 100W 8 STEP 2M	गोटा	९१५.२०	९१५.२०	९१५.२०
१७	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS				
	6A - multi socket 5 pin	गोटा	१९३.००	१९३.००	१९३.००
	6/16A twin socket 3 pin (flushed)	गोटा	३००.००	३००.००	३००.००
	6/16A twin socket 3 pin (projected)	गोटा	३००.००	३००.००	३००.००
	13A 3 pin socket	गोटा	१९३.००	१९३.००	१९३.००
	RJ 11 telephone jack	गोटा	१५०.००	१५०.००	१५०.००
	RJ 45 cat.60 computer socket	गोटा	२४७.००	२४७.००	२४७.००
	TV COAXIAL SOCKET 1 MODULE	गोटा	२९०.००	२९०.००	२९०.००
	TELEPHONE SOCKET RJ 11 1 MODULE	गोटा	२७७.००	२७७.००	२७७.००
	TELEPHONE SOCKET DOUBLE RJ 11 1MODULE	गोटा	४७४.००	४७४.००	४७४.००
१८	TV socket	गोटा	१५०.००	१५०.००	१५०.००
	1 module front plate	गोटा	११८.००	११८.००	११८.००
	2 module front plate	गोटा	११८.००	११८.००	११८.००
	3 module front plate	गोटा	१५४.००	१५४.००	१५४.००
	4 module front plate	गोटा	१७२.००	१७२.००	१७२.००



नेपाल सरकार
सु.अ.क. बाहेको, ईस्टेभिएन्स
प्रशासन कार्यालय

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	सु.अ.क. बाहेको, ईस्टेभिएन्स प्रशासन कार्यालय		
			आ.व. २०८१/८२	आ.व. २०८२/८३	ललितपुर २०८३/८४
	6 module front plate	गोटा	२३७.००	२३७.००	२३७.००
	8 module front plate(4+4)	गोटा	३१८.००	३१८.००	३१८.००
	8 module front plate (Horizontal)	गोटा	३२६.००	३२६.००	३२६.००
	12 module front plate	गोटा	३७९.००	३७९.००	३७९.००
	18 module front plate	गोटा	४७३.००	४७३.००	४७३.००
१९	BELL INDICATOR				
	4 way bell indicator with plate	सेट	१२५५.००	१२५५.००	१२५५.००
	6 way " " " "	सेट	२०४९.००	२०४९.००	२०४९.००
	8 way " " " "	सेट	२८५१.००	२८५१.००	२८५१.००
	12 way " " " "	सेट	४३९५.००	४३९५.००	४३९५.००
	6A PUSH BUTTON SP 1 MODULE	सेट	२१४.००	२१४.००	२१४.००
	6A PUSH BUTTON SP WITH INDICATOR 1 MODULE	सेट	३१४.००	३१४.००	३१४.००
	6A BELL PUSH 1 MODULE	सेट	२८१.००	२८१.००	२८१.००
	6A BELL PUSH WITH INDICATOR 1 MODULE	सेट	३३२.००	३३२.००	३३२.००
	6A BELL PUSH 2 MODULE	सेट	३७७.००	३७७.००	३७७.००
	6A BELL PUSH WITH INDICATOR 2 MODULE	सेट	४५६.००	४५६.००	४५६.००
	BELL CALL INDICATOR 240V 1 MODULE	सेट	१५३०.००	१५३०.००	१५३०.००
२०	Flush mounting galvanized Metal box for modular type switch & socket-(संलग्नित उत्पादक राष्ट्रको गुणस्तर बिन्दु प्राप्त)				
	1 module metal box having L x B x Depth =(78x78x45)mm	सेट	५४.००	५४.००	५४.००
	2 module " " =(78x78x45)mm	सेट	५४.००	५४.००	५४.००
	3 gang " " =(78x100x45)mm	सेट	५८.००	५८.००	५८.००
	4 gang " " =(78x140x50)mm	सेट	७१.००	७१.००	७१.००
	5 gang " " =(78x205x50)mm	सेट	१३९.००	१३९.००	१३९.००
	6 gang " " =(78x205x50)mm	सेट	१४२.००	१४२.००	१४२.००
	8 module metal box (4+4) =(78x230x60)mm	सेट	१८९.००	१८९.००	१८९.००
	8 module metal box (Horizontal) =(135x120x60)mm	सेट	१८९.००	१८९.००	१८९.००
	12 module metal box =(135x120x60)mm	सेट	२४१.००	२४१.००	२४१.००
	TV socket metal box	सेट	५४.००	५४.००	५४.००
	Telephone socket metal box	सेट	५४.००	५४.००	५४.००
२१	METAL Junction BOX				
	4"x4"	सेट	१०४.००	१०४.००	१०४.००
	4"x6"	सेट	१५६.००	१५६.००	१५६.००
	6"x8"	सेट	२४७.००	२४७.००	२४७.००
	8"x10"	सेट	३६४.००	३६४.००	३६४.००
	8"x12"	सेट	३६४.००	३६४.००	३६४.००
२२	PVC Junction Box				
	4"x6"	सेट	३५.००	३५.००	३५.००
	6"x8"	सेट	४८.००	४८.००	४८.००
	8"x10"	सेट	६९.००	६९.००	६९.००
	8"x12"	सेट	१३४.००	१३४.००	१३४.००
	PVC Junction box cover	सेट	१५०.००	१५०.००	१५०.००
२३	PVC Box for MCB				
	1-pole PVC box GPS	सेट	८४.००	८४.००	८४.००
	2-pole PVC " "	सेट	८४.००	८४.००	८४.००

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	3 and 4-pole PVC	सेट	१३५.००	१३५.००	१३५.००
२४	Industrial Plug & Sockets				
	Industrial type Plug & Socket with required IP protection				
	16/20 Amp 3 Pin Socket with required IP protection	गोटा	३८४८.००	३८४८.००	३८४८.००
	16/20 Amp 4 Pin Socket with required IP protection	गोटा	४२२३.००	४२२३.००	४२२३.००
	16/20 Amp 5 Pin Socket with required IP protection	गोटा	४२२३.००	४२२३.००	४२२३.००
	32 Amp 3 Pin Socket with required IP protection	गोटा	४३७५.००	४३७५.००	४३७५.००
	32 Amp 4 Pin Socket with required IP protection	गोटा	४९१३.००	४९१३.००	४९१३.००
	32 Amp 5 Pin Socket with required IP protection	गोटा	४९१३.००	४९१३.००	४९१३.००
	63 Amp 3 Pin Socket with required IP protection	गोटा	१११८२.००	१११८२.००	१११८२.००
	63 Amp 4 Pin Socket with required IP protection	गोटा	१०१९२.००	१०१९२.००	१०१९२.००
	63 Amp 5 Pin Socket with required IP protection	गोटा	१०१९२.००	१०१९२.००	१०१९२.००
	16/20 Amp 3 Pin Plug with required IP protection	गोटा	१९४१.००	१९४१.००	१९४१.००
	16/20 Amp 4 Pin Plug with required IP protection	गोटा	२७१४.००	२७१४.००	२७१४.००
	16/20 Amp 5 Pin Plug with required IP protection	गोटा	२२६९.००	२२६९.००	२२६९.००
	32 Amp 3 Pin Plug with required IP protection	गोटा	३३४५.००	३३४५.००	३३४५.००
	32 Amp 4 Pin Plug with required IP protection	गोटा	३४१५.००	३४१५.००	३४१५.००
	32 Amp 5 Pin Plug with required IP protection	गोटा	२७९५.००	२७९५.००	२७९५.००
	63 Amp 3 Pin Plug with required IP protection	गोटा	१००९५.००	१००९५.००	१००९५.००
	63 Amp 4 Pin Plug with required IP protection	गोटा	८०९५.००	८०९५.००	८०९५.००
	63 Amp 5 Pin Plug with required IP protection	गोटा	७०८९.००	७०८९.००	७०८९.००
२५	Outdoor Junction Box: IP 66/IP67/IP69 with IK 08/09 in accordance with IEC 60529 and EN 50298-98, made out of PC-GFS Polycarbonate/ Polypropylene including the required number of cable glands with following standards: • VDE approved, DNV GL-certificate No-TAE00000EE, and certified in accordance with the new international standard IEC 60670-22. • Fire retardant & self-extinguishing in accordance with IEC 60 695-2-11, DIN VDE 0304 Part 3, UL Subject 94 for Flammability V-0. It should be tested at Glow Wire test for 960 deg. Cent.				
	93 x 93 x 62, Dimensions(mm)	गोटा	१४२७.००	१४२७.००	१४२७.००
	104 x 104 x 70, Dimensions(mm)	गोटा	१६८४.००	१६८४.००	१६८४.००
	104 x 104 x 70, Dimensions(mm)	गोटा	१७५४.००	१७५४.००	१७५४.००
	130 x 130 x 77, Dimensions(mm)	गोटा	२२९२.००	२२९२.००	२२९२.००
	130 x 130 x 77, Dimensions(mm)	गोटा	३१९३.००	३१९३.००	३१९३.००
	130 x 180 x 77, Dimensions(mm)	गोटा	३७३१.००	३७३१.००	३७३१.००
	130 x 180 x 77, Dimensions(mm)	गोटा	४०९४.००	४०९४.००	४०९४.००
	155 x 210 x 92, Dimensions(mm)	गोटा	४७६१.००	४७६१.००	४७६१.००
	155 x 210 x 92, Dimensions(mm)	गोटा	५३३४.००	५३३४.००	५३३४.००
	205 x 255 x 112, Dimensions(mm)	गोटा	२८६४९.००	२८६४९.००	२८६४९.००
	225 x 295 x 122, Dimensions(mm)	गोटा	३००९९.००	३००९९.००	३००९९.००
	255 x 355 x 122, Dimensions(mm)	गोटा	८३७६.००	८३७६.००	८३७६.००

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.न.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
२६	Junction Box for Underground/Underwater Application: IP 68 with IK 08/09 in accordance with IEC 60529 and EN 50298-98, Thermoplastic PC – GFS Polycarbonate Junction Box shall be suitable for installation in the ground (underground – buried applications) without traffic loads. The junction box shall fulfill the following standards: IEC 60670-22: Particular requirements for connecting boxes and enclosures IEC 60695 – 2 – 11: Flame – retardant & Self-extinguishing. Glow Wire tested at minimum 960 deg C. DIN VDE V 0606 – 22 – 100: Cable junction boxes for encapsulating				
	93 x 93 x 62, Dimensions(mm)	गोटा	१००२८.००	१००२८.००	१००२८.००
	104 x 104 x 70, Dimensions(mm)	गोटा	१२०४४.००	१२०४४.००	१२०४४.००
	104 x 104 x 70, Dimensions(mm)	गोटा	१२१६०.००	१२१६०.००	१२१६०.००
	130 x 130 x 77, Dimensions(mm)	गोटा	१५६०८.००	१५६०८.००	१५६०८.००
	130 x 130 x 77, Dimensions(mm)	गोटा	१६०७४.००	१६०७४.००	१६०७४.००
	130 x 180 x 77, Dimensions(mm)	गोटा	१९९२६.००	१९९२६.००	१९९२६.००
	130 x 180 x 77, Dimensions(mm)	गोटा	२०४०७.००	२०४०७.००	२०४०७.००
२७	Encapsulating/Waterproofing Gel Compound: Gel, suitable for Low voltage, free from halogen & silicon content, with self-life of 2 years, dielectric strength of 10kv/mm and should withstand temperature of 1000c (long time)-1400c (short time).				
	350 ml, Packet	गोटा	९०७३.००	९०७३.००	९०७३.००
	500 ml, Packet	गोटा	१०९२५.००	१०९२५.००	१०९२५.००
	850 ml, Packet	गोटा	१४४९०.००	१४४९०.००	१४४९०.००
	1200 ml, Drum	गोटा	१६७२६.००	१६७२६.००	१६७२६.००
	2000 ml, Drum	गोटा	१४९७९.००	१४९७९.००	१४९७९.००
	5000 ml, Drum	गोटा	३३८४९.००	३३८४९.००	३३८४९.००
	10000 ml, Drum	गोटा	६६१८३.००	६६१८३.००	६६१८३.००
२८	DB Box Condensation Protection Passive Measure: for preventing condensation in panels and DB's, having performance range temperature range of -30 deg C to +90 deg C. The Condensation Bag/Pouch shall be Environment friendly and can be disposed of in regular trash.				
	50 x 75 , Dimensions(mm)	गोटा	६०५.००	६०५.००	६०५.००
	75 x 100, Dimensions(mm)	गोटा	१११८.००	१११८.००	१११८.००
	100 x 150, Dimensions(mm)	गोटा	२१५४.००	२१५४.००	२१५४.००
	150 x 150, Dimensions(mm)	गोटा	३२०३.००	३२०३.००	३२०३.००
२९	Polycarbonate Thermoplastic Box: IP 64/IP65/IP66 with IK 08/09 in accordance with IEC 60529 and EN 50298-98 featured with UV resistance in accordance with IEC 61439-1, Confirming to IEC 60 695-2-11 with 700-1000C glow wire test with flame retardant, self-extinguishing property.				
	300 x 150 x 170, Dimensions(mm)	गोटा	७००८.००	७००८.००	७००८.००
	300 x 300 x 170, Dimensions(mm)	गोटा	१०११३.००	१०११३.००	१०११३.००
	300 x 450 x 170, Dimensions(mm)	गोटा	१३१८५.००	१३१८५.००	१३१८५.००
	300 x 600 x 170, Dimensions(mm)	गोटा	१६३५३.००	१६३५३.००	१६३५३.००
	450 x 600 x 170, Dimensions(mm)	गोटा	२८७००.००	२८७००.००	२८७००.००
	600 x 600 x 170, Dimensions(mm)	गोटा	३६२०१.००	३६२०१.००	३६२०१.००
	300 x 300 x 214, Dimensions(mm)	गोटा	१०७६२.००	१०७६२.००	१०७६२.००
	300 x 450 x 214, Dimensions(mm)	गोटा	१४३२७.००	१४३२७.००	१४३२७.००
	300 x 600 x 214, Dimensions(mm)	गोटा	१७८७९.००	१७८७९.००	१७८७९.००
	300 x 300 x 180, Dimensions(mm)	गोटा	११६२४.००	११६२४.००	११६२४.००
३०	Cable Glands and Locknuts: IP 68 Cable Glands and Locknuts Made from Polyamide Material				

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	ललितपुर २०८३/८४
	M 12 x 1.5	गोटा	७७.००	७७.००	७७.००
	M 16 x 1.5	गोटा	७९.००	७९.००	७९.००
	M 20 x 1.5	गोटा	१०७.००	१०७.००	१०७.००
	M 25 x 1.5	गोटा	१८७.००	१८७.००	१८७.००
	M 32 x 1.5	गोटा	२४५.००	२४५.००	२४५.००
	M 40 x 1.5	गोटा	५३१.००	५३१.००	५३१.००
	M 50 x 1.5	गोटा	८२३.००	८२३.००	८२३.००
	M 63 x 1.5	गोटा	१२८९.००	१२८९.००	१२८९.००
B	LT- PANELS & Distribution Board				
	General & Mid Segment				
३१	Distribution board (DB) - factory fabricated and factory assembled, sheet steel clad powder coated, wall/recess mounting dust and vermin proof made of 16 SWG sheet steel provided with hinged gasketed door with padlocking facility and including suitably rated PVC insulated pin/fork type copper busbars with interconnections and neutral bar assembly, earthing terminals etc.				
	4 way SPN DB Double Cover	सेट	११३०.००	११३०.००	११३०.००
	6 way SPN DB " "	सेट	११८५.००	११८५.००	११८५.००
	8 way SPN DB " "	सेट	१४७९.००	१४७९.००	१४७९.००
	12 way SPN DB " "	सेट	१७५३.००	१७५३.००	१७५३.००
	16 way SPN DB " "	सेट	१८७४.००	१८७४.००	१८७४.००
	3-4 way TPN DB Double Cover	सेट	२७८६.००	२७८६.००	२७८६.००
	6 way TPN " " " "	सेट	३१३१.००	३१३१.००	३१३१.००
	8 way TPN " " " Vertical	सेट	६०५७.००	६०५७.००	६०५७.००
	12 way TPN " " " Vertical	सेट	८०७०.००	८०७०.००	८०७०.००
	Standard Segment				
३२	Distribution Box : factory fabricated and factory assembled, sheet steel clad powder coated, wall/recess mounting dust and vermin proof (IP 43 & IK 09 ingress protection) double door vertical/horizontal type Distribution Boards conforming IEC: 61439-3, fabricated from 16 SWG sheet steel provided with hinged gasketed door with padlocking facility and including suitably rated PVC insulated pin/fork type copper busbars with interconnections and neutral bar assembly, earthing terminals etc.				
	4 WAY SPN DB BOX (DOUBLE DOOR)	सेट	३१३५.००	३१३५.००	३१३५.००
	8 WAY SPN DB BOX (DOUBLE DOOR)	सेट	३८७०.००	३८७०.००	३८७०.००
	12 WAY SPN DB BOX (DOUBLE DOOR)	सेट	४६५२.००	४६५२.००	४६५२.००
	16 WAY SPN DB BOX (DOUBLE DOOR)	सेट	५९०२.००	५९०२.००	५९०२.००
	18 WAY SPN DB BOX (DOUBLE DOOR)	सेट	६०३६.००	६०३६.००	६०३६.००
	20 WAY SPN DB BOX (DOUBLE DOOR)	सेट	७३२२.००	७३२२.००	७३२२.००
	4 WAY SPN DB BOX (SINGLE DOOR)	सेट	२३५६.००	२३५६.००	२३५६.००
	8 WAY SPN DB BOX(SINGLE DOOR)	सेट	२८७४.००	२८७४.००	२८७४.००
	12 WAY SPN DB BOX(SINGLE DOOR)	सेट	३३९८.००	३३९८.००	३३९८.००
	16 WAY SPN DB BOX(SINGLE DOOR)	सेट	४१५०.००	४१५०.००	४१५०.००
	4 WAY TPN DB BOX (DOUBLE DOOR)	सेट	७६६०.००	७६६०.००	७६६०.००

प्रमुख जिल्ला अधिकारी

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेटसहित काठमाडौं		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	6 WAY TPN DB BOX (DOUBLE DOOR)	सेट	९५३९.००	९५३९.००	९५३९.००
	8 WAY TPN DB BOX (DOUBLE DOOR)	सेट	११३९२.००	११३९२.००	११३९२.००
	12 WAY TPN DB BOX (DOUBLE DOOR)	सेट	१७०६२.००	१७०६२.००	१७०६२.००
	16 WAY TPN DB BOX (DOUBLE DOOR)	सेट	२११५२.००	२११५२.००	२११५२.००
	20 WAY TPN DB BOX (DOUBLE DOOR)	सेट	२९६१२.००	२९६१२.००	२९६१२.००
	2 ROW OF 14M DB (DOUBLE DOOR)	सेट	९८१६.००	९८१६.००	९८१६.००
	3 ROW OF 14M DB (DOUBLE DOOR)	सेट	११७३७.००	११७३७.००	११७३७.००
	4 ROW OF 14M DB (DOUBLE DOOR)	सेट	१२७८५.००	१२७८५.००	१२७८५.००
	3 ROW OF 14M DB +MCCB (DOUBLE DOOR)	सेट	१२७८२.००	१२७८२.००	१२७८२.००
	4WAY +12 TPN DB'S (DOUBLE DOOR)	सेट	२२८८३.००	२२८८३.००	२२८८३.००
	6WAY +18 TPN DB'S (DOUBLE DOOR)	सेट	२५९९७.००	२५९९७.००	२५९९७.००
	8WAY +24 TPN DB'S (DOUBLE DOOR)	सेट	२८६१४.००	२८६१४.००	२८६१४.००
	12WAY +36 TPN DB'S (DOUBLE DOOR)	सेट	३९०१०.००	३९०१०.००	३९०१०.००
	4WAY +12 +12 7 SEGMENT DB'S (DOUBLE DOOR)	सेट	२७४६९.००	२७४६९.००	२७४६९.००
	4WAY +12 +18 7 SEGMENT DB'S (DOUBLE DOOR)	सेट	३१४४३.००	३१४४३.००	३१४४३.००
	4WAY +12 +24 7 SEGMENT DB'S (DOUBLE DOOR)	सेट	३६३५५.००	३६३५५.००	३६३५५.००
	4WAY +12 +36 7 SEGMENT DB'S (DOUBLE DOOR)	सेट	४१००४.००	४१००४.००	४१००४.००
	63A-160 MCCB BOX 3&4P ENCLOUSER (DOUBLE DOOR)	सेट	६८१८.००	६८१८.००	६८१८.००
	250 MCCB BOX 3&4P ENCLOUSER (DOUBLE DOOR)	सेट	१२०५७.००	१२०५७.००	१२०५७.००
	100 MCCB -TP 3&4P ENCLOUSER (DOUBLE DOOR)	सेट	३६४३.००	३६४३.००	३६४३.००
	DP/TP ENCLOUSER FOR MCB(SINGLE DOOR)	सेट	१२१३.००	१२१३.००	१२१३.००
	FP ENCLOUSER FOR MCB(SINGLE DOOR)	सेट	१२१३.००	१२१३.००	१२१३.००
	Panel Board Thermoplastic Polycarbonate				
३३	Distribution Board Thermoplastic Polycarbonate: IP 65 with IK 08/09 in accordance with IEC 60529 and EN 50298-98 made of Thermoplastics PS Polystyrene Outdoor MCB Distribution Boards suitable for 1-34 MCB modules with fixed plug-in terminal for PE/N, Confirming to IEC 60 695-2-11 with 700-1000C glow wire test with flame retardant, self-extinguishing property.				
	3 Modules	गोटा	३९८६.००	३९८६.००	३९८६.००
	4 Modules	गोटा	५०३३.००	५०३३.००	५०३३.००
	6 Modules	गोटा	५७६२.००	५७६२.००	५७६२.००
	9 Modules	गोटा	७१९७.००	७१९७.००	७१९७.००
	12 Modules	गोटा	११८११.००	११८११.००	११८११.००
	18 Modules	गोटा	१४१०५.००	१४१०५.००	१४१०५.००
	24 Modules	गोटा	१६७७३.००	१६७७३.००	१६७७३.००
	2 row 36 Modules	गोटा	२१६६५.००	२१६६५.००	२१६६५.००
	3 row 36 Modules	गोटा	२१०४७.००	२१०४७.००	२१०४७.००
	4 row 48 Modules	गोटा	२७३९६.००	२७३९६.००	२७३९६.००
	3 row 54 Modules	गोटा	३०३६६.००	३०३६६.००	३०३६६.००

प्रमुख जिल्ला अधिकारी

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	ललितपुर २०८३/८४
३४	Panel Board:- Floor/Wall Mounted, double door, powder coated encloser (50-60microns), treated with seven (7) tank processes with push-button lock, safety Arcilo Sheet Cover with a warning sign at exposed portion, DB name embossed in Metal tag, female, spreaders, rotor handle in all incoming and made of 1.6/2 mm metal sheet including Copper neutral bar, phase bar and earth bus bar with color-coded heat shrinkable insulating sleeves) with adequate space for Incoming and outgoing cables, complete internal wiring with as per the drawing, specification, and instruction, all complete. The panel shall conform to IS 8623 (Part 1 & 2) and IS 13947, having a degree of protection of enclosure as per IS/IEC 60529.				
	60/75/100 AMP, 9"×36"×48" size	सेट	२२३६६.००	२२३६६.००	२२३६६.००
	60/75/100 AMP "12×36"×48" size	सेट	२६६२७.००	२६६२७.००	२६६२७.००
	60/75/100 AMP 9"×48"×60" size	सेट	३७२७८.००	३७२७८.००	३७२७८.००
	60/75100 AMP 12"×49"×60" size	सेट	४४३७८.००	४४३७८.००	४४३७८.००
	150/200 AMP 9"×38"×52" size	सेट	२४८५१.००	२४८५१.००	२४८५१.००
	150/200 AMP 12"×38"×52" size	सेट	२४८५१.००	२४८५१.००	२४८५१.००
	150/200 AMP 9"×42"×56" size	सेट	२७६७५.००	२७६७५.००	२७६७५.००
	150/200 AMP 12"×42"×56" size	सेट	२९४३२.००	२९४३२.००	२९४३२.००
	250/300AMP 12"×48"×60"size	सेट	३६०४०.००	३६०४०.००	३६०४०.००
	250/300AMP 12"×52"×62" size	सेट	४०३४४.००	४०३४४.००	४०३४४.००
	400 AMP 12"×52"×66" size	सेट	४२९४७.००	४२९४७.००	४२९४७.००
३५	Manual Change over Panel Type - (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	63 Amp FP	गोटा	१२१३५.००	१२१३५.००	१२१३५.००
	80 Amp FP	गोटा	१३४२६.००	१३४२६.००	१३४२६.००
	100 Amp FP	गोटा	१९०२०.००	१९०२०.००	१९०२०.००
	125 Amp FP	गोटा	२००५३.००	२००५३.००	२००५३.००
	160 Amp FP	गोटा	२६३३६.००	२६३३६.००	२६३३६.००
	200 Amp FP	गोटा	२७१९६.००	२७१९६.००	२७१९६.००
	250 Amp FP	गोटा	२८९१८.००	२८९१८.००	२८९१८.००
	315 Amp FP	गोटा	३६५७८.००	३६५७८.००	३६५७८.००
	OPEN EXECUTION				
	CHANGEOVER SD FRI 63A WITH EXTENDED HANDLE	गोटा	१००२७.००	१००२७.००	१००२७.००
	CHANGEOVER SD FRI 100A WITH EXTENDED HANDLE	गोटा	१३२१८.००	१३२१८.००	१३२१८.००
	CHANGEOVER SD CO FRI 125A OPEN EXECUTION	गोटा	२०१०१.००	२०१०१.००	२०१०१.००
	CHANGEOVER SD CO FRI 160A OPEN EXECUTION	गोटा	२१७२५.००	२१७२५.००	२१७२५.००
	CHANGEOVER SD CO FRI 200A OPEN EXECUTION	गोटा	२६३८४.००	२६३८४.००	२६३८४.००
	CHANGEOVER SD CO FRI 250A OPEN EXECUTION	गोटा	३८८१८.००	३८८१८.००	३८८१८.००
	CHANGEOVER SD CO FRI 315A OPEN EXECUTION	गोटा	४०८८१.००	४०८८१.००	४०८८१.००
	CHANGEOVER SD CO FRI 400A OPEN EXECUTION	गोटा	६०२५७.००	६०२५७.००	६०२५७.००
	CHANGEOVER SD CO FRI 630A OPEN EXECUTION	गोटा	७१०२६.००	७१०२६.००	७१०२६.००
	CHANGEOVER SD CO FRI 800A OPEN EXECUTION	गोटा	१०२८८३.००	१०२८८३.००	१०२८८३.००
	CHANGEOVER SD CO FRI 1000A OPEN EXECUTION	गोटा	१८४३५४.००	१८४३५४.००	१८४३५४.००
	CHANGEOVER SD WITH CENTER OPERATION 1250A	गोटा	२४४९३५.००	२४४९३५.००	२४४९३५.००
	CHANGEOVER SD WITH CENTER OPERATION 1600A	गोटा	२८९८४८.००	२८९८४८.००	२८९८४८.००
	CHANGEOVER SD WITH CENTER OPERATION 2000A	गोटा	३९४७१६.००	३९४७१६.००	३९४७१६.००
	Sheet Steel Enclosure				
	CHANGEOVER SD FRI 63A IN SS ENCL ENT HANDLE	गोटा	१४५५५.००	१४५५५.००	१४५५५.००
	CHANGEOVER SD FRI 100A IN SS ENCL ENT HANDLE	गोटा	१८५६५.००	१८५६५.००	१८५६५.००
	CHANGEOVER SD CO FR2 125A IN SS ENCL	गोटा	२७०५२.००	२७०५२.००	२७०५२.००
	CHANGEOVER SD CO FR2 160A IN SS ENCL	गोटा	३०१९६.००	३०१९६.००	३०१९६.००

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	गु.अ.क. बाहेकको दररेट/मन्त्रालय		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	CHANGEOVER SD CO FR2 200A IN SS ENCL	गोटा	३४९१७.००	३४९१७.००	३४९१७.००
	CHANGEOVER SD CO FR2 250A IN SS ENCL	गोटा	४९३५७.००	४९३५७.००	४९३५७.००
	CHANGEOVER SD CO FR2 315A IN SS ENCL	गोटा	५९७३४.००	५९७३४.००	५९७३४.००
	CHANGEOVER SD CO FR2 400A IN SS ENCL	गोटा	७५३९२.००	७५३९२.००	७५३९२.००
	CHANGEOVER SD CO FR2 630A IN SS ENCL	गोटा	८९८२७.००	८९८२७.००	८९८२७.००
	CHANGEOVER SD FR2 800A IN SS ENCL	गोटा	९३५७७४.००	९३५७७४.००	९३५७७४.००
	CHANGEOVER SD FR2 1000A IN SS ENCL	गोटा	२३८६६८.००	२३८६६८.००	२३८६६८.००
	Panel Board Thermoplastic Polycarbonate				
३६	Panel Board Thermoplastic Polycarbonate : 1P 65/54 rated Panel Boards in accordance with IEC 60 439-1 (IS8623) and IEC 60 439-2 for power switchgear and control gear assembly, made of high quality Polycarbonate PC-GFS, Shock Proof, Polyurethane gaskets, ferruling, rust free, corrosion free, acid and chemical resistant, fire retardant, self- extinguishing, having high impact against mechanical load, made of halogen and silicon free recyclable material conform to ROHS directive 2002/95/EC. The panel boards must include TPNE copper bus bar including necessary accessories for internal wiring at the board excluding cost of MCCB/MCB & measuring instrument.				
	60/75/100 Amp, 9"x36"x48" size	सेट	१६३८३६.००	१६३८३६.००	१६३८३६.००
	60/75/100 AMP, 12"x36"x48" size	सेट	१६३८३६.००	१६३८३६.००	१६३८३६.००
	60/75/100 AMP, 9"x48"x60" size	सेट	२७४९३२.००	२७४९३२.००	२७४९३२.००
	60/75/100 AMP, 15"x49"x60" size	सेट	२७४९३२.००	२७४९३२.००	२७४९३२.००
	150/200 AMP, 9"x38"x52" size	सेट	१७४४६८.००	१७४४६८.००	१७४४६८.००
	150/200 AMP, 12"x38"x52" size	सेट	१७४४६८.००	१७४४६८.००	१७४४६८.००
	150/200 AMP, 9"x42"x56" size	सेट	२९०९२०.००	२९०९२०.००	२९०९२०.००
	150/200 AMP, 12"x42"x56" size	सेट	२९०९२०.००	२९०९२०.००	२९०९२०.००
	250/300 AMP, 12"x48"x60" size	सेट	२७४९३२.००	२७४९३२.००	२७४९३२.००
	250/300 AMP, 12"x52"x62" size	सेट	२९६००४.००	२९६००४.००	२९६००४.००
	400 AMP, 12"x52"x66" size	सेट	३९७९२४.००	३९७९२४.००	३९७९२४.००
३७	Panel Board measurement instrument				
	0-500 volt meter	पिस	१०६८.००	१०६८.००	१०६८.००
	60/100 Amp meter .	पिस	१०२२.००	१०२२.००	१०२२.००
	Panel Indicator	पिस	२४७.००	२४७.००	२४७.००
	2 Amp glass fuse with holder 12 mm size	पिस	१३९.००	१३९.००	१३९.००
	AMP meter selector switch	पिस	६७७.००	६७७.००	६७७.००
	volt meter selector switch	पिस	७४२.००	७४२.००	७४२.००
	60/100 Amp C.T. coil per set 3 Pcs	पिस	१४९५.००	१४९५.००	१४९५.००
	150-200AMP C.T coil. 3 PC / Set	गोटा	१८६९.००	१८६९.००	१८६९.००
	250-300 AMP " "	गोटा	२५२८.००	२५२८.००	२५२८.००
	400/500/600AMP " "	गोटा	३७९२.००	३७९२.००	३७९२.००
	Kilo watt hour energy meter single phase	पिस	२३७२.००	२३७२.००	२३७२.००
	Kilo watt hour energy meter 3 phase direct	पिस	१०६८३.००	१०६८३.००	१०६८३.००
C	SWITCH GEARS				
३८	Miniature Circuits Breaker (MCB) , (संयन्त्रित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Single Pole				
	6-32 amp MCB SP (single pole)	गोटा	२१५.००	२१५.००	२१५.००
	40A SP 10 KA MCB	गोटा	७८२.००	७८२.००	७८२.००
	63A SP 10 KA MCB	गोटा	८५३.००	८५३.००	८५३.००

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेटललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Double Pole				
	6-32 amp MCB DP (Double pole)	गोटा	१०६५.००	१०६५.००	१०६५.००
	40A DP 10 KA MCB	गोटा	१६७१.००	१६७१.००	१६७१.००
	63A DP 10 KA MCB	गोटा	१८८०.००	१८८०.००	१८८०.००
	Three Pole				
	6-32 amp MCB TP (Triple pole)	गोटा	१७४४.००	१७४४.००	१७४४.००
	40A TP 10 KA MCB	गोटा	२५५९.००	२५५९.००	२५५९.००
	63A TP 10 KA MCB	गोटा	२७०५.००	२७०५.००	२७०५.००
	Four Pole				
	10-32 amp MCB FP (Four pole)	गोटा	२२३५.००	२२३५.००	२२३५.००
	40A FP 10 KA MCB	गोटा	३२६९.००	३२६९.००	३२६९.००
	63A FP 10 KA MCB	गोटा	३३४२.००	३३४२.००	३३४२.००
३९	Miniature Circuits Breaker (MCB) (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	0.5-5 amp MCB SP (single pole)	गोटा	२६९.००	२६९.००	२६९.००
	6-32 amp MCB SP (single pole)	गोटा	१७२.००	१७२.००	१७२.००
	6-32 amp MCB DP (Double pole)	गोटा	६४५.००	६४५.००	६४५.००
	6-32 amp MCB TP (Triple pole)	गोटा	१२९१.००	१२९१.००	१२९१.००
	32 amp MCB TPN	गोटा	१५६०.००	१५६०.००	१५६०.००
	40-63 amp MCB DP	गोटा	१०२२.००	१०२२.००	१०२२.००
	40-63 amp MCB TP	गोटा	१४५२.००	१४५२.००	१४५२.००
	40-63 amp MCB TPN	गोटा	१९३६.००	१९३६.००	१९३६.००
४०	Residual Current Circuit Breaker (RCCB) (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Two Pole				
	25A 30mA 2 POLE RCCB	गोटा	२८७३.००	२८७३.००	२८७३.००
	25A 100mA 2 POLE RCCB	गोटा	३८९०.००	३८९०.००	३८९०.००
	25A 300mA DP RCCB	गोटा	३८९०.००	३८९०.००	३८९०.००
	40A 30mA DP RCCB	गोटा	४२०४.००	४२०४.००	४२०४.००
	40A 100mA DP RCCB	गोटा	४४४९.००	४४४९.००	४४४९.००
	40A 300mA DP RCCB	गोटा	४४४९.००	४४४९.००	४४४९.००
	63A 30mA DP RCCB	गोटा	५२३८.००	५२३८.००	५२३८.००
	63A 300mA DP RCCB	गोटा	५३६८.००	५३६८.००	५३६८.००
	Four Pole				
	25A 30mA Four Pole RCCB	गोटा	४९१९.००	४९१९.००	४९१९.००
	25A 100mA Four Pole RCCB	गोटा	५०९७.००	५०९७.००	५०९७.००
	25A 300mA Four Pole RCCB	गोटा	५०९७.००	५०९७.००	५०९७.००
	40A 30mA Four Pole RCCB	गोटा	४९४०.००	४९४०.००	४९४०.००
	40A 100mA Four Pole RCCB	गोटा	५१७५.००	५१७५.००	५१७५.००
	40A 300mA Four Pole RCCB	गोटा	५१७५.००	५१७५.००	५१७५.००
	63A 30mA Four Pole RCCB	गोटा	५६६६.००	५६६६.००	५६६६.००
	63A 100mA Four Pole RCCB	गोटा	५९४८.००	५९४८.००	५९४८.००
	63A 300mA Four Pole RCCB	गोटा	५९४८.००	५९४८.००	५९४८.००
	100A 300mA Four Pole RCCB	गोटा	९९७४.००	९९७४.००	९९७४.००

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाह्यकामको दर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
४१	Moulded Case Circuit Breaker (संयोजित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	15 A-100 A 3 POLE, 10 KA	गोटा	४१३२.००	४१३२.००	४१३२.००
	15 A-100 A 4 POLE, 19 KA	गोटा	६०६७.००	६०६७.००	६०६७.००
	16A-63A 3P MCCB 10 KA FTFM	गोटा	३७२३.००	३७२३.००	३७२३.००
	80A 3P MCCB 10 KA FTFM + SPRD	गोटा	४३३४.००	४३३४.००	४३३४.००
	100A 3P MCCB 10 KA FTFM + SPRD	गोटा	४३३४.००	४३३४.००	४३३४.००
	125A 3P MCCB 10 KA FTFM + SPRD	गोटा	६१४३.००	६१४३.००	६१४३.००
	15 A-100 A 3 POLE, 10 KA	गोटा	८५००.००	८५००.००	८५००.००
	125 A 3 POLE, 16 KA	गोटा	९१९६.००	९१९६.००	९१९६.००
	160 A 3 POLE, 16 KA	गोटा	११८५.००	११८५.००	११८५.००
	15 A-100 A 4 POLE, 19 KA	गोटा	११३३०.००	११३३०.००	११३३०.००
	125 A 4 POLE, 16 KA	गोटा	११४०२.००	११४०२.००	११४०२.००
	160 A 4 POLE, 16 KA	गोटा	१४९२.००	१४९२.००	१४९२.००
	125A 3P MCCB 18 KA TM 9 PIN	गोटा	१३४२०.००	१३४२०.००	१३४२०.००
४२	Moulded Case Circuit Breaker (As per IS/IEC 60947-2 and Utilization Catagorie -B, Icu=Ics=100% with spreader)				
	16A 3P MCCB 16/25 KA	गोटा	९९३६.००	९९३६.००	९९३६.००
	20A-63A 3P MCCB 16/25 KA	गोटा	१०१५३.००	१०१५३.००	१०१५३.००
	80A 3P MCCB 16/25 KA	गोटा	१०६४८.००	१०६४८.००	१०६४८.००
	100A 3P MCCB 16/25 KA	गोटा	१०६४८.००	१०६४८.००	१०६४८.००
	125A 3P MCCB 16/25 KA	गोटा	१४४५४.००	१४४५४.००	१४४५४.००
	160A 3P MCCB 16/25 KA	गोटा	२२२२०.००	२२२२०.००	२२२२०.००
	200A 3P MCCB 25 KA	गोटा	३०२५०.००	३०२५०.००	३०२५०.००
	250A 3P MCCB 25 KA	गोटा	३२३१८.००	३२३१८.००	३२३१८.००
	16A - 100 A 3P MCCB 36 KA	गोटा	१२५९२.००	१२५९२.००	१२५९२.००
	125A 3P MCCB 36 KA	गोटा	१९९८१.००	१९९८१.००	१९९८१.००
	160A 3P MCCB 36 KA	गोटा	२६५५९.००	२६५५९.००	२६५५९.००
	200A 3P MCCB 36 KA	गोटा	३१५८१.००	३१५८१.००	३१५८१.००
	250A 3P MCCB 36 KA	गोटा	३५५४१.००	३५५४१.००	३५५४१.००
	320A 3P MCCB 36 KA	गोटा	४१२२२.००	४१२२२.००	४१२२२.००
	400A 3P MCCB 36 KA	गोटा	४१२५८.००	४१२५८.००	४१२५८.००
	500A 3P MCCB 36 KA	गोटा	४७६४१.००	४७६४१.००	४७६४१.००
	630A 3P MCCB 36 KA	गोटा	५४०१०.००	५४०१०.००	५४०१०.००
	800A 3P MCCB 36 KA	गोटा	७९६५३.००	७९६५३.००	७९६५३.००
	1000A 3P MCCB 36 KA	गोटा	१०३९६८.००	१०३९६८.००	१०३९६८.००
	1250A 3P MCCB 36 KA	गोटा	१४८५५५.००	१४८५५५.००	१४८५५५.००
	125A 3P MCCB 50 KA	गोटा	२५९२७.००	२५९२७.००	२५९२७.००
	160A 3P MCCB 50 KA	गोटा	३२६४२.००	३२६४२.००	३२६४२.००
	200A 3P MCCB 50 KA	गोटा	३०७२३.००	३०७२३.००	३०७२३.००
	250A 3P MCCB 50 KA	गोटा	३३८०५.००	३३८०५.००	३३८०५.००
	320A 3P MCCB 50 KA	गोटा	३९५५७.००	३९५५७.००	३९५५७.००
	400A 3P MCCB 50 KA	गोटा	३९६८८.००	३९६८८.००	३९६८८.००
	500A 3P MCCB 50 KA	गोटा	४७१४६.००	४७१४६.००	४७१४६.००
	630A 3P MCCB 50 KA	गोटा	६१०५०.००	६१०५०.००	६१०५०.००

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.ब.क. बाहेकको दरले तलपुर्		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	800A 3P MCCB 50 KA	गोटा	९४७४३.००	९४७४३.००	९४७४३.००
	1000A 3P MCCB 50 KA	गोटा	१५०३००.००	१५०३००.००	१५०३००.००
	1250A 3P MCCB 50 KA	गोटा	१८३९०३.००	१८३९०३.००	१८३९०३.००
	800 A 3 POLE, 70 KA	गोटा	१४२२३६.००	१४२२३६.००	१४२२३६.००
	1000 A 3 POLE, 70 KA	गोटा	२१५३९०.००	२१५३९०.००	२१५३९०.००
	1250A 3 POLE, 70 KA	गोटा	२२०६५६.००	२२०६५६.००	२२०६५६.००
	16A 4P MCCB 16/25 KA	गोटा	१३८१२.००	१३८१२.००	१३८१२.००
	20A 4P MCCB 16/25 KA	गोटा	१४१९५.००	१४१९५.००	१४१९५.००
	25A 4P MCCB 16/25 KA	गोटा	१४१९५.००	१४१९५.००	१४१९५.००
	32A 4P MCCB 16/25 KA	गोटा	१४१९५.००	१४१९५.००	१४१९५.००
	40A 4P MCCB 16/25 KA	गोटा	१४१९५.००	१४१९५.००	१४१९५.००
	50A 4P MCCB 16/25 KA	गोटा	१६९७८.००	१६९७८.००	१६९७८.००
	63A 3P MCCB 16/25 KA	गोटा	१३८१२.००	१३८१२.००	१३८१२.००
	80A 4P MCCB 16/25 KA	गोटा	१६९७८.००	१६९७८.००	१६९७८.००
	100A 4P MCCB 16/25 KA	गोटा	१७३०८.००	१७३०८.००	१७३०८.००
	125A 4P MCCB 16/25 KA	गोटा	२१४७२.००	२१४७२.००	२१४७२.००
	160A 4P MCCB 16/25 KA	गोटा	२७५५५.००	२७५५५.००	२७५५५.००
	200A 4P MCCB 25 KA	गोटा	३८४४५.००	३८४४५.००	३८४४५.००
	250A 4P MCCB 25 KA	गोटा	४०५२९.००	४०५२९.००	४०५२९.००
	16A - 100 A 4P MCCB 36 KA	गोटा	१५७१२.००	१५७१२.००	१५७१२.००
	125A 4P MCCB 36 KA	गोटा	२४८१०.००	२४८१०.००	२४८१०.००
	160A 4P MCCB 36 KA	गोटा	३१५४८.००	३१५४८.००	३१५४८.००
	200A 4P MCCB 36 KA	गोटा	३८८५२.००	३८८५२.००	३८८५२.००
	250A 4P MCCB 36 KA	गोटा	४३४१७.००	४३४१७.००	४३४१७.००
	320A 4P MCCB 36 KA	गोटा	५१४८०.००	५१४८०.००	५१४८०.००
	400A 4P MCCB 36 KA	गोटा	५२३३२.००	५२३३२.००	५२३३२.००
	500A 4P MCCB 36 KA	गोटा	६४९१६.००	६४९१६.००	६४९१६.००
	630A 4P MCCB 36 KA	गोटा	७१९४०.००	७१९४०.००	७१९४०.००
	800A 4P MCCB 36 KA	गोटा	८९६१६.००	८९६१६.००	८९६१६.००
	1000A 4P MCCB 36 KA	गोटा	१३१४३६.००	१३१४३६.००	१३१४३६.००
	1250A 4P MCCB 36 KA	गोटा	१५८११९.००	१५८११९.००	१५८११९.००
	125A 4P MCCB 50 KA	गोटा	२९०७३.००	२९०७३.००	२९०७३.००
	200A 4P MCCB 50 KA	गोटा	३८४०६.००	३८४०६.००	३८४०६.००
	250A 4P MCCB 50 KA	गोटा	४१४७४.००	४१४७४.००	४१४७४.००
	320A 4P MCCB 50 KA	गोटा	४८८८६.००	४८८८६.००	४८८८६.००
	400A 4P MCCB 50 KA	गोटा	४९५६२.००	४९५६२.००	४९५६२.००
	500A 4P MCCB 50 KA	गोटा	५९५३६.००	५९५३६.००	५९५३६.००
	630A 4P MCCB 50 KA	गोटा	६३४६७.००	६३४६७.००	६३४६७.००
	800A 4P MCCB 50 KA	गोटा	१०८०२०.००	१०८०२०.००	१०८०२०.००
	1000A 4P MCCB 50 KA	गोटा	२०९४५६.००	२०९४५६.००	२०९४५६.००
	1250A 4P MCCB 50 KA	गोटा	२६४५५०.००	२६४५५०.००	२६४५५०.००
	800 A 4 POLE, 70 KA	गोटा	१६४८९६.००	१६४८९६.००	१६४८९६.००
	1000 A 4 POLE, 70 KA	गोटा	३०४९६८.००	३०४९६८.००	३०४९६८.००
	1250A 4 POLE, 70 KA	गोटा	३५१६६२.००	३५१६६२.००	३५१६६२.००
४३	MCB/ISOLATOR सबन्धित उत्पादक राष्ट्रको मुनास्तर भित्र मात्र				



नेपाल सरकार
महान्त्रालय
जलसिप

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. नाहेको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	B CURVE MCB SP 6A-32A	गोटा	२४९.००	२४९.००	२४९.००
	B CURVE MCB SP 40A	गोटा	२९३.००	२९३.००	२९३.००
	B CURVE MCB SP 50A-63A	गोटा	२९३.००	२९३.००	२९३.००
	C CURVE MCB SP 0.5-4A	गोटा	२९३.००	२९३.००	२९३.००
	C CURVE MCB SP 6-32A	गोटा	२४९.००	२४९.००	२४९.००
	C CURVE MCB SP 40A	गोटा	४६५.००	४६५.००	४६५.००
	C CURVE MCB SP 50-63A	गोटा	४६५.००	४६५.००	४६५.००
	C CURVE MCB SPN 0.5-4A	गोटा	५००.००	५००.००	५००.००
	C CURVE MCB SPN 6-32A	गोटा	५३५.००	५३५.००	५३५.००
	C CURVE MCB SPN 40A	गोटा	५८५.००	५८५.००	५८५.००
	C CURVE MCB SPN 50-63A	गोटा	५८५.००	५८५.००	५८५.००
	C CURVE MCB DP 0.5-4A	गोटा	६४४.००	६४४.००	६४४.००
	C CURVE MCB DP 6-32A	गोटा	५८९.००	५८९.००	५८९.००
	C CURVE MCB DP 40A	गोटा	६४४.००	६४४.००	६४४.००
	C CURVE MCB DP 50-63A	गोटा	६४४.००	६४४.००	६४४.००
	C CURVE MCB TP 0.5-4A	गोटा	९६६.००	९६६.००	९६६.००
	C CURVE MCB TP 6-32A	गोटा	८८४.००	८८४.००	८८४.००
	C CURVE MCB TP 40A	गोटा	९६६.००	९६६.००	९६६.००
	C CURVE MCB TP 50-63A	गोटा	९६६.००	९६६.००	९६६.००
	C CURVE MCB TPN 0.5-4A	गोटा	१२४९.००	१२४९.००	१२४९.००
	C CURVE MCB TPN 6-32A	गोटा	११५२.००	११५२.००	११५२.००
	C CURVE MCB TPN 40A	गोटा	१२४९.००	१२४९.००	१२४९.००
	C CURVE MCB TPN 50-63A	गोटा	१२४९.००	१२४९.००	१२४९.००
	C CURVE MCB FP 0.5-4A	गोटा	१३४७.००	१३४७.००	१३४७.००
	C CURVE MCB FP 6-32A	गोटा	१२३२.००	१२३२.००	१२३२.००
	C CURVE MCB FP 40A	गोटा	१३४७.००	१३४७.००	१३४७.००
	C CURVE MCB FP 50-63A	गोटा	१३४७.००	१३४७.००	१३४७.००
	ISOLATOR DP 40A	गोटा	५७५.००	५७५.००	५७५.००
	ISOLATOR DP 63A	गोटा	५७५.००	५७५.००	५७५.००
	ISOLATOR DP 80-100A	गोटा	६०१.००	६०१.००	६०१.००
	ISOLATOR DP 125A	गोटा	६३८.००	६३८.००	६३८.००
	ISOLATOR FP 40A	गोटा	९४२.००	९४२.००	९४२.००
	ISOLATOR FP 63A	गोटा	९४२.००	९४२.००	९४२.००
	ISOLATOR FP 80-100A	गोटा	१०४२.००	१०४२.००	१०४२.००
	ISOLATOR FP 125A	गोटा	१०४२.००	१०४२.००	१०४२.००
	RCCB DP 25A 30mA	गोटा	३७०४.००	३७०४.००	३७०४.००
	RCCB DP 40A 30mA	गोटा	३७०४.००	३७०४.००	३७०४.००
	RCCB DP 63A 30mA	गोटा	३७०४.००	३७०४.००	३७०४.००
	RCCB DP 25A 100mA	गोटा	३४९३.००	३४९३.००	३४९३.००
	RCCB DP 40A 100mA	गोटा	३४९३.००	३४९३.००	३४९३.००
	RCCB DP 63A 100mA	गोटा	३४९३.००	३४९३.००	३४९३.००
	RCCB DP 25A 300mA	गोटा	३४९३.००	३४९३.००	३४९३.००
	RCCB DP 40A 300mA	गोटा	३४९३.००	३४९३.००	३४९३.००
	RCCB DP 63A 300mA	गोटा	३४९३.००	३४९३.००	३४९३.००
	RCCB FP 25A 30mA	गोटा	४३३९.००	४३३९.००	४३३९.००

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. माहेको दररेट ललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	RCCB FP 40A 30mA	गोटा	४३३९.००	४३३९.००	४३३९.००
	RCCB FP 63A 30mA	गोटा	४३३९.००	४३३९.००	४३३९.००
	RCCB FP 25A 100mA	गोटा	४९८२.००	४९८२.००	४९८२.००
	RCCB FP 40A 100mA	गोटा	४९८२.००	४९८२.००	४९८२.००
	RCCB FP 63A 100mA	गोटा	४९८२.००	४९८२.००	४९८२.००
	RCCB FP 25A 300mA	गोटा	४९८२.००	४९८२.००	४९८२.००
	RCCB FP 40A 300mA	गोटा	४९८२.००	४९८२.००	४९८२.००
	RCCB FP 63A 300mA	गोटा	४९८२.००	४९८२.००	४९८२.००
४४	MCB/ISOLATOR/RCCB (As per IS/IEC 60898-1(2002) for MCB; IEC 60947-3 for Isolator, IS 12640-1 for RCCB, Icu=Ics=100%, 10kA)				
	B-Curve, MCB 6-32A (SINGLE POLE)	गोटा	३२३.००	३२३.००	३२३.००
	C-Curve, MCB 6-32A (SINGLE POLE)	गोटा	५३७.००	५३७.००	५३७.००
	C-Curve, MCB 40A (SINGLE POLE)	गोटा	९९८९.००	९९८९.००	९९८९.००
	C-Curve, MCB 63A (SINGLE POLE)	गोटा	९९८९.००	९९८९.००	९९८९.००
	MCB 6-32A (DOUBLE POLE)	गोटा	९६५४.००	९६५४.००	९६५४.००
	MCB 40A (DOUBLE POLE)	गोटा	२६६३.००	२६६३.००	२६६३.००
	MCB 63A (DOUBLE POLE)	गोटा	२६६३.००	२६६३.००	२६६३.००
	MCB 6-32A (TRIPPLE POLE)	गोटा	२७०९.००	२७०९.००	२७०९.००
	MCB 40A (TRIPPLE POLE)	गोटा	४९२४.००	४९२४.००	४९२४.००
	MCB 63A (TRIPPLE POLE)	गोटा	४९२४.००	४९२४.००	४९२४.००
	MCB 6-32A (FOUR POLE)	गोटा	३६४६.००	३६४६.००	३६४६.००
	MCB 40A (FOUR POLE)	गोटा	५२५८.००	५२५८.००	५२५८.००
	MCB 63A (FOUR POLE)	गोटा	५२५८.००	५२५८.००	५२५८.००
	ISOLATOR 32A 240V (DOUBLE POLE)	गोटा	८९९.००	८९९.००	८९९.००
	ISOLATOR 40A 240V (DOUBLE POLE)	गोटा	९९२.००	९९२.००	९९२.००
	ISOLATOR 63A 240V (DOUBLE POLE)	गोटा	९३०९.००	९३०९.००	९३०९.००
	ISOLATOR 32A 415V (TRIPPLE POLE)	गोटा	९६९०.००	९६९०.००	९६९०.००
	ISOLATOR 40A 415V (TRIPPLE POLE)	गोटा	९७२४.००	९७२४.००	९७२४.००
	ISOLATOR 63A 415V (TRIPPLE POLE)	गोटा	२०४९.००	२०४९.००	२०४९.००
	ISOLATOR 32A 415V (FOUR POLE)	गोटा	९७६८.००	९७६८.००	९७६८.००
	ISOLATOR 40A 415V (FOUR POLE)	गोटा	२९९५.००	२९९५.००	२९९५.००
	ISOLATOR 63A 415V (FOUR POLE)	गोटा	२४०६.००	२४०६.००	२४०६.००
	RCBO 10A 30MA-2M SPN (DOUBLE POLE)	गोटा	८३३९.००	८३३९.००	८३३९.००
	RCBO 16A 30MA-2M SPN (DOUBLE POLE)	गोटा	८३३९.००	८३३९.००	८३३९.००
	RCBO 20A 30MA-2M SPN (DOUBLE POLE)	गोटा	८३३९.००	८३३९.००	८३३९.००
	RCBO 25A 30MA-2M SPN (DOUBLE POLE)	गोटा	८३३९.००	८३३९.००	८३३९.००
	RCBO 32A 30MA-2M SPN (DOUBLE POLE)	गोटा	८७५७.००	८७५७.००	८७५७.००
	RCBO 16A 30MA 4M (DOUBLE POLE)	गोटा	६८६८.००	६८६८.००	६८६८.००
	RCBO 25A 30MA 4M (DOUBLE POLE)	गोटा	६८६८.००	६८६८.००	६८६८.००
	RCBO 32A 30MA 4M (DOUBLE POLE)	गोटा	७५२०.००	७५२०.००	७५२०.००
	RCBO 40A 30MA 4M (DOUBLE POLE)	गोटा	८९४४.००	८९४४.००	८९४४.००
	RCBO 16A 30MA 7M (FOUR POLE)	गोटा	९६८२.००	९६८२.००	९६८२.००
	RCBO 25A 30MA 7M (FOUR POLE)	गोटा	९६८२.००	९६८२.००	९६८२.००
	RCBO 32A 30MA 7M (FOUR POLE)	गोटा	९९८७.००	९९८७.००	९९८७.००

विद्युतिय सामग्रीहरु


नेपाल सरकार
मुख्य मन्त्रालय
प्रशासन कार्यालय

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	ललितपुर २०८३/८४
	RCBO 40A 30MA 7M (FOUR POLE)	गोटा	१०१३७.००	१०१३७.००	१०१३७.००
	RCBO 63A 30MA 7M (FOUR POLE)	गोटा	१२००५.००	१२००५.००	१२००५.००
	RCCB 25A 30MA 2M (DOUBLE POLE)	गोटा	५८५२.००	५८५२.००	५८५२.००
	RCCB 40A 30MA 2M (DOUBLE POLE)	गोटा	६८५१.००	६८५१.००	६८५१.००
	RCCB 63A 30MA 2M (DOUBLE POLE)	गोटा	८१८८.००	८१८८.००	८१८८.००
	RCCB 25A 30MA 240v 4M (FOUR POLE)	गोटा	८०६१.००	८०६१.००	८०६१.००
	RCCB 40A 30MA 240v 4M (FOUR POLE)	गोटा	७९६१.००	७९६१.००	७९६१.००
	RCCB 63A 30MA 240v 4M (FOUR POLE)	गोटा	९२३८.००	९२३८.००	९२३८.००
D	WIRES, CABLE & ACCESSORIES				
४५	CABLE SHOE				
	16 sq.mm cable shoe	गोटा	६६.००	६६.००	६६.००
	25 sq.mm " "	गोटा	८६.००	८६.००	८६.००
	35 sq.mm " "	गोटा	६६.००	६६.००	६६.००
	50 sq.mm " "	गोटा	७८.००	७८.००	७८.००
	70 sq.mm " "	गोटा	९६.००	९६.००	९६.००
	95 sq.mm " "	गोटा	१४९.००	१४९.००	१४९.००
	150 sq.mm " "	गोटा	२२४.००	२२४.००	२२४.००
	195 sq.mm " "	गोटा	३१८.००	३१८.००	३१८.००
	250 sq.mm " "	गोटा	४०६.००	४०६.००	४०६.००
४६	COPPER CONDUCTOR /WIRE /CABLE (PER COIL-(90 RM) NS marked				
	1/18 size p.v.c. insulated copper wire/ cable	स्वायल	९९०.००	९९०.००	९९०.००
	3/22 " " "	स्वायल	११८३.००	११८३.००	११८३.००
	3/20 " " "	स्वायल	१८८३.००	१८८३.००	१८८३.००
	7/22 " " "	स्वायल	२६३६.००	२६३६.००	२६३६.००
	7/20 " " "	स्वायल	४३०३.००	४३०३.००	४३०३.००
	7/18 " " "	स्वायल	६७७७.००	६७७७.००	६७७७.००
	7/16 " " "	स्वायल	१३९८४.००	१३९८४.००	१३९८४.००
	19/18 " " "	स्वायल	१८८२७.००	१८८२७.००	१८८२७.००
	19/16 " " "	स्वायल	३७६४४.००	३७६४४.००	३७६४४.००
	2/20 " " "	स्वायल	१४३०.००	१४३०.००	१४३०.००
	2/22 " " "	स्वायल	९६८.००	९६८.००	९६८.००
४७	FR PVC Insulated Wires(1100 V Conductor Composed of Multi Stranded Anneled Plain Copper and FR PVC Insulated Single Core Wires as per IS 694/2010				
	Size 1 C *0.75 SQMM	र.मी	२२.००	२२.००	२२.००
	Size 1 C *1 SQMM	र.मी	३१.००	३१.००	३१.००
	Size 1 C *1.5 SQMM	र.मी	४४.००	४४.००	४४.००
	Size 1 C *2.5SQMM	र.मी	७५.००	७५.००	७५.००
	Size 1 C *4SQMM	र.मी	१०९.००	१०९.००	१०९.००
	Size 1 C *6SQMM	र.मी	१६६.००	१६६.००	१६६.००
४८	FRLS PVC Insulated Wires(1100 V Conductor Composed of Multi Stranded Anneled Plain Copper and FR LSH PVC Insulated Single Core Wires as per IS 694/2010				

प्रमुख जिल्ला अधिकारी

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेटललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Size I C *0.75 SQMM	र.मी	२५.००	२५.००	२५.००
	Size I C *1 SQMM	र.मी	३३.००	३३.००	३३.००
	Size I C *1.5 SQMM	र.मी	४९.००	४९.००	४९.००
	Size I C *2.5SQMM	र.मी	७९.००	७९.००	७९.००
	Size I C *4SQMM	र.मी	११६.००	११६.००	११६.००
	Size I C *6SQMM	र.मी	१७५.००	१७५.००	१७५.००
४९	Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.				
	1.0 mm PVC insulated Copper wire	क्वायल	१०७५.००	१०७५.००	१०७५.००
	1.5 mm PVC insulated Copper wire	क्वायल	१७२१.००	१७२१.००	१७२१.००
	2.5 mm PVC insulated Copper wire	क्वायल	२५२८.००	२५२८.००	२५२८.००
	4.0 mm PVC insulated Copper wire	क्वायल	४०८८.००	४०८८.००	४०८८.००
	6.0 mm PVC insulated Copper wire	क्वायल	६४५५.००	६४५५.००	६४५५.००
	10.0mm PVC insulated Copper wire	क्वायल	१०७५८.००	१०७५८.००	१०७५८.००
५०	Concentric Cable NS marked Eqv.				
	4mm size concentric cable	र.मी	२४.००	२४.००	२४.००
	6mm size " "	र.मी	२७.००	२७.००	२७.००
	10mm size concentric cable	र.मी	४०.००	४०.००	४०.००
	16mm size " "	र.मी	६९.००	६९.००	६९.००
	25mm size " "	र.मी	९२.००	९२.००	९२.००
५१	Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
५१.१	a) 2 Core, Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी	११२.००	११२.००	१२३.००
	2.5 mm ²	र.मी	१५२.००	१५२.००	१६७.००
	4.0 mm ²	र.मी	२११.००	२११.००	२३२.००
	6.0 mm ²	र.मी	२७३.००	२७३.००	३००.००
	10.0 mm ²	र.मी	४१३.००	४१३.००	४५४.००
	16.0 mm ²	र.मी	५७४.००	५७४.००	६३१.००
	25.0 mm ²	र.मी	८५२.००	८५२.००	९३७.००
	35.0 mm ²	र.मी	११४१.००	११४१.००	१२५५.००
	50.0 mm ²	र.मी	१५३४.००	१५३४.००	१६८७.००
	70.0 mm ²	र.मी	२१६३.००	२१६३.००	२३७९.००
	95.0 mm ²	र.मी	२९५६.००	२९५६.००	३२५१.००
	120.0 mm ²	र.मी	३७३३.००	३७३३.००	४१०६.००
	150.0 mm ²	र.मी	४६१३.००	४६१३.००	५०७४.००
	185.0 mm ²	र.मी	५६७५.००	५६७५.००	६२४२.००
	240.0 mm ²	र.मी	७३७८.००	७३७८.००	८११५.००
	300.0 mm ²	र.मी	९२५९.००	९२५९.००	१०१८४.००
	400.0 mm ²	र.मी	१२३८४.००	१२३८४.००	१३६२२.००

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
५१.२	b) 3 Core, Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी	१४०.००	१४०.००	१५४.००
	2.5 mm ²	र.मी	१९६.००	१९६.००	२१४.००
	4.0 mm ²	र.मी	२८०.००	२८०.००	३०८.००
	6.0 mm ²	र.मी	३७२.००	३७२.००	४०९.००
	10.0 mm ²	र.मी	५७७.००	५७७.००	६३४.००
	16.0 mm ²	र.मी	८०६.००	८०६.००	८८६.००
	25.0 mm ²	र.मी	१२३७.००	१२३७.००	१३६०.००
	35.0 mm ²	र.मी	१६७३.००	१६७३.००	१८४०.००
	50.0 mm ²	र.मी	२२५९.००	२२५९.००	२४८४.००
	70.0 mm ²	र.मी	३१९७.००	३१९७.००	३४१६.००
	95.0 mm ²	र.मी	४३९३.००	४३९३.००	४८३२.००
	120.0 mm ²	र.मी	५५५४.००	५५५४.००	६१०९.००
	150.0 mm ²	र.मी	६८४६.००	६८४६.००	७५३०.००
	185.0 mm ²	र.मी	८४५०.००	८४५०.००	९२९५.००
	240.0 mm ²	र.मी	११००९.००	११००९.००	१२१०९.००
	300.0 mm ²	र.मी	१३८०९.००	१३८०९.००	१५१८९.००
	400.0 mm ²	र.मी	१८४८९.००	१८४८९.००	२०३३७.००
५१.३	c) 3.5 Core, Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	25.0 mm ²	र.मी	१४८४.००	१४८४.००	१६३२.००
	35.0 mm ²	र.मी	१९३४.००	१९३४.००	२१२७.००
	50.0 mm ²	र.मी	२६६७.००	२६६७.००	२९३३.००
	70.0 mm ²	र.मी	३७६१.००	३७६१.००	४१३७.००
	95.0 mm ²	र.मी	५१४५.००	५१४५.००	५६५९.००
	120.0 mm ²	र.मी	६६२९.००	६६२९.००	७२९१.००
	150.0 mm ²	र.मी	७९३३.००	७९३३.००	८७२६.००
	185.0 mm ²	र.मी	९९३४.००	९९३४.००	१०९२७.००
	240.0 mm ²	र.मी	१२८८३.००	१२८८३.००	१४१७१.००
	300.0 mm ²	र.मी	१६११९.००	१६११९.००	१७७३०.००
	400.0 mm ²	र.मी	२१४९३.००	२१४९३.००	२३६४२.००
५१.४	d) 4 Core, Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी	१६८.००	१६८.००	१८४.००
	2.5 mm ²	र.मी	२४३.००	२४३.००	२६७.००
	4.0 mm ²	र.मी	३५४.००	३५४.००	३८९.००
	6.0 mm ²	र.मी	४८४.००	४८४.००	५३२.००
	10.0 mm ²	र.मी	७२८.००	७२८.००	८००.००
	16.0 mm ²	र.मी	१०५४.००	१०५४.००	११५९.००
	25.0 mm ²	र.मी	१६२७.००	१६२७.००	१७८९.००

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	35.0 mm ²	र.मी	२२१२.००	२२१२.००	२४३३.००
	50.0 mm ²	र.मी	३००२.००	३००२.००	३३०२.००
	70.0 mm ²	र.मी	४२४७.००	४२४७.००	४६७१.००
	95.0 mm ²	र.मी	५८३०.००	५८३०.००	६४१३.००
	120.0 mm ²	र.मी	७३८८.००	७३८८.००	८१२६.००
	150.0 mm ²	र.मी	९११९.००	९११९.००	१००३०.००
	185.0 mm ²	र.मी	११२५०.००	११२५०.००	१२३७५.००
	240.0 mm ²	र.मी	१४६६१.००	१४६६१.००	१६१२७.००
	300.0 mm ²	र.मी	१८३९९.००	१८३९९.००	२०२३८.००
	400.0 mm ²	र.मी	२४६३७.००	२४६३७.००	२७१००.००
५२	Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
५२.१	a) 1 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	10.0 mm ²	र.मी	१७४.००	१७४.००	१९१.००
	16.0 mm ²	र.मी	२५८.००	२५८.००	२८३.००
	25.0 mm ²	र.मी	३९७.००	३९७.००	४३६.००
	35.0 mm ²	र.मी	५४३.००	५४३.००	५९७.००
	50.0 mm ²	र.मी	७३८.००	७३८.००	८११.००
	70.0 mm ²	र.मी	१०३९.००	१०३९.००	११४२.००
	95.0 mm ²	र.मी	१४४४.००	१४४४.००	१५८८.००
	120.0 mm ²	र.मी	१८२८.००	१८२८.००	२०१०.००
	150.0 mm ²	र.मी	२२५६.००	२२५६.००	२४८१.००
	185.0 mm ²	र.मी	२७८२.००	२७८२.००	३०६०.००
	240.0 mm ²	र.मी	३६२८.००	३६२८.००	३९९०.००
	300.0 mm ²	र.मी	४५६०.००	४५६०.००	५०१६.००
	400.0 mm ²	र.मी	६१६१.००	६१६१.००	६७७७.००
५२.२	b) 2 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी	८२.००	८२.००	९०.००
	2.5 mm ²	र.मी	११५.००	११५.००	१२६.००
	4.0 mm ²	र.मी	१७१.००	१७१.००	१८८.००
	6.0 mm ²	र.मी	२३३.००	२३३.००	२५६.००
	10.0 mm ²	र.मी	३६७.००	३६७.००	४०३.००
	16.0 mm ²	र.मी	५१५.००	५१५.००	५६६.००
	25.0 mm ²	र.मी	७९७.००	७९७.००	८७६.००
	35.0 mm ²	र.मी	१०८२.००	१०८२.००	११९०.००
	50.0 mm ²	र.मी	१४७५.००	१४७५.००	१६२२.००
	70.0 mm ²	र.मी	२०९५.००	२०९५.००	२३०४.००
	95.0 mm ²	र.मी	२८७८.००	२८७८.००	३१६५.००
	120.0 mm ²	र.मी	३६४६.००	३६४६.००	४०१०.००
	150.0 mm ²	र.मी	४५१३.००	४५१३.००	४९६४.००
	185.0 mm ²	र.मी	५५७०.००	५५७०.००	६१२७.००
	240.0 mm ²	र.मी	७२६१.००	७२६१.००	७९८७.००

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.ब.क. बाहेको दरललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	300.0 mm ²	र.मी	९९२८.००	९९२८.००	१००४०.००
	400.0 mm ²	र.मी	१२२३५.००	१२२३५.००	१३४५८.००
५२.३	c) 3 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी	१०९.००	१०९.००	११९.००
	2.5 mm ²	र.मी	१५९.००	१५९.००	१७४.००
	4.0 mm ²	र.मी	२३३.००	२३३.००	२५६.००
	6.0 mm ²	र.मी	३२६.००	३२६.००	३५८.००
	10.0 mm ²	र.मी	५२९.००	५२९.००	५७३.००
	16.0 mm ²	र.मी	७५६.००	७५६.००	८३९.००
	25.0 mm ²	र.मी	११८७.००	११८७.००	१३०५.००
	35.0 mm ²	र.मी	१६२९.००	१६२९.००	१७८३.००
	50.0 mm ²	र.मी	२२००.००	२२००.००	२४२०.००
	70.0 mm ²	र.मी	३१३२.००	३१३२.००	३४४५.००
	95.0 mm ²	र.मी	४३२४.००	४३२४.००	४७५६.००
	120.0 mm ²	र.मी	५४८३.००	५४८३.००	६०३९.००
	150.0 mm ²	र.मी	६७७२.००	६७७२.००	७४४९.००
	185.0 mm ²	र.मी	८३७०.००	८३७०.००	९२०७.००
	240.0 mm ²	र.मी	१०९३२.००	१०९३२.००	१२०२५.००
	300.0 mm ²	र.मी	१३७३२.००	१३७३२.००	१४९०५.००
	400.0 mm ²	र.मी	१८४९९.००	१८४९९.००	२०२५२.००
५२.४	d) 3.5 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	25.0 mm ²	र.मी	१४४७.००	१४४७.००	१५९९.००
	35.0 mm ²	र.मी	१८८४.००	१८८४.००	२०७२.००
	50.0 mm ²	र.मी	२६१५.००	२६१५.००	२८७६.००
	70.0 mm ²	र.मी	३७०८.००	३७०८.००	४०७८.००
	95.0 mm ²	र.मी	५०९६.००	५०९६.००	५६०५.००
	120.0 mm ²	र.मी	६४९२.००	६४९२.००	७२५९.००
	150.0 mm ²	र.मी	७८८४.००	७८८४.००	८६७२.००
	185.0 mm ²	र.मी	९८९७.००	९८९७.००	१०८८६.००
	240.0 mm ²	र.मी	१२८७०.००	१२८७०.००	१४१५७.००
	300.0 mm ²	र.मी	१६६९५.००	१६६९५.००	१८२७६.००
	400.0 mm ²	र.मी	२१५३०.००	२१५३०.००	२३६८३.००
५२.५	e) 4 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी	१३४.००	१३४.००	१४७.००
	2.5 mm ²	र.मी	१९९.००	१९९.००	२१८.००
	4.0 mm ²	र.मी	२९८.००	२९८.००	३२७.००
	6.0 mm ²	र.मी	४९९.००	४९९.००	५६०.००
	10.0 mm ²	र.मी	६७९.००	६७९.००	७४६.००
	16.0 mm ²	र.मी	१०९७.००	१०९७.००	११९८.००

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. माहोको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	25.0 mm ²	र.मी	१५८९.००	१५८९.००	१७४७.००
	35.0 mm ²	र.मी	२१७२.००	२१७२.००	२३८९.००
	50.0 mm ²	र.मी	२९६२.००	२९६२.००	३२५८.००
	70.0 mm ²	र.मी	४२१९.००	४२१९.००	४६४०.००
	95.0 mm ²	र.मी	५८०८.००	५८०८.००	६३८८.००
	120.0 mm ²	र.मी	७३७८.००	७३७८.००	८११५.००
	150.0 mm ²	र.मी	९१२८.००	९१२८.००	१००४०.००
	185.0 mm ²	र.मी	११२८२.००	११२८२.००	१२४१०.००
	240.0 mm ²	र.मी	१४७१९.००	१४७१९.००	१६१९०.००
	300.0 mm ²	र.मी	१८४९५.००	१८४९५.००	२०३४४.००
	400.0 mm ²	र.मी	२४७९५.००	२४७९५.००	२७२७४.००
५३	Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
५३.१	a) 2 Core, Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	2.5 mm ²	र.मी	९६.००	९६.००	१०५.००
	4.0 mm ²	र.मी	११४.००	११४.००	१२५.००
	6.0 mm ²	र.मी	१३२.००	१३२.००	१४५.००
	10.0 mm ²	र.मी	१६०.००	१६०.००	१७६.००
	16.0 mm ²	र.मी	१८१.००	१८१.००	१९९.००
	25.0 mm ²	र.मी	२२०.००	२२०.००	२४२.००
	35.0 mm ²	र.मी	२४८.००	२४८.००	२७२.००
	50.0 mm ²	र.मी	३०५.००	३०५.००	३३५.००
	70.0 mm ²	र.मी	३९७.००	३९७.००	४३६.००
	95.0 mm ²	र.मी	४९३.००	४९३.००	५४२.००
	120.0 mm ²	र.मी	५९२.००	५९२.००	६५१.००
	150.0 mm ²	र.मी	७२३.००	७२३.००	७९५.००
	185.0 mm ²	र.मी	८८२.००	८८२.००	९७०.००
	240.0 mm ²	र.मी	१०७०.००	१०७०.००	११७७.००
	300.0 mm ²	र.मी	१३१४.००	१३१४.००	१४४५.००
	400.0 mm ²	र.मी	१६६१.००	१६६१.००	१८२७.००
५३.२	b) 3 Core, Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी	०.००		
	2.5 mm ²	र.मी	१११.००	१११.००	१२२.००
	4.0 mm ²	र.मी	१३२.००	१३२.००	१४५.००
	6.0 mm ²	र.मी	१५३.००	१५३.००	१६८.००
	10.0 mm ²	र.मी	१९२.००	१९२.००	२११.००
	16.0 mm ²	र.मी	२१०.००	२१०.००	२२१.००
	25.0 mm ²	र.मी	२८४.००	२८४.००	३१२.००
	35.0 mm ²	र.मी	३३०.००	३३०.००	३६३.००
	50.0 mm ²	र.मी	४१२.००	४१२.००	४५३.००

विद्युतिय सामग्रीहरु

सि.न	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	70.0 mm ²	र.मी	५३९.००	५३९.००	५९२.००
	95.0 mm ²	र.मी	६९५.००	६९५.००	७६४.००
	120.0 mm ²	र.मी	८३६.००	८३६.००	९१९.००
	150.0 mm ²	र.मी	१००६.००	१००६.००	११०६.००
	185.0 mm ²	र.मी	१२४४.००	१२४४.००	१३६८.००
	240.0 mm ²	र.मी	१५४४.००	१५४४.००	१६९८.००
	300.0 mm ²	र.मी	१८७७.००	१८७७.००	२०६४.००
	400.0 mm ²	र.मी	२३९०.००	२३९०.००	२६२९.००
५३.३	c) 3.5 Core, Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	25.0 mm ²	र.मी	३३०.००	३३०.००	३६३.००
	35.0 mm ²	र.मी	३८७.००	३८७.००	४२४.००
	50.0 mm ²	र.मी	४९६.००	४९६.००	५४५.००
	70.0 mm ²	र.मी	६५६.००	६५६.००	७२१.००
	95.0 mm ²	र.मी	८२९.००	८२९.००	९११.००
	120.0 mm ²	र.मी	१०३१.००	१०३१.००	११३४.००
	150.0 mm ²	र.मी	१२१५.००	१२१५.००	१३३६.००
	185.0 mm ²	र.मी	१४९५.००	१४९५.००	१६४४.००
	240.0 mm ²	र.मी	१८६०.००	१८६०.००	२०४६.००
	300.0 mm ²	र.मी	२२६०.००	२२६०.००	२४८६.००
	400.0 mm ²	र.मी	२७९०.००	२७९०.००	३०६९.००
५३.४	d) 4 Core, Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	2.5 mm ²	र.मी	१२८.००	१२८.००	१४०.००
	4.0 mm ²	र.मी	१५३.००	१५३.००	१६८.००
	6.0 mm ²	र.मी	१८८.००	१८८.००	२०६.००
	10.0 mm ²	र.मी	२०६.००	२०६.००	२२६.००
	16.0 mm ²	र.मी	२६०.००	२६०.००	२८६.००
	25.0 mm ²	र.मी	३५५.००	३५५.००	३९०.००
	35.0 mm ²	र.मी	४१५.००	४१५.००	४५६.००
	50.0 mm ²	र.मी	५४६.००	५४६.००	६००.००
	70.0 mm ²	र.मी	७०८.००	७०८.००	७७८.००
	95.0 mm ²	र.मी	८८९.००	८८९.००	९७७.००
	120.0 mm ²	र.मी	११०५.००	११०५.००	१२१५.००
	150.0 mm ²	र.मी	१३४६.००	१३४६.००	१४८०.००
	185.0 mm ²	र.मी	१६२९.००	१६२९.००	१७९१.००
	240.0 mm ²	र.मी	२०४०.००	२०४०.००	२२४४.००
	300.0 mm ²	र.मी	२४७२.००	२४७२.००	२७१९.००
	400.0 mm ²	र.मी	३१६५.००	३१६५.००	३४८१.००
५४	Aluminium conductor unarmoured (power) cable NS marked or eqv.				

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.म.क. बाहेककोदररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
५४.१	a) 1 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	16.0 mm ²	र.मी	५४.००	५४.००	५९.००
	25.0 mm ²	र.मी	७५.००	७५.००	८२.००
	35.0 mm ²	र.मी	९३.००	९३.००	१०२.००
	50.0 mm ²	र.मी	११८.००	११८.००	१२९.००
	70.0 mm ²	र.मी	१५३.००	१५३.००	१६८.००
	95.0 mm ²	र.मी	२०३.००	२०३.००	२२२.००
	120.0 mm ²	र.मी	२४८.००	२४८.००	२७२.००
	150.0 mm ²	र.मी	३०८.००	३०८.००	३३८.००
	185.0 mm ²	र.मी	३८३.००	३८३.००	४२१.००
	240.0 mm ²	र.मी	४६८.००	४६८.००	५१४.००
	300.0 mm ²	र.मी	५८१.००	५८१.००	६३९.००
	400.0 mm ²	र.मी	७३७.००	७३७.००	८१०.००
	630.0 mm ²	र.मी	१२१५.००	१२१५.००	१३३६.००
५४.२	b) 2 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	2.5 mm ²	र.मी	४०.००	४०.००	४५.००
	4.0 mm ²	र.मी	६४.००	६४.००	७०.००
	6.0 mm ²	र.मी	८२.००	८२.००	९०.००
	10.0 mm ²	र.मी	१०४.००	१०४.००	११४.००
	16.0 mm ²	र.मी	१३९.००	१३९.००	१५२.००
	25.0 mm ²	र.मी	१५६.००	१५६.००	१७१.००
	35.0 mm ²	र.मी	१८५.००	१८५.००	२०३.००
	50.0 mm ²	र.मी	२३८.००	२३८.००	२६१.००
	70.0 mm ²	र.मी	३१६.००	३१६.००	३४७.००
	95.0 mm ²	र.मी	४००.००	४००.००	४४०.००
	120.0 mm ²	र.मी	४९३.००	४९३.००	५४२.००
	150.0 mm ²	र.मी	६१३.००	६१३.००	६७४.००
	185.0 mm ²	र.मी	७५८.००	७५८.००	८३३.००
	240.0 mm ²	र.मी	९३६.००	९३६.००	१०२९.००
	300.0 mm ²	र.मी	११६२.००	११६२.००	१२७८.००
	400.0 mm ²	र.मी	१४९९.००	१४९९.००	१६४०.००
५४.३	c) 3 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	2.5 mm ²	र.मी	५७.००	५७.००	६२.००
	4.0 mm ²	र.मी	७५.००	७५.००	८२.००
	6.0 mm ²	र.मी	९३.००	९३.००	१०२.००
	10.0 mm ²	र.मी	१२४.००	१२४.००	१३६.००
	16.0 mm ²	र.मी	१६७.००	१६७.००	१८३.००

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			मा.व. २०८१/८२	मा.व. २०८२/८३	मा.व. २०८३/८४
	25.0 mm ²	र.मी	२५२.००	२५२.००	२७७.००
	35.0 mm ²	र.मी	२७०.००	२७०.००	२९७.००
	50.0 mm ²	र.मी	३४४.००	३४४.००	३७८.००
	70.0 mm ²	र.मी	४६१.००	४६१.००	५०७.००
	95.0 mm ²	र.मी	६१३.००	६१३.००	६७४.००
	120.0 mm ²	र.मी	७५२.००	७५२.००	८२७.००
	150.0 mm ²	र.मी	९२१.००	९२१.००	१०१३.००
	185.0 mm ²	र.मी	११५५.००	११५५.००	१२७०.००
	240.0 mm ²	र.मी	१४५२.००	१४५२.००	१५९७.००
	300.0 mm ²	र.मी	१७८५.००	१७८५.००	१९६३.००
	400.0 mm ²	र.मी	२३०२.००	२३०२.००	२५३२.००
५४.४	d) 3.5 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	25.0 mm ²	र.मी	२७३.००	२७३.००	३००.००
	35.0 mm ²	र.मी	३३०.००	३३०.००	३६३.००
	50.0 mm ²	र.मी	४३६.००	४३६.००	४७९.००
	70.0 mm ²	र.मी	५९६.००	५९६.००	६५५.००
	95.0 mm ²	र.मी	७७२.००	७७२.००	८४९.००
	120.0 mm ²	र.मी	९८८.००	९८८.००	१०८६.००
	150.0 mm ²	र.मी	११५८.००	११५८.००	१२७३.००
	185.0 mm ²	र.मी	१४५२.००	१४५२.००	१५९७.००
	240.0 mm ²	र.मी	१८४८.००	१८४८.००	२०३२.००
	300.0 mm ²	र.मी	२२६९.००	२२६९.००	२४९२.००
	400.0 mm ²	र.मी	२९१४.००	२९१४.००	३२०५.००
५४.५	e) 4 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी			
	2.5 mm ²	र.मी	६४.००	६४.००	७०.००
	4.0 mm ²	र.मी	८९.००	८९.००	९७.००
	6.0 mm ²	र.मी	१०७.००	१०७.००	११७.००
	10.0 mm ²	र.मी	१६०.००	१६०.००	१७६.००
	16.0 mm ²	र.मी	२१६.००	२१६.००	२३७.००
	25.0 mm ²	र.मी	३०२.००	३०२.००	३३२.००
	35.0 mm ²	र.मी	३७२.००	३७२.००	४०९.००
	50.0 mm ²	र.मी	४०४.००	४०४.००	४५४.००
	70.0 mm ²	र.मी	६६६.००	६६६.००	७३२.००
	95.0 mm ²	र.मी	८६४.००	८६४.००	९५०.००
	120.0 mm ²	र.मी	१०९५.००	१०९५.००	१२०४.००
	150.0 mm ²	र.मी	१३५६.००	१३५६.००	१४९१.००
	185.0 mm ²	र.मी	१६६१.००	१६६१.००	१८२७.००
	240.0 mm ²	र.मी	२१०७.००	२१०७.००	२३१७.००
	300.0 mm ²	र.मी	२५८१.००	२५८१.००	२८३९.००

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	400.0 mm ²	र.मी	३३४२.००	३३४२.००	३६७६.००
E	CABLE MANAGEMENT				
	Pregalvanized Cable Tray & Raceways				
५५	LADDER CABLE TRAY Pre Galvanized				
	Pre Galvanized (275Gsm) Bolted Rungs Type 100mm ladder Cable Tray	र.मी	३३६८.००	१५१४.००	१५१४.००
	Pre Galvanized (275Gsm) Bolted Rungs Type 150mm ladder Cable Tray	र.मी	२६११.००	१७२३.००	१७२३.००
	Pre Galvanized (275Gsm) Bolted Rungs Type 200mm ladder Cable Tray	र.मी	१९३२.००	१९३२.००	१९३२.००
	Pre Galvanized (275Gsm) Bolted Rungs Type 300mm ladder Cable Tray	र.मी	१७२३.००	२६११.००	२६११.००
	Pre Galvanized (275Gsm) Bolted Rungs Type 400mm ladder Cable Tray	र.मी	१५१४.००	३३६८.००	३३६८.००
५६	Raceways Pre Galvanized (275 Gsm) Joggled Wire Ducts				
	Raceways 2mm Thk WDI [PG275GSM] Base With Cover & Strap-100mm	र.मी	२६८९.००	२६८९.००	२६८९.००
	Raceways 2mm Thk WDI [PG275GSM] Base With Cover & Strap-150mm	र.मी	३३९४.००	३३९४.००	३३९४.००
	Raceways 2mm Thk WDI [PG275GSM] Base With Cover & Strap-200mm	र.मी	३६५५.००	३६५५.००	३६५५.००
५७	Perforated Cable Tray 1.6mm Thick, Pre Galvanized				
	Perforated Cable Tray PCT 100MM Pre-Galvanized (275GSM)	र.मी	१३५०.००	१३५०.००	१३५०.००
	Perforated Cable Tray PCT 150MM Pre-Galvanized (275GSM)	र.मी	१६८०.००	१६८०.००	१६८०.००
	Perforated Cable Tray PCT 200MM Pre-Galvanized (275GSM)	र.मी	२०४०.००	२०४०.००	२०४०.००
	Perforated Cable Tray PCT 300MM Pre-Galvanized (275GSM)	र.मी	२४००.००	२४००.००	२४००.००
	Perforated Cable Tray PCT 450MM Pre-Galvanized (275GSM)	र.मी	३६६०.००	३६६०.००	३६६०.००
	Perforated Cable Tray PCT 600MM Pre-Galvanized (275GSM)	र.मी	४६८०.००	४६८०.००	४६८०.००
५८	Perforated Cable Tray 2mm Thick, Pre Galvanized (275 Gsm)				
	Perforated Cable Tray PCT 100MM Pre-Galvanized (275GSM)	र.मी	१२२२.००	१२२२.००	१२२२.००
	Perforated Cable Tray PCT 150MM Pre-Galvanized (275GSM)	र.मी	१५०८.००	१५०८.००	१५०८.००
	Perforated Cable Tray PCT 200MM Pre-Galvanized (275GSM)	र.मी	१८४६.००	१८४६.००	१८४६.००
	Perforated Cable Tray PCT 300MM Pre-Galvanized (275GSM)	र.मी	२१३२.००	२१३२.००	२१३२.००
	Perforated Cable Tray PCT 450MM Pre-Galvanized (275GSM)	र.मी	३२८६.००	३२८६.००	३२८६.००
	Perforated Cable Tray PCT 600MM Pre-Galvanized (275GSM)	र.मी	४१९१.००	४१९१.००	४१९१.००
५९	Perforated Cable Tray With 2 mm Thick PRE GALVANIZED (275GSM) With COVER				
	Perforated Cable Tray with 2mm Thk Cover PCT 100MM Pre-Galvanized	र.मी	२०५५.००	२०५५.००	२०५५.००
	Perforated Cable Tray with 2mm Thk Cover PCT 300MM Pre-Galvanized	र.मी	४२१२.००	४२१२.००	४२१२.००
	Perforated Cable Tray with 2mm Thk Cover PCT 450MM Pre-Galvanized	र.मी	६५००.००	६५००.००	६५००.००
	Rigid round conduit Unplasticised Polyvinyl Chloride(uPVC) pipes, laser engraved, Fire retardant corrosion free FRLS with thermal resistance from -5°C to +60°C, durable and impact resistant				
६०	CABLE SUPPORT SYSTEM - FINISH - (275GSM)				
	Slotted Z Section - (2500MM LONG) Pre Galvanized (PG 275)	र.मी	८३५.००	८३५.००	८३५.००

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Rung sloted "C CHANEL" - Pre Galvanized (PG 275)	र.मी	५४८.००	५४८.००	५४८.००
	Punched Plate 30x5mm THK,HDG 65 Micron (PG 275GSM)	र.मी	७८३.००	७८३.००	७८३.००
	Splice plate 35x200x2.00 (PG 120)/ Coupler plate 38x110mm	गोटा	५७४.००	५७४.००	५७४.००
	Splice plate 62x90x2.00 (PG 120)/Coupler plate 62x110mm	गोटा	६००.००	६००.००	६००.००
	M8-Threaded rod Electroplated,1000 mm long	र.मी	१९८.००	१९८.००	१९८.००
	M10-Threaded rod Electroplated,1000 mm long	र.मी	३०२.००	३०२.००	३०२.००
	Rod coupler, M-8,Electroplated	गोटा	९९.००	९९.००	९९.००
	Rod coupler, M-10,Electroplated	गोटा	१०९.००	१०९.००	१०९.००
	WDJ Coupler 100,150 & 200 mm	गोटा	६००.००	६००.००	६००.००
	275 gsm Pregalvanized Junction Box	गोटा	२६११.००	२६११.००	२६११.००
	Coupler for BRT 900,750,450,300 & 150MM	गोटा	२६१.००	२६१.००	२६१.००
	Coupler for PCT 600,450,300,200,150 & 100MM	गोटा	२८७.००	२८७.००	२८७.००
	Bottle Bracket for BRT 100 X50MM	गोटा	२६१.००	२६१.००	२६१.००
	Bottle Bracket for BRT 150 X50MM	गोटा	४१७.००	४१७.००	४१७.००
	Bottle Bracket for PCT 200 X50MM	गोटा	५७४.००	५७४.००	५७४.००
	METAL GRIP/FASTNER	गोटा	९४.००	९४.००	९४.००
	BRT Reducer Bend 450-150, 50 mm Height ,PG275GSM	गोटा	५२२२.००	५२२२.००	५२२२.००
	BRT Hardware/PCT Hardware	गोटा	३१.००	३१.००	३१.००
	PVC CONDUITS & ACCESSORIES				
६१	FRLS Conduit of MEDIUM/HEAVY MECHANICAL STRESS(MMS)				
	20MM MMS/HMS Ivory/Black/Grey/White/Red/ Yellow/Blue/Green, FRLS Conduit (2.5 meters per piece)	गोटा	११५.००	११५.००	११५.००
	25MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/ Blue/Green, FRLS Conduit (2.5 meters per piece)	गोटा	१४४.००	१४४.००	१४४.००
	32MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/ Blue/Green, FRLS Conduit (2.5 meters per piece)	गोटा	२७१.००	२७१.००	२७१.००
	Circular Boxes and Adapter boxes are provided with M4 brass insert with a load suspension capacity of 3Kgs at 60°C Unplasticised Polyvinyl Chloride(uPVC) pipes,laser engraved,Fire retardant corrosion free FRLS with thermal resistance from -5°C to +60°C ,durable and impact resistant				
	20mm 1 way/2way/3way/4way with cover/without cover	गोटा	९३.००	९३.००	९३.००
	25mm 1 way/2way/3way/4way with cover/without cover	गोटा	१०४.००	१०४.००	१०४.००
	32mm 1 way/2way/3way/4way with cover/without cover	गोटा	२२२.००	२२२.००	२२२.००
६२	DEEP TYPE				
	20mm 1 way/2way/3way/4way with cover/without cover	गोटा	१५०.००	१५०.००	१५०.००
	25mm 1 way/2way/3way/4way with cover/without cover	गोटा	१७८.००	१७८.००	१७८.००
	32mm 1 way/2way/3way/4way with cover/without cover	गोटा	२३४.००	२३४.००	२३४.००
६३	SADDLE,COUPLER,BEND, ELBOW,TEE,BUSH ADAPTOR				
	20/25MM Round U Clip/Space Bar saddle	गोटा	४३.००	४३.००	४३.००
	20/25MM Coupler	गोटा	२६.००	२६.००	२६.००
	20/25 mm slip type Bend	गोटा	९२.००	९२.००	९२.००
	20/25mm Round Elbow	गोटा	४५.००	४५.००	४५.००
	20/25mm Round Tee	गोटा	६३.००	६३.००	६३.००
	20/25mm Male/female Bush Adaptor	गोटा	४१.००	४१.००	४१.००
६४	POLY PROPLENE CORRUGATED FLEXIBLE CONDUITS PIPE				
	16/20/25 MM Flexiable conduits pipe	र.मी	९४.००	९४.००	९४.००
	32/40mm flexiable conduits pipe	र.मी	१८३.००	१८३.००	१८३.००
६५	FRPP(FIRE RETARDANT POLY PROPLENE CORRUGATED FLEXIBLE CONDUITS				

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	16/20/25 MM FLEXIABLE CONDUITS PIPE	र.मी	१२४.००	१२४.००	१२४.००
	32/40 MM FLEXIABLE CONDUITS PIPE	र.मी	२१३.००	२१३.००	२१३.००
६६	FLEXIABLE PIPE GLAND				
	16/20/25MM PVC GLAND	गोटा	७८.००	७८.००	७८.००
	32/40MM PVC GLAND	गोटा	१११.००	१११.००	१११.००
६७	PVC MINI/MAXI TRUNKING PROFILE(LISTY) made with unplasticides polyvinyl chloride with fast installation,easy maintenance,secure and elegant look,durable and impact resistance, fire retardant,corrosion free, thermal resistance from -5°C to +60°C.				
	16x16mm	र.मी	४६.००	४६.००	४६.००
	25x15mm	र.मी	६०.००	६०.००	६०.००
	50x50mm	र.मी	४९९.००	४९९.००	४९९.००
	50x100mm	र.मी	१९३४.००	१९३४.००	१९३४.००
६८	PVC Listy Double Lock				
	1/2" breadth	सेट	३२.००	३२.००	३२.००
	3/4"	सेट	४८.००	४८.००	४८.००
	1"	सेट	६९.००	६९.००	६९.००
	1 1/2"	सेट	१३४.००	१३४.००	१३४.००
	2"	सेट	१५०.००	१५०.००	१५०.००
६९	Accessories				
	1/2"-2" size Saddle	र.मी	८.००	८.००	८.००
	Grips	गोटा	६.००	६.००	६.००
	Steel screws	गोटा	२.००	२.००	२.००
	PVC Tape	गोटा	१५.००	१५.००	१५.००
F	FANS				
७०	TABLE FAN, CEILING FANS & EXHAUST Fans, (संबन्धित उत्पादक राष्ट्रको गुणस्तर बिन्दु प्राप्त)				
	36" size ceiling Fan	गोटा	२२५९.००		
	42" size " "	गोटा	२३६६.००		
	48" size " "	गोटा	२९५९.००		
	56" size " "	गोटा	२६८९.००		
	6" Exhaust Fan	गोटा	१५६०.००		
	8" EXHAUST FAN PLASTIC WHITE	गोटा	१९८४.००		
	9" Exhaust Fan	गोटा	२३६५.००		
	10" EXHAUST FAN PLASTIC WHITE	गोटा	२९५९.००		
	16" size wall fan	गोटा	२९५९.००		
	12" size exhaust fan	गोटा	२७३६.००		
	16" TABLE FAN	गोटा	२७४७.००		
	18" TABLE FAN GOLD	गोटा	३०१३.००		
	16" WALL FAN	गोटा	२३३४.००		
	18" STAND FAN GOLD	गोटा	३४४६.००		
	16" STAND FAN	गोटा	२७७८.००		
	16" STAND FAN 3 BLADES	गोटा	२३७६.००		
	18" WALL FAN REMOTE	गोटा	३३००.००		
७१	Decorative Fans				
	56" Ceiling Fan	गोटा	३९७५.००		
	48" Ceiling Fan	गोटा	३४२५.००		

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
७२	Ceiling Fans				
	56" Ceiling Fan	गोटा	३७००.००	३७००.००	३७००.००
	48" Power Saver Ceiling Fan -50 W	गोटा	३८००.००	३८००.००	३८००.००
	36" Ceiling Fan	गोटा	२९००.००	२९००.००	२९००.००
	24" Ceiling Fan (High Speed)	गोटा	२८००.००	२८००.००	२८००.००
७३	Table / Pedestal / Wall Fans				
	18" Table/Pedestal/Wall Fan	गोटा	६९००.००	६९००.००	६९००.००
	20" Tabel/ Pedstal/Wall Fan	गोटा	७४८०.००	७४८०.००	७४८०.००
	16" Pedestal Fan	गोटा	४९५०.००	४९५०.००	४९५०.००
	16" High Speed Table Fan	गोटा	४५००.००	४५००.००	४५००.००
	16" High Speed Wall Fan	गोटा	४५००.००	४५००.००	४५००.००
७४	Ventilation / Exhaust Fans				
	6" Ventilation Exhaust Fan	गोटा	२०००.००	२०००.००	२०००.००
	8" Ventilation Exhaust Fan	गोटा	२०९०.००	२०९०.००	२०९०.००
	10" Ventilation Exhaust Fan	गोटा	२४७५.००	२४७५.००	२४७५.००
	4" Modular Ventilation Exhaust	गोटा	२२००.००	२२००.००	२२००.००
	6" Modular Ventilation Exhaust	गोटा	२४७५.००	२४७५.००	२४७५.००
	9"Open Metal Exhaust	गोटा	२९७५.००	२९७५.००	२९७५.००
	12"Open Metal Exhaust	गोटा	३४७५.००	३४७५.००	३४७५.००
G	Luminaires & Fixtures				
७५	LED BULB				
	0.5W , LED with E14/B22/E27 Base, Color/3000K/4000K/6500K	गोटा	६३.००	६३.००	६३.००
	3W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	१२४.००	१२४.००	१२४.००
	5W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	१३९.००	१३९.००	१३९.००
	7W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	१८३.००	१८३.००	१८३.००
	9W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	१८३.००	१८३.००	१८३.००
	12W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	२७०.००	२७०.००	२७०.००
	14/15W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	३४२.००	३४२.००	३४२.००
	20/23W , High Power LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	५२२.००	५२२.००	५२२.००
	30W , High Power LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	७८३.००	७८३.००	७८३.००
	40W , High Power LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	१००७.००	१००७.००	१००७.००
	50W , High Power LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	१२६२.००	१२६२.००	१२६२.००
	4W E14 TAIL WARM	गोटा	२५०.००	२५०.००	२५०.००
	4W E14 NON TAIL WARM	गोटा	२३०.००	२३०.००	२३०.००
	SMART LED BULB				
	3W/5W @100lm/watt dimmable with 220° Beam Angle 2700k-6500k, IP44 E14 Aluminium+ ThermoPlastic LED Candle Bulb	गोटा	४५५.००	४५५.००	४५५.००
७६	Fluorescent Tube light (FTL) set including Tube,condenser, starter , lamp holder,channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block . (संयन्त्रित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	1x20 watt FTL (Patti fittings)	सेट	४८४.००	४८४.००	४८४.००
	1x40 watt FTL Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	सेट	८०९.००	८०९.००	८०९.००

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.न.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	1x20 watt FTL (Mirrolta) WRF 20120	सेट	९१४.००	९१४.००	९१४.००
	1x40 watt FTL with attractive & functional decorative battens WRF20140	सेट	१०६५.००	१०६५.००	१०६५.००
	1x40 watt FTL box fittings	सेट	१२१०.००	१२१०.००	१२१०.००
	2x40 watt FTL box fittings	सेट	१८२८.००	१८२८.००	१८२८.००
	1x40 watt FTL Industrial channel	सेट	१८६१.००	१८६१.००	१८६१.००
	2x40 watt FTL Industrial channel	सेट	२३८८.००	२३८८.००	२३८८.००
	1x40 watt FTL, opalite with opal Acrylic dissuser	सेट	१९३६.००	१९३६.००	१९३६.००
	2x40 watt FTL, opalite with opal Acrylic dissuser	सेट	३२२७.००	३२२७.००	३२२७.००
	4x20 watt FTL, opalite WCF 93418	सेट	५६५०.००	५६५०.००	५६५०.००
	4x20 watt FTL mirror optic surface/recessed mounting	सेट	५६५०.००	५६५०.००	५६५०.००
	1x40 watt FTL mirror optic with electronic choke. Surface / recessed mounting	सेट	३७१२.००	३७१२.००	३७१२.००
	2x40 watt FTL mirror optic surface/recessed mounting with electronic choke	सेट	४५१८.००	४५१८.००	४५१८.००
	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 louver Complete set	सेट	९८००.००	९८००.००	९८००.००
	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling	सेट	८६११.००	८६११.००	८६११.००
७७	Compact Fluorescent Lamp (CFL) based Luminaries set all complete (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	2 x 18 W CFL recessed/surface mounting mirror Optic Complete Set	सेट	२६७८.००	२६७८.००	२६७८.००
	1 x11 W CFL mirror Optic surface/recessed mounting complete set	सेट	१९१४.००	१९१४.००	१९१४.००
	2 x11 W CFL mirror Optic Surface mounting complete set	सेट	२३६६.००	२३६६.००	२३६६.००
	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with louver Complete set	सेट	६३३६.००	६३३६.००	६३३६.००
	3x36 W CFL -4 pin low glare fixture with P 5 louvers & electronic ballast complete set	सेट	७१२७.००	७१२७.००	७१२७.००
	Recess mounting Direct Indirect LED luminaire	सेट	११२९६.००	११२९६.००	११२९६.००
	Recess mounting Direct Indirect LED luminaire	सेट	१४६८५.००	१४६८५.००	१४६८५.००
	Recess Surface mounted LED luminate	सेट	१३९३२.००	१३९३२.००	१३९३२.००
	High efficiency circular LED Down Lighter	सेट	३३८९.००	३३८९.००	३३८९.००
	Designer LED Streetlight with pressure die cast housing suitable for secondary	सेट	१५२४९.००	१५२४९.००	१५२४९.००
	IP20 and IP 65 non intregat flexible LED Strip Light	सेट	११३०.००	११३०.००	११३०.००
	Circular LED wall/Dome Light suitable for true ceiling	सेट	३३८९.००	३३८९.००	३३८९.००
	Square LED Wall/Dome light suitable for true ceiling	सेट	३३८९.००	३३८९.००	३३८९.००
	Recess mounted indirect and direct luminaries	सेट	६४०१.००	६४०१.००	६४०१.००
	2x36 Watt CFL Surface Mirror Optic	सेट	६४०१.००	६४०१.००	६४०१.००
७८	LUMINARIES Accessories -(संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	500 watt halogen rod	गोटा	२४२.००	२४२.००	२४२.००
	1000 watt halogen rod	गोटा	२९०.००	२९०.००	२९०.००
	70Watt SON Lamp (Sodium Vapour)	गोटा	८७१.००	८७१.००	८७१.००
	150 watt sodium vapour bulb	गोटा	१३५५.००	१३५५.००	१३५५.००
	250 watt sodium vapour bulb	गोटा	१७७५.००	१७७५.००	१७७५.००
	20-40 watt FTL rod	गोटा	८३.००	८३.००	८३.००
	20-40 watt FTL Copper chowk	गोटा	२६९.००	२६९.००	२६९.००
	20-40W FTL Electronic Chowk with high power factor & instant flicker free	गोटा	४३०.००	४३०.००	४३०.००
	Acrylic cover for 4x20 FTL	गोटा	१०३३.००	१०३३.००	१०३३.००
	FTL starter	गोटा	१९.००	१९.००	१९.००

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.ब.क. बाहेको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	8 W to 11W, C.F.L.Direct fit	गोटा	२४२.००	२४२.००	२४२.००
	13 to 22W, C.F.L.Direct fit	गोटा	३१२.००	३१२.००	३१२.००
	15-100 watt bulb.(ISI)	गोटा	२७.००	२७.००	२७.००
	9W/86 (CFL)	गोटा	१७२.००	१७२.००	१७२.००
	11W/86 (CFL)	गोटा	१८२.००	१८२.००	१८२.००
	36W/86 (CFL)	गोटा	४३५.००	४३५.००	४३५.००
	125W HPL-N (Mercury Vapour)	गोटा	३८७.००	३८७.००	३८७.००
	250W HPL-N	गोटा	९१४.००	९१४.००	९१४.००
	Solar LED bulb				
	12V/2W LED bulb	गोटा	३७७.००	३७७.००	३७७.००
	12V/3W LED bulb	गोटा	४३०.००	४३०.००	४३०.००
	12V/4W LED bulb	गोटा	४८४.००	४८४.००	४८४.००
७९	DOME/DOOM LIGHT				
	DOOM LIGHT				
	12W DOOM LIGHT WITH SENSOR 6500K	गोटा	२९७६.००	२९७६.००	२९७६.००
	12W DOOM LIGHT WITH SENSOR 2700K	गोटा	२९७६.००	२९७६.००	२९७६.००
	20W DOOM LIGHT LIPER RD 2700K	गोटा	१८२७.००	१८२७.००	१८२७.००
	20W DOOM LIGHT LIPER RD 6500K	गोटा	१८२७.००	१८२७.००	१८२७.००
	30W DOOM LIGHT LIPER RD 2700K	गोटा	२२९७.००	२२९७.००	२२९७.००
	30W DOOM LIGHT LIPER RD 6500K	गोटा	२२९७.००	२२९७.००	२२९७.००
	20W BALLKIT 6500K	गोटा	१९३२.००	१९३२.००	१९३२.००
	Dome light (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	6" Milky type decorative dome light	सेट	१८८.००	१८८.००	१८८.००
	6 " Brass base decorative dome light	सेट	७६८.००	७६८.००	७६८.००
	8"Milky type decorative dome light	सेट	२३७.००	२३७.००	२३७.००
	8 " Brass base decorative dome light	सेट	९१४.००	९१४.००	९१४.००
	8" Silver cast Milky base Decorative Dome Light	सेट	११४६.००	११४६.००	११४६.००
	6) 8" Silver cast Black Base base Decorative Dome Light	सेट	४९२.००	४९२.००	४९२.००
	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	सेट	१२६६.००	१२६६.००	१२६६.००
	PANEL DOWN LIGHTS				
	General Segment				
८०	RECESS PANEL DOWN LIGHT				
	LED light fixtures with Edgelit/Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Polycarbonate, Trim/Frame: Polycarbonate, Trim Shape: Square/Circle, Luminous Efficacy: $\geq 70\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , CRI ≥ 70 , Burning Life $\geq 15,000$ hours having manufacture's warranted for minimum period of 1 years.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	३७२.००	३७२.००	३७२.००
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	४६४.००	४६४.००	४६४.००
	8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	६४०.००	६४०.००	६४०.००
	10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	७००.००	७००.००	७००.००
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	७५६.००	७५६.००	७५६.००
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	८००.००	८००.००	८००.००

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेटसितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१००८.००	१००८.००	१००८.००
	20/22W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१०५६.००	१०५६.००	१०५६.००
८१	SURFACE PANEL DOWN LIGHT				
	LED light fixtures with Edgelit/Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Polycarbonate, Trim/Frame: Polycarbonate, Trim Shape: Square/Circle, Luminous Efficacy: $\geq 70\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , CRI ≥ 70 , Burning Life $>15,000$ hours having manufacture's warranted for minimum period of 1 years.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	६१२.००	६१२.००	६१२.००
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	७७५.२०	७७५.२०	७७५.२०
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	८८०.००	८८०.००	८८०.००
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	९४०.००	९४०.००	९४०.००
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	९९६.००	९९६.००	९९६.००
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१०८०.००	१०८०.००	१०८०.००
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१२४८.००	१२४८.००	१२४८.००
	20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१२९६.००	१२९६.००	१२९६.००
	Mid Segment				
८२	RECESS PANEL DOWN LIGHT, EDGELIT				
	LED light fixtures with Edgelit LED Fixture, Voltage Range: 140V-270V, Housing: Edge(Moulded Die-Cast Al) with Cover (Al Sheet Metal), Trim/Frame: Die-Cast, Trim Shape: Square/Circle, Luminous Efficacy: $\geq 75\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , THD $<15\%$, CRI ≥ 70 , SPD: 2KV, Burning Life $>25,000-35,000$ hours having manufacture's warranted for minimum period of 2 years.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	५६०.००	५६०.००	५६०.००
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	९२८.००	९२८.००	९२८.००
	8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१२००.००	१२००.००	१२००.००
	10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१२००.००	१२००.००	१२००.००
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१२००.००	१२००.००	१२००.००
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१३६०.००	१३६०.००	१३६०.००
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१८४०.००	१८४०.००	१८४०.००
	20/22W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२०४०.००	२०४०.००	२०४०.००
८३	SURFACE PANEL DOWN LIGHT, EDGELIT				
	LED light fixtures with Edgelit LED Fixture, Voltage Range: 140V-270V, Housing: Edge(Moulded Die-Cast Al) with Cover (Al Sheet Metal), Trim/Frame: Die-Cast, Trim Shape: Square/Circle, Luminous Efficacy: $\geq 75\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , THD $<15\%$, CRI ≥ 70 , SPD: 2KV, Burning Life $>25,000-35,000$ hours having manufacture's warranted for minimum period of 2 years.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	७२०.००	७२०.००	७२०.००
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	९२८.००	९२८.००	९२८.००
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१३६०.००	१३६०.००	१३६०.००
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१३६०.००	१३६०.००	१३६०.००
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१३६०.००	१३६०.००	१३६०.००
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१४२०.००	१४२०.००	१४२०.००

विद्युतिय सामग्रीहरू

सि.न	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२०८०.००	२०८०.००	२०८०.००
	20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२४८०.००	२४८०.००	२४८०.००
८४	RECESS PANEL DOWN LIGHT, BACKLIT				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Al Heat Sink, Trim/Frame: Die-Cast/Polycarbonate, Trim Shape: Square/Circle, Luminous Efficacy: $\geq 75\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , THD $< 15\%$, CRI ≥ 70 , SPD: 2KV, Burning Life $> 25,000$ -35000 hours having manufacture's warranted for minimum period of 2 years.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	६९२.००	६९२.००	६९२.००
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	६६०.००	६६०.००	६६०.००
	8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१२००.००	१२००.००	१२००.००
	10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	९६८.००	९६८.००	९६८.००
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१२००.००	१२००.००	१२००.००
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१३६४.००	१३६४.००	१३६४.००
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१६८०.००	१६८०.००	१६८०.००
	20/22W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१६८०.००	१६८०.००	१६८०.००
८५	SURFACE PANEL DOWN LIGHT, BACKLIT				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Al Heat Sink, Trim/Frame: Die-Cast/Polycarbonate, Trim Shape: Square/Circle, Luminous Efficacy: $\geq 75\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , THD $< 15\%$, CRI ≥ 70 , SPD: 2KV, Burning Life $> 25,000$ -35000 hours having manufacture's warranted for minimum period of 2 years.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	८८०.००	८८०.००	८८०.००
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	११२०.००	११२०.००	११२०.००
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	७९२.००	७९२.००	७९२.००
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१६७२.००	१६७२.००	१६७२.००
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१७९६.००	१७९६.००	१७९६.००
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१८६०.००	१८६०.००	१८६०.००
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२३००.००	२३००.००	२३००.००
	20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२४२०.००	२४२०.००	२४२०.००
	Standard Segment				
८६	RECESS PANEL DOWN LIGHT, BACKLIT				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved, Trim/Frame: Die-Cast Al, Trim Shape: Square/Circle, Luminous Efficacy: $\geq 100\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , Flicker Free Light, THD $< 10\%$, CRI ≥ 80 , SPD: 2.5 KV, Burning Life $> 40,000$ -50000 hours, Diffuser: Flicker Free, compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	११६०.००	११६०.००	११६०.००
	8/9W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१६४०.००	१६४०.००	१६४०.००
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१७६०.००	१७६०.००	१७६०.००
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१९२०.००	१९२०.००	१९२०.००
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२२२४.००	२२२४.००	२२२४.००

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट ललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	22/24W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२४००.००	२४००.००	२४००.००
८७	SURFACE PANEL DOWN LIGHT, BACKLIT				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved, Trim/Frame: Die-Cast Al, Trim Shape: Square/Circle, Luminous Efficacy: $\geq 100\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , Flicker Free Light, THD $<10\%$, CRI ≥ 80 , SPD: 2.5 KV, Burning Life $>40,000$ -50000 hours, Diffuser: Flicker Free, compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१३४०.००	१३४०.००	१३४०.००
	8/9W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१५८४.००	१५८४.००	१५८४.००
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१८६०.००	१८६०.००	१८६०.००
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२०७२.००	२०७२.००	२०७२.००
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२४१६.००	२४१६.००	२४१६.००
	20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२६६८.००	२६६८.००	२६६८.००
८८	DEEP RECESSED DOWN LIGHT, BACKLIT				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved, Trim/Frame: Deep Die-Cast Al, Trim Shape: Square/Circle, Luminous Efficacy: $\geq 100\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , Flicker Free Light, THD $<10\%$, CRI ≥ 80 , SPD: 2.5 KV, Burning Life $>40,000$ -50000 hours, Diffuser: Flicker Free, compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१०००.००	१०००.००	१०००.००
	8/9W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१३६०.००	१३६०.००	१३६०.००
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१६३२.००	१६३२.००	१६३२.००
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१९२०.००	१९२०.००	१९२०.००
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२२२४.००	२२२४.००	२२२४.००
	20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२८६८.००	२८६८.००	२८६८.००
	COB DOWN LIGHTS				
	General Segment				
८९	COB DOWN LIGHT, RECESSED MOUNTED				
	COB DOWN LED light fixtures, Voltage Range: 140V-270V, Housing: Polycarbonate, Trim/Frame: Polycarbonate, Trim Shape: Square/Circle, Light Type: Tilttable/Trimless/Fixed, Luminous Efficacy: $\geq 90\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , CRI ≥ 70 , Burning Life >25000 -30,000 hours, Beam Angle: Narrow/Medium/Wide, having manufacture's warranted for minimum period of 1 years.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	३०१.६०	३०१.६०	३०१.६०
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	७४०.००	७४०.००	७४०.००
	7/8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	११८८.००	११८८.००	११८८.००
	9/10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१२२०.००	१२२०.००	१२२०.००
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१०६४.००	१०६४.००	१०६४.००

विद्युतिय सामग्रीहरु


सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको वरिष्ठलितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१७६०.००	१७६०.००	१७६०.००
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२४००.००	२४००.००	२४००.००
	20-25W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	३०२४.००	३०२४.००	३०२४.००
	30-50W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	३३९२.००	३३९२.००	३३९२.००
९०	COB DOWN LIGHT, SURFACE MOUNTED				
	COB DOWN LED light fixtures, Voltage Range: 140V-270V, Housing: Polycarbonate, Trim/Frame: Polycarbonate, Trim Shape: Square/Circle, Light Type: Tilttable/Trimless/Fixed, Luminous Efficacy: $\geq 90\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , CRI ≥ 70 , Burning Life >25000 -30,000 hours, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser, having manufacture's warranted for minimum period of 1 years.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	७२०.००	७२०.००	७२०.००
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१०२०.००	१०२०.००	१०२०.००
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१२९२.००	१२९२.००	१२९२.००
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१४९६.००	१४९६.००	१४९६.००
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१६८८.००	१६८८.००	१६८८.००
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२०४०.००	२०४०.००	२०४०.००
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२४८०.००	२४८०.००	२४८०.००
	20-25W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२८८०.००	२८८०.००	२८८०.००
	30-50W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	३५२०.००	३५२०.००	३५२०.००
	Mld Segment				
९१	COB DOWN LIGHT, RECESSED MOUNTED				
	COB DOWN LED light fixtures, Voltage Range: 140V-270V, Housing: Al Heat Sink, Trim/Frame: Die-Cast, Trim Shape: Square/Circle, Light Type: Tilttable/Trimless/Fixed, Luminous Efficacy: $\geq 90\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, THD $<10\%$, CRI ≥ 70 , SPD: 2KV, CRI ≥ 80 , Burning Life >25000 -30000 hours, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser having manufacture's warranted for minimum period of 2 years.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१०००.००	१०००.००	१०००.००
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१०४०.००	१०४०.००	१०४०.००
	7/8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१४३२.००	१४३२.००	१४३२.००
	9/10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१४३२.००	१४३२.००	१४३२.००
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१७६०.००	१७६०.००	१७६०.००
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२०००.००	२०००.००	२०००.००

प्रमुख जिल्ला अधिकारी

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२७६०.००	२७६०.००	२७६०.००
	20-25W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	३७८४.००	३७८४.००	३७८४.००
	30-50W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	४६४०.००	४६४०.००	४६४०.००
९२	COB DOWN LIGHT, SURFACE MOUNTED				
	COB DOWN LED light fixtures, Voltage Range: 140V-270V, Housing: Al Heat Sink, Trim/Frame: Die-Cast, Trim Shape: Square/Circle, Light Type: Tilttable/Trimless/Fixed, Luminous Efficacy: $\geq 90\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, THD $< 10\%$, CRI ≥ 70 , SPD: 2KV, CRI ≥ 80 , Burning Life > 25000 -30000 hours, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser having manufacture's warranted for minimum period of 2 years.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	७२०.००	७२०.००	७२०.००
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१२००.००	१२००.००	१२००.००
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१५२०.००	१५२०.००	१५२०.००
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१७६०.००	१७६०.००	१७६०.००
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१९८४.००	१९८४.००	१९८४.००
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२४००.००	२४००.००	२४००.००
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	३११६.००	३११६.००	३११६.००
	20-25W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	३६००.००	३६००.००	३६००.००
	30-50W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	४४००.००	४४००.००	४४००.००
	Standard Segment				
९३	COB DOWN LIGHT, RECESSED MOUNTED				
	COB DOWN light fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved/Laser Printing, Trim/Frame: Deep Die-Cast Al, Trim Shape: Square/Circle, Light Type: Tilttable/Trimless/Fixed, Luminous Efficacy: $\geq 100\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , Flicker Free Light, THD $< 10\%$, CRI ≥ 80 , SPD: 2.5/4 KV, Burning Life $> 40,000$ -50000 hours, Diffuser: Flicker Free, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१०४०.००	१०४०.००	१०४०.००





प्रमुख जिल्ला अधिकारी

विद्युतिय सामाग्रीहरु



सि.न	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट ललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१०४०.००	१०४०.००	१०४०.००
	7/8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१४३२.००	१४३२.००	१४३२.००
	9/10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१४३२.००	१४३२.००	१४३२.००
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१७६०.००	१७६०.००	१७६०.००
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२०००.००	२०००.००	२०००.००
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२७६०.००	२७६०.००	२७६०.००
	20-25W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	४३२०.००	४३२०.००	४३२०.००
	30-50W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	४६४०.००	४६४०.००	४६४०.००
९४	COB DOWN LIGHT, SURFACE MOUNTED				
	COB DOWN light fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved/Laser Printing, Trim/Frame: Deep Die-Cast Al, Trim Shape: Square/Circle, Light Type: Tilttable/Trimless/Fixed, Luminous Efficacy: $\geq 100\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , Flicker Free Light, THD $<10\%$, CRI ≥ 80 , SPD: 2.5/4 KV, Burning Life $>40,000-50,000$ hours, Diffuser: Flicker Free, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser compiling to IS: 16102 Part-2 IS: 16103 Part-1, IS: 16013 Part-2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१२००.००	१२००.००	१२००.००
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१४४०.००	१४४०.००	१४४०.००
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१७६०.००	१७६०.००	१७६०.००
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२०००.००	२०००.००	२०००.००
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२५२४.००	२५२४.००	२५२४.००
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	३०४०.००	३०४०.००	३०४०.००
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	३२९२.००	३२९२.००	३२९२.००
	20-25W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	३८४०.००	३८४०.००	३८४०.००
	30-50W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	४०८८.००	४०८८.००	४०८८.००
९५	Cylindrical COB DOWN light fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved/Laser Printing, Trim/Frame: Deep Die-Cast Al, Trim Shape: Square/Circle, Light Type: Tilttable/Trimless/Fixed, Luminous Efficacy: $\geq 70\text{lm/w}$, IP≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥ 0.9, Flicker Free Light, THD$<10\%$, CRI≥ 80, SPD: 2.5/4 KV, Burning Life$>40,000-50,000$ hours, Diffuser: Flicker Free, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser compiling to IS: 16102 Part-2 IS: 16103 Part-1, IS: 16013 Part-2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	7W, Cylindrical Downlight Luminaires, Suspended/Surface, 2700K/3000K/4000K/6000K/6500K	सेट	१११५२.००	१११५२.००	१११५२.००
	12W, Cylindrical Downlight Luminaires, Suspended/Surface, 2700K/3000K/4000K/6000K/6500K	सेट	११६९६.००	११६९६.००	११६९६.००
	15W, Cylindrical Downlight Luminaires, Suspended/Surface, 2700K/3000K/4000K/6000K/6500K	सेट	१२५१२.००	१२५१२.००	१२५१२.००
	18W, Cylindrical Downlight Luminaires, Suspended/Surface, 2700K/3000K/4000K/6000K/6500K	सेट	१३०५६.००	१३०५६.००	१३०५६.००

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दरललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	COMMERCIAL LIGHTS				
	General & Mid Segment				
९६	RECESS PANEL DOWN LIGHT, BACKLIT				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Sheet Metal, Frame: Extruded aluminum, Trim Shape: Square/Rectangle, Luminous Efficacy: $\geq 100\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F ≥ 0.9 , THD $<10\%$, CRI ≥ 70 , SPD: 2.5 KV, Burning Life $>25,000$ -30000 hours, LED Source: LED PCB with PC Lense or without having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	18/20/22/24W, 1ft X 1ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१२६८.००	१२६८.००	१२६८.००
	36W, 2ft X 2ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२१६०.००	२१६०.००	२१६०.००
	40/45W, 2ft X 2ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२८८०.००	२८८०.००	२८८०.००
	32/40W, 1ft X 4ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	५६००.००	५६००.००	५६००.००
९७	SURFACE PANEL DOWN LIGHT, BACKLIT				
	18/20/22/24W, 1ft X 1ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	१४४०.००	१४४०.००	१४४०.००
	36W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	२८८०.००	२८८०.००	२८८०.००
	40/45W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	३६००.००	३६००.००	३६००.००
	32/40W, 1ft X 4ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	६४००.००	६४००.००	६४००.००
	Standard Segment				
९८	RECESS PANEL DOWN LIGHT, BACKLIT				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: CRCA Sheet with Powder Coating, Frame: CRCA Sheet, Trim Shape: Square/Rectangle, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F ≥ 0.9 , Flicker Free Light, THD $<10\%$, CRI ≥ 80 , SPD: 4 KV, Burning Life $>40,000$ -50000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/ Manufacture for minimum period of 2 years.				
	18/20/22/24W, 1ft X 1ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: $\geq 100\text{lm/w}$	सेट	१४०८.००	१४०८.००	१४०८.००
	36W, 2ft X 2ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: $\geq 120\text{lm/w}$	सेट	२४००.००	२४००.००	२४००.००
	40/45W, 2ft X 2ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: $\geq 120\text{lm/w}$	सेट	३२००.००	३२००.००	३२००.००
	32/40W, 1ft X 4ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: $\geq 120\text{lm/w}$	सेट	५७६०.००	५७६०.००	५७६०.००
	80W, 2ft X 4ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: $\geq 120\text{lm/w}$	सेट	९६००.००		
९९	SURFACE PANEL DOWN LIGHT, BACKLIT				





जिल्ला अधिकारी

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.ज.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: CRCA Sheet with Powder Coating, Frame: CRCA Sheet, Trim Shape: Square/Rectangle, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10 %, CRI≥80, SPD: 4 KV, Burning Life>40,000-50000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, Note: Surface mounted Frame/Templet is not allowed, compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	18/20/22/24W, 1ft X 1ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट	१६००.००	१६००.००	१६००.००
	36W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट	३२००.००	३२००.००	३२००.००
	40/45W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट	४०००.००	४०००.००	४०००.००
	32/40W, 1ft X 4ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट	६५१२.००	६५१२.००	६५१२.००
	80W, 2ft X 4ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट	९६८०.००	९६८०.००	९६८०.००
१००	Clean Room LIGHT				
	Clean Room LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Mounting: Recessed/Surface Housing: CRCA Sheet with Powder Coating, Frame: CRCA Sheet, Trim Shape: Square/Rectangle, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10 %, CRI≥80, SPD: 4 KV, Burning Life>40,000-50000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, with options for bottom opening, top opening compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/ Manufacture for minimum period of 2 years.				
	36W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट	३३८८२.००		
	LINEAR LIGHTS				
१०१	DOWN LIGHTER LINEAR LIGHTS				
	Linear LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Mounting: Recessed/Surface/ Suspended, Housing: CRCA Sheet or Aluminium Extruded; Finish: Color as per client, Trim Shape: Rectangle, IP≥20 (or as Mentioned), Drive: Ripple Free Non-Dimmable, P.F.≥0.9, THD<10 %, CRI≥80, SPD: 2.5/4 KV, Burning Life>40,000-50000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, Joint Less in long length, compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/ Manufacture for minimum period of 2 years.				
	1 to 1.2 meter Linear Luminaires, (25-35mm width x 25-35mm depth)	सेट	३२००.००	३२००.००	३२००.००
	1 to 1.2 meter Feet Linear Luminaires, (35mm width x 70-75mm depth)	सेट	३३६०.००	३३६०.००	३३६०.००
	1 to 1.2 meter Linear Luminaires, (50mm width x 70-75mm depth)	सेट	४४००.००	४४००.००	४४००.००
	1 to 1.2 meter Linear Luminaires, (60-65mm width x 60-65mm depth)	सेट	५२००.००	५२००.००	५२००.००
	1 to 1.2 meter Linear Luminaires, (70-75mm width x 70-75mm depth)	सेट	६०००.००	६०००.००	६०००.००
१०२	UP-DOWN LIGHTER LINEAR LIGHTS				

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट/शासन		
			आ.व. २०८१/८२	आ.व. २०८२/८३	सलितपुर आ.व. २०८३/८४
	Linear LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Mounting: Suspended, Housing: CRCA Sheet or Aluminium Extruded; Finish: Color as per client, Trim Shape: Rectangle, IP≥20 (or as Mentioned), Drive: Ripple Free Non-Dimmable, P.F.≥0.9, THD<10 %, CR1≥80, SPD: 2.5/4 KV, Burning Life>40,000-50000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, Joint Less in long length, compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/ Manufacture for minimum period of 2 years.				
	1 to 1.2 meter Linear Luminaires, (25-35mm width x 25-35mm depth)	सेट	३६८०.००	३६८०.००	३६८०.००
	1 to 1.2 meter Feet Linear Luminaires, (35mm width x 70-75mm depth)	सेट	४५६०.००	४५६०.००	४५६०.००
	1 to 1.2 meter Linear Luminaires, (50mm width x 70-75mm depth)	सेट	५७६०.००	५७६०.००	५७६०.००
	1 to 1.2 meter Linear Luminaires, (60-65mm width x 60-65mm depth)	सेट	६८००.००	६८००.००	६८००.००
	1 to 1.2 meter Linear Luminaires, (70-75mm width x 70-75mm depth)	सेट	७६००.००	७६००.००	७६००.००
१०३	LED Trunking				
	LED Trunking Trunking based solution for large open areas with high ceiling requiring continuous linear installation. Luminaire is snap fit mount on trunking system, available in two lumen packs. Accessories need to be additionally ordered.				
	40W, 3000K/4000K/5700K/6000K/6500K	सेट	८४७०.००	८४७०.००	८४७०.००
	57W, 3000K/4000K/5700K/6000K/6500K	सेट	११६७०.००	११६७०.००	११६७०.००
	LED HANGING KIT	सेट	१८८२.००	१८८२.००	१८८२.००
१०४	LED TUBELIGHTS				
	4W, LED TUBE Only, T5, 3000K/4000K/6500K	सेट	२६८.००	२६८.००	२६८.००
	4W, LED TUBE Box/Patti with reflector, T5, 3000K/4000K/6500K	सेट	३०४.००	३०४.००	३०४.००
	8W, LED TUBE Only, T5, 3000K/4000K/6500K	सेट	३०४.००	३०४.००	३०४.००
	8W, LED TUBE Box/Patti with reflector, T5, 3000K/4000K/6500K	सेट	४०८.००	४०८.००	४०८.००
	18/20W, LED TUBE Only, T8, 3000K/4000K/6500K	सेट	४९६.००	४९६.००	४९६.००
	18/20W, LED TUBE Box/Patti with reflector, T8, 3000K/4000K/6500K	सेट	४०८.००	४०८.००	४०८.००
	36/40W, LED TUBE Only, T8, 3000K/4000K/6500K	सेट	२३७६.००	२३७६.००	२३७६.००
	36/40W, LED TUBE Box/Patti with reflector, T8, 3000K/4000K/6500K	सेट	२२२८.००	२२२८.००	२२२८.००
	INDUSTRIAL T-LED BOX TYPE PATTI, 1X4 box type patti T-Led 1x20w	सेट	२९५६.००	२९५६.००	२९५६.००
	INDUSTRIAL T-LED BOX TYPE PATTI, 2X4 box type patti T-Led 2x20w	सेट	३५८०.००	३५८०.००	३५८०.००
	Industrial Reflector 2X4 box type patti T-Led 2x20w	सेट	२९५६.००	२९५६.००	२९५६.००
१०५	BATTEN LIGHTS				
	18/20W, 4 Feet Linear Batten, Polycarbonate Extruded, PC Diffuser	सेट	४९६.००	४९६.००	४९६.००
	8/10W, 2Feet Linear Batten, Polycarbonate Extruded, PC Diffuser	सेट	४६४.००	४६४.००	४६४.००
	4/5W, 1 Feet Linear Batten, Polycarbonate Extruded, PC Diffuser	सेट	३६०.००	३६०.००	३६०.००
	36/40/52W, 4 Feet Linear Batten, Aluminium Extruded, PC Diffuser, 35-40mm Width	सेट	२३७६.००	२३७६.००	२३७६.००
	18/20W, 4 Feet Linear Batten, Aluminium Extruded, Polycarbonate Diffuser	सेट	६२४.००	६२४.००	६२४.००

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेटसलितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	8/10W, 2 Feet Linear Batten, Aluminium Extruded, Polycarbonate Diffuser	सेट	५४४.००	५४४.००	५४४.००
	4/5W, 1 Foot Linear Batten, Aluminium Extruded, Polycarbonate Diffuser	सेट	४९६.००	४९६.००	४९६.००
	36/40W Industrial Batten 4 Ft IP65 Dust and Waterproof LED luminaire	सेट	७५२९.००	७५२९.००	७५२९.००
	18/20W Industrial Batten 4 Ft IP65 Dust and Waterproof LED luminaire	सेट	५६४७.००	५६४७.००	५६४७.००
	18 Watt, Batten 4 ftLED luminaire with PIR Sensors	सेट	८३८९.००		
	34 Watt Batten 4 ftLED luminaire with PIR Sensors	सेट	११९३२.००		
	47Watt Batten 4 ftLED luminaire with PIR Sensors	सेट	१५३४९.००		
१०६	LED STRIP LIGHTS				
	24W/36W IP20/IP65/IP67 Waterproof WW/CW/R/G/B, 60 LED/Meter 12v, 2A long life, Eco-friendly, Energy saving LED strip light	गोटा	५७०.००	५७०.००	५७०.००
	Power adaptor 2A/5A	गोटा	२९००.००	२९००.००	२९००.००
१०७	STRIP/COVE/ROPE LIGHT				
	LED cove lighting with 6W/mtr with high efficient led chips, warm white(3000k)/natural white(4000k)/Cool day light(6500k) for wider options, with good colour rendering(CRI-80), No harmful UV/IR radiation,				
	24W/28W LED strip light(5Mtr roll) IP20	र.मी.	५३८.००	५३८.००	५३८.००
	2A LED driver for strip light	गोटा	१२७५.००	१२७५.००	१२७५.००
	Rope light IP 66 400lm/watt LED Rope light	र.मी.	४८०.००	४८०.००	४८०.००
	IP 66 driver for rope light	गोटा	६७५.००	६७५.००	६७५.००
१०८	LED TRACK LIGHTS				
	3W @100lm/watt IP20 24°-36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	१४५०.००	१४५०.००	१४५०.००
	6W @100lm/watt IP20 24°-36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	१९५०.००	१९५०.००	१९५०.००
	9W @100lm/watt IP20 24°-36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	२६५०.००	२६५०.००	२६५०.००
	16W @100lm/watt IP20 24°-36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	४४००.००	४४००.००	४४००.००
	24W @100lm/watt IP20 24°-36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	५३५०.००	५३५०.००	५३५०.००
	30W @100lm/watt IP20 24°-36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	६३५०.००	६३५०.००	६३५०.००
	40W @100lm/watt IP20 24°-36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	८६५०.००	८६५०.००	८६५०.००
	50W @100lm/watt IP20 24°-36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	९३००.००	९३००.००	९३००.००
	Stick IMTR for Track light	गोटा	१५००.००		
१०९	MAGNETIC TRACK LIGHTS				
	1 MTR TRIMLESS MAGNETIC TRACK LIGHT ,25MMX45MM	गोटा	३८०८.००	३८०८.००	३८०८.००
	2 MTR TRIMLESS MAGNETIC TRACK LIGHT ,25MMX45MM	गोटा	७६१६.००	७६१६.००	७६१६.००
	3 MTR TRIMLESS MAGNETIC TRACK LIGHT ,25MMX45MM	गोटा	११५२०.००	११५२०.००	११५२०.००
	6W MAGNETIC LASER ,96MMX22MMX25MM TUNABLE DIMMING	गोटा	४८००.००	४८००.००	४८००.००
	12W MAGNETIC LASER ,192MMX22MMX25MM TUNABLE DIMMING	गोटा	६३७६.००	६३७६.००	६३७६.००
	12W MAGNETIC WALL WASHER LASER TUNABLE DIMMING	गोटा	७०४०.००	७०४०.००	७०४०.००

विद्युतीय सामग्रीहरू

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट ललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	7W MAGNETIC HANGING 300MM	गोटा	६०८०.००	६०८०.००	६०८०.००
	10W MAGNETIC LINEAR ,300MMX22MMX25MM TUNABLE DIMMING	गोटा	४८००.००	४८००.००	४८००.००
	20W MAGNETIC LINEAR ,600MMX22MMX25MM TUNABLE DIMMING	गोटा	६८८०.००	६८८०.००	६८८०.००
	12W MAGNETIC TRACK LIGHT ,45MMX142MM ,TUNABLE DIMMING	गोटा	६८८०.००	६८८०.००	६८८०.००
	18W MAGNETIC TRACK LIGHT ,55MMX142MM ,TUNABLE DIMMING	गोटा	८४४८.००	८४४८.००	८४४८.००
	L SHAPED RECESSED CONNECTOR	गोटा	२८६८.००	२८६८.००	२८६८.००
	POWER SUPPLY	गोटा	१२१६.००	१२१६.००	१२१६.००
	DOUBLE CONNECTOR	गोटा	२०४४.००	२०४४.००	२०४४.००
	DIRECT CONDUCTIVE CONNECTOR SET	गोटा	२०४४.००	२०४४.००	२०४४.००
	75W ADAPTER FOR MAGNETIC TRACK LIGHT	गोटा	३९२०.८०	३९२०.८०	३९२०.८०
	100W ADAPTER FOR MAGNETIC TRACK LIGHT	गोटा	४४४०.००	४४४०.००	४४४०.००
	150W ADAPTER FOR MAGNETIC TRACK LIGHT	गोटा	७०४०.००	७०४०.००	७०४०.००
११०	Exit/Directional/ Information Signage				
	Exit/Directional/ Information Signage with slim and lightweight, visible from 20 mtrs with integral battery capacity of 3 hrs and bicoloured LED status indicator with customize symbols/letters or as required	सेट	१२९१०.००	१२९१०.००	१२९१०.००
	Self Contained Emergency Down Light Recessed/Surface Mounted, with integral battery capacity of 3 hrs.	सेट	१२९१०.००	१२९१०.००	१२९१०.००
	Self Contained emergency Twin Light, Wal Mounted with integral battery capacity of 3 hrs.	सेट	१२९१०.००	१२९१०.००	१२९१०.००
१११	Fixture Accessories				
	2x2 Surface/Recess Frame	सेट	१२८८.००	१२८८.००	१२८८.००
	1x1 Surface/Recess Frame	सेट	९२८.००	९२८.००	९२८.००
	Suspension/Hanging/Clip Kit	सेट	१०४०.००	१०४०.००	१०४०.००
H	OUTDOOR LIGHTING				
	HIGH BAY LIGHT				
११२	High Bay Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥20 (or as Mentioned), Flicker Free Light, THD<10 %, CRD≥70, SPD: 4 KV, Burning Life>50000 hours, Luminous Efficacy: ≥120lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense, compiling to IS: 16102 Part-2 IS: 16103 Part-1, IS: 16013 Part-2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	40/50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	४०८८.००	४०८८.००	४०८८.००
	80/90/100W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	४३६४.००	४३६४.००	४३६४.००
	120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	८०००.००	८०००.००	८०००.००
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	१०२०८.००	१०२०८.००	१०२०८.००
	180/200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	११२००.००	११२००.००	११२००.००
	250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	२०४८०.००	२०४८०.००	२०४८०.००

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेटसहितधुप		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
११३	High Bay Light with voltage Range: 110V-300V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥65, IK 08, Flicker Free Light, THD<10 %, CRI≥70, SPD: 4 KV, Burning Life>50000 hours, Luminous Efficacy: ≥150lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense, compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	40/50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w	गोटा	७३२८.००	७३२८.००	७३२८.००
	80/90/100W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w	गोटा	८९२८.००	८९२८.००	८९२८.००
	120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w	गोटा	१०२०८.००	१०२०८.००	१०२०८.००
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w	गोटा	१०८४८.००	१०८४८.००	१०८४८.००
	180/200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w	गोटा	११३९२.००	११३९२.००	११३९२.००
	250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w	गोटा	२२८४८.००	२२८४८.००	२२८४८.००
	FLOOD LIGHTS				
११४	General				
	10W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	९२०.००	९२०.००	९२०.००
	20W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	१५४८.००	१५४८.००	१५४८.००
	30W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	२४५६.००	२४५६.००	२४५६.००
	50W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	२७९२.००	२७९२.००	२७९२.००
	100W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	४६०८.००	४६०८.००	४६०८.००
	150W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	४८५२.००	४८५२.००	४८५२.००
	200W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	६३७६.००	६३७६.००	६३७६.००
	10W FLOOD LIGHT SENSOR, 3000K/4000K/5700K/6000K/6500K	गोटा	२१६०.००	२१६०.००	२१६०.००
	20W FLOOD LIGHT SENSOR, 3000K/4000K/5700K/6000K/6500K	गोटा	२७६०.००	२७६०.००	२७६०.००
	30W FLOOD LIGHT SENSOR, 3000K/4000K/5700K/6000K/6500K	गोटा	३६५६.००	३६५६.००	३६५६.००
	50W FLOOD LIGHT SENSOR, 3000K/4000K/5700K/6000K/6500K	गोटा	३९२०.००	३९२०.००	३९२०.००
	Mid Segment				
११५	Flood Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥65, IK 07, Flicker Free, THD<10 %, CRI≥70, SPD: 4 KV, Burning Life>50000 hours, Luminous Efficacy: ≥100lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense, Toughened glass cover compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	30/50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा	२४९२.००	२४९२.००	२४९२.००
	100W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा	५७६०.००	५७६०.००	५७६०.००
	120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा	४०४८.००	४०४८.००	४०४८.००
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा	६०६४.००	६०६४.००	६०६४.००
	180/200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा	७९६८.००	७९६८.००	७९६८.००
	250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा	१०८००.००	१०८००.००	१०८००.००
	300W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा	१४४००.००	१४४००.००	१४४००.००
	400W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा	१७६००.००	१७६००.००	१७६००.००
	Standard Segment				

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट ललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
११६	Flood Light with voltage Range: 110V-300V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥65, IK 08, Flicker Free Light, THD<10 %, CRD≥70, SPD: 4/10 KV, Burning Life>50000 hours, Luminous Efficacy: ≥120lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lens, Toughened glass cover, compiling to IS: 16102 Part-2 IS: 16103 Part-1, IS: 16013 Part-2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	30/50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	३३९२.००	३३९२.००	३३९२.००
	100W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	५७६०.००	५७६०.००	५७६०.००
	120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	७९६८.००	७९६८.००	७९६८.००
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	८८९२.००	८८९२.००	८८९२.००
	180/200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	११७६०.००	११७६०.००	११७६०.००
	250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	१४४००.००	१४४००.००	१४४००.००
	Tunnel Lights				
११७	Flow Base Flowbase is High performance IP66 Tunnel light with High Power LED light source, PDC housing with high impact resistance (IK08) . It comes with four sizes of configuration with mounting angle of 60 to -60 Degrees.Flowbase optics ensure uniform distribution and savings up to 50%* w.r.t conventional system and maintenance free system.				
	60W	गोटा	६६८०.००	६६८०.००	६६८०.००
	120W	गोटा	२२२४०.००	२२२४०.००	२२२४०.००
	180W	गोटा	३३९२०.००	३३९२०.००	३३९२०.००
	240W	गोटा	४९६००.००	४९६००.००	४९६००.००
	Street Light				
११८	General Segment				
	LED AC Street light 24 W with auto on-off switch and auto dimming option including all accesories and excludng installation	पेय	७०००.००	७०००.००	७०००.००
	LED AC Street light 30/36 W with auto on-off switch and auto dimming option including all accesories and excludng installation	सेट	५७४४.००	५७४४.००	५७४४.००
	LED AC Street light 50W with auto on-off switch and auto dimming option including all accesories and excludng installation	पेय	९०००.००	९०००.००	९०००.००
	LED AC Street light 100 W with auto on-off switch and auto dimming option including all accesories and excludng installation	पेय	१६०००.००	१६०००.००	१६०००.००
	300/500 watt halogen weather proof FLOOD LIGHT with glass cover Complete set	सेट	१६१३.००	१६१३.००	१६१३.००
	1000 watt halogen weather proof flood light with glass cover Complete set	सेट	३२२७.००	३२२७.००	३२२७.००
	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	सेट	९६८२.००	९६८२.००	९६८२.००
	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	सेट	११२९.००	११२९.००	११२९.००
	Single Piece deep drawn aluminum POT optics road light luminaries with clear acrylic cover 70W HPSV lamp etc. complete with all accessories.	सेट	५४८६.००	५४८६.००	५४८६.००
	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	२३७२.००	२३७२.००	२३७२.००
	1X125W HPSV street light fixture with acrylic diffuser	सेट	५३४६.००	५३४६.००	५३४६.००
	2X60/100W GLS avation light fixture all complete set	सेट	५९३९.००	५९३९.००	५९३९.००
		सेट	६७८९.००	६७८९.००	६७८९.००

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.म.क. बाहेकको दर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	ललितपुर आ.व. २०८३/८४
११९	Street Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Drive: Non-Dimmable, P.F.≥0.9, IP≥66, IK 07, Flicker Free, THD<10 %, CR≥70, Burning Life>25000 hours, Luminous Efficacy: ≥100lm/w, Beam Angle: Narrow/Medium/Wide, having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 1 years.				
	20-30W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट	१३६०.००	१३६०.००	१३६०.००
	40-50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट	२६८०.००	२६८०.००	२६८०.००
	70-90W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट	४७६८.००	४७६८.००	४७६८.००
	100-120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट	४९९२.००	४९९२.००	४९९२.००
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट	६०८८.००	६०८८.००	६०८८.००
	180-200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट	७१६०.००	७१६०.००	७१६०.००
	240-250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट	१०७६०.००	१०७६०.००	१०७६०.००
	300W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट	१५२४०.००	१५२४०.००	१५२४०.००
	Mid Segment				
१२०	Street Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥66, IK 08, Flicker Free, THD<10 %, CR≥70, SPD: 4 KV, Burning Life>50000 hours, Luminous Efficacy: ≥120lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense, compiling to IS: 16102 Part-2 IS: 16103 Part-1, IS: 16013 Part-2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	20-30W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट	१७६०.००	१७६०.००	१७६०.००
	40-50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट	२८०४.००	२८०४.००	२८०४.००
	70-90W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट	४८२०.००	४८२०.००	४८२०.००
	100-120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट	५०८८.००	५०८८.००	५०८८.००
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट	६२४०.००	६२४०.००	६२४०.००
	180-200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट	८४००.००	८४००.००	८४००.००
	240-250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट	१३४४०.००	१३४४०.००	१३४४०.००
	300W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट	१७९२०.००	१७९२०.००	१७९२०.००
	Standard Segment				
१२१	Street Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥66, IK 09, Flicker Free, THD<10 %, CR≥70, SPD: 10 KV, Burning Life>50000 hours, Luminous Efficacy: ≥130lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense, cover compiling to IS: 16102 Part-2 IS: 16103 Part-1, IS: 16013 Part-2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	20-30W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट	२०००.००	२०००.००	२०००.००
	40-60W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट	४३२८.००	४३२८.००	४३२८.००
	70-90W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट	५०८८.००	५०८८.००	५०८८.००
	100-120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट	६२४०.००	६२४०.००	६२४०.००
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट	७१६८.००	७१६८.००	७१६८.००
	180-200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट	११८४०.००	११८४०.००	११८४०.००
	240-250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट	१९२००.००	१९२००.००	१९२००.००
	300W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट	२५६००.००	२५६००.००	२५६००.००
१२२	WALL LIGHT				
	Small Size wall Light	गोटा	११७६.००	११७६.००	११७६.००
	Medium Size wall Light	गोटा	१४८०.००	१४८०.००	१४८०.००

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेटललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Large Size wall Light	गोटा	२०००.००	२०००.००	२०००.००
१२३	Wall bracket/spout light/mirror light bulk head ordinary	सेट	२४२.००	२४२.००	२४२.००
	Wall bracket/spot light/mirror light /bulk head medium decorative.	सेट	३७७.००	३७७.००	३७७.००
	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	सेट	८६०.००	८६०.००	८६०.००
	1 x 11/13 watt CFL DOWN LIGHT with reflector & diffuser (conceal light) Complete Set	सेट	१०११.००	१०११.००	१०११.००
	1 x 18 watt CFL Down light with reflector & diffuser (conceal light) Complete	सेट	१५८१.००	१५८१.००	१५८१.००
	Dining lamp.	सेट	१७७५.००	१७७५.००	१७७५.००
	Chandlers 6-8 lamp Medium	सेट	१५७६१.००	१५७६१.००	१५७६१.००
	Chandlers 3-5 lamp Medium	सेट	११२४२.००	११२४२.००	११२४२.००
	Mirror Light Euro Light	सेट	४८४.००	४८४.००	४८४.००
	Picture light Euro Light POO2	सेट	६९९.००	६९९.००	६९९.००
	Wall spot Light E27 60W Euro or eqv.	सेट	३७७.००	३७७.००	३७७.००
	Exit Light safety sign(8.24)W	सेट	८६०.००	८६०.००	८६०.००
१२४	LED BULKHEAD				
	6W, IP 65, IK 09, Burning Life>50000 hours, Luminous Efficacy: ≥80lm/w, Milky/Clear diffuser, Pressure Die-Cast Housing, Full Glow/Half Glow	गोटा	२०००.००	२०००.००	२०००.००
	10W, IP 65, IK 09, Burning Life>50000 hours, Luminous Efficacy: ≥80lm/w, Milky/Clear diffuser, Pressure Die-Cast Housing, Full Glow/Half Glow	गोटा	२२४०.००	२२४०.००	२२४०.००
	12/15W, IP 65, IK 09, Burning Life>50000 hours, Luminous Efficacy: ≥80lm/w, Milky/Clear diffuser, Pressure Die-Cast Housing, Full Glow/Half Glow	गोटा	२३२०.००	२३२०.००	२३२०.००
	6/10/12/16W, IP 65, IK 09, Burning Life>50000 hours, Luminous Efficacy: ≥80lm/w, Milky/Clear diffuser, Plastic Housing, Full Glow/Half Glow	गोटा	१६००.००	१६००.००	१६००.००
१२५	FOOT LIGHT/STEP LIGHT				
	LED step/foot light with long life LED driver ,No harmful UV/IR radiation, Square/Circle/ Rectangle Shape, Luvared/NonLuvared, Die-cast Aluminium, with required IP protection from dust and water, 3000K/4000K/5700K/6000K/6500K				
	2/3W, Surface/Recessed, 3000K /4000K /5700K/ 6000K/ 6500K	गोटा	१५८४.००	१५८४.००	१५८४.००
	4/5W, Surface/Recessed, 3000K /4000K /5700K/ 6000K/ 6500K	गोटा	२८५०.००	२८५०.००	२८५०.००
	6/7W, Surface/Recessed, 3000K /4000K /5700K/ 6000K/ 6500K	गोटा	२४२०.००	२४२०.००	२४२०.००
	12/15W, Surface/Recessed, 3000K /4000K /5700K/ 6000K/ 6500K	गोटा	३२२५.००	३२२५.००	३२२५.००
१२६	GARDEN SPIKE LIGHT				
	COB garden spike light with Aluminium Housing,Outdoor Ambient Lighting,omnidirectional protection from dust and water IP65				
	7W	गोटा	३७९०.००	३७९०.००	३७९०.००
	12W	गोटा	५७८०.००	५७८०.००	५७८०.००
१२७	Ground LED ground burial				

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दल्लासने कार्यसमेत		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Ground LED ground burial range is compact, robust design IP67/IK10 with aluminum diecast housing and stainless trim, IP67 waterproof connectors ensure easy installation & maintenance free				
	1W 12V 30D	गोटा	२२५८.००	२२५८.००	२२५८.००
	2W 12V 30D	गोटा	३०११.००	३०११.००	३०११.००
	Driver & accessories price extra for 12 V.	गोटा	२२५८.००	२२५८.००	२२५८.००
१२८	LED Ground Guide				
	Multiple lighting emission windows to make space out.				
	3W 100-240V	गोटा	४१४१.००	४१४१.००	४१४१.००
	6W 100-240V	गोटा	६०२३.००	६०२३.००	६०२३.००
१२९	Ground Burial				
	Ground Burial Compact and robust design with diecast aluminum housing and stainless trim, IP68 waterproof connectors				
	3W 20D 100-240V	गोटा	९४११.००	९४११.००	९४११.००
	6W 20D 100-240V	गोटा	१३५५२.००	१३५५२.००	१३५५२.००
	12W 20D 100-240V	गोटा	२५४११.००	२५४११.००	२५४११.००
	18W 20D 100-240V	गोटा	२७२९४.००	२७२९४.००	२७२९४.००
	36W 20D 100-240V	गोटा	२८२३५.००	२८२३५.००	२८२३५.००
	18W 20D 24V	गोटा	३०११७.००	३०११७.००	३०११७.००
	18W 20D 100-240V	गोटा	२१६४७.००	२१६४७.००	२१६४७.००
१३०	Linear Ground Light				
	Linear Ground light makes space distinctive with more safety and convenience of installation				
	2W 24V, RGB	गोटा	१३१७६.००	१३१७६.००	१३१७६.००
	9W 24V, RGB	गोटा	१७८८२.००	१७८८२.००	१७८८२.००
	7W 24V, RGB	गोटा	२५४११.००	२५४११.००	२५४११.००
	36W 24V, RGB, RGB	गोटा	३२९४१.००	३२९४१.००	३२९४१.००
	Bollard Light				
१३१	Bulb Bollard Lights				
	Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	सेट	२६८९.००	२६८९.००	२६८९.००
	Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	३२२७.००	३२२७.००	३२२७.००
	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	३६३०.००	३६३०.००	३६३०.००
१३२	General Segment				
	300-600mm height, 7W/8W/9W/10W, LED BOLLARD Light, IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट	४२४०.००	४२४०.००	४२४०.००
	800-900mm height, 8W/9W/10W/12W /24W, LED BOLLARD Light IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट	५२८०.००	५२८०.००	५२८०.००
	900-1200mm height, 8W/9W/10W/12/24, LED BOLLARD Light, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट	६०००.००	६०००.००	६०००.००
१३३	Mid Segment				
	300-600mm height, 7W/8W/9W/10W, LED BOLLARD Light, IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट	४४१६.००	४४१६.००	४४१६.००
	800-900mm height, 8W/9W/10W/12W /24W, LED BOLLARD Light IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट	५५०४.००	५५०४.००	५५०४.००

विद्युतिय सामाग्रीहरु

सि.न	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.व.क. बाढेकको दर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	900-1200mm height, 8W/9W/10W/12/24, LED BOLLARD Light , 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट	८४८०.००	८४८०.००	८४८०.००
१३४	Standard Segment				
	300-600mm height, 7W/8W/9W/10W, LED BOLLARD Light , IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट	६२८८.००	६२८८.००	६२८८.००
	800-900mm height, 8W/9W/10W/12W /24W, LED BOLLARD Light IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट	७३२८.००	७३२८.००	७३२८.००
	900-1200mm height, 8W/9W/10W/12/24, LED BOLLARD Light , 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट	१५१२०.००	१५१२०.००	१५१२०.००
	TOP POST LIGHT				
१३५	Bulb Top Lanterns				
	8" Globe type Post top Lamp complete set	सेट	१४७९.००	१४७९.००	१४७९.००
	10" Globe type Post top Lamp complete set	सेट	२८२४.००	२८२४.००	२८२४.००
१३६	Top Post Poles				
	3M, top post pole made of Galvanised MS Pipe (or polyurethane paint) with connection terminal box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट	९६००.००	९६००.००	९६००.००
	3.5-4M, top post pole made of Galvanised MS Pipe (or polyurethane paint) with connection terminal box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट	१२०००.००	१२०००.००	१२०००.००
	3M, top post pole made of Galvanized Steel with Cast Iron Embellishment (or polyurethane paint) with connection terminal box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट	११२००.००	११२००.००	११२००.००
	3.5-4M, top post pole made of Galvanized Steel with Cast Iron Embellishment (or polyurethane paint) with connection terminal box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट	१४०४०.००	१४०४०.००	१४०४०.००
	3M, top post pole made of Cast Iron with connection terminal box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट	१२४००.००	१२४००.००	१२४००.००
	3.5-4M, top post pole made of Cast Iron with connection terminal box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट	१५६००.००	१५६००.००	१५६००.००
१३७	Top Post/ Gate Post Fixtures				
	Top Post/Gate Light made of Die Cast Base and Polycarbonate Cover of required wattage with IP 65 degree of protection (Fixture as per client)	सेट	२८००.००	२८००.००	२८००.००
	Top Post/Gate Light made of Die Cast Base, Spun Aluminium Top and PMMA/ Reflector of required wattage with IP 65 degree of protection (Fixture as per client)	सेट	५६००.००	५६००.००	५६००.००
	Top Post/Gate Light made of Die Cast Base, Spun Aluminium Top and Polycarbonate Cover of required wattage with IP 65 degree of protection (Fixture as per client)	सेट	१९२००.००	१९२००.००	१९२००.००
	Top Post/Gate Light made of Die Cast Base, Die Cast Arm, Spun Die Cast of required wattage with IP 65 degree of protection (Fixture as per client)	सेट	२००००.००	२००००.००	२००००.००
	Classical/Vintage Type Top Post/Gate Light made of Die Cast Aluminium body of required wattage with IP 65 degree of protection (Fixture as per client)	सेट	२२४००.००	२२४००.००	२२४००.००
१३८	Smart Lighting Fixtures:				
	Recessed Downlight: RCI, Ceiling Recessed LED Adjustable Downlight. Power: 12w, COB, 3000K, 100 lm/W, CRI>90, Dimension: 1100*W100*H108MM Cutout: Dia 80 mm, Beam Angle:36 Degree, Cable: 300 mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा	४५६९.००	४५६९.००	४५६९.००
	Recessed Downlight: RC2/RC3/RC4/RC6/RC7, Ceiling Recessed LED Adjustable Downlight, Power: 12W, COB, 3000K, 100 lm/w, CRI>90, Dimension: Dia 90*H113mm Cutout: Dia 78 mm, Beam Angle: 40/15 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा	३९९८.००	३९९८.००	३९९८.००

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	Recessed Downlight: RC5, Ceiling Recessed LED Adjustable Downlight, Power: 12w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90* H113 MM Cutout: Dia 78MM, Beam Angle: 40 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver	गोटा	२०७०.००	२०७०.००	२०७०.००
	Recessed Downlight: RC2a, Ceiling Recessed LED Adjustable Downlight, Power: 18w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90MM, Beam Angle: 36 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा	४९९८.००	४९९८.००	४९९८.००
	Recessed Downlight: RC8, Ceiling Recessed LED Adjustable Downlight, Power: 10w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90* H113 MM Cutout: Dia 78MM, Beam Angle: 24 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver	गोटा	२१४२.००	२१४२.००	२१४२.००
	Recessed Underground LED Light: RG1, Dia 100*H100 mm, cutout: Dia 95 mm, 3W, 3000K, IP67, CRI> 85, Beam Angle: 15 degree	गोटा	२४९९.००	२४९९.००	२४९९.००
	IP67 Non Dimmable Driver: IP67, Outdoor Driver, DC12V, 35W Capacity	गोटा	१९९९.००	१९९९.००	१९९९.००
	LED Strip Light : SL1/SL2/SL3a, Flexible Led Strip Light Wattage: 9.6 W/Meter Colour Temp: 3000 k Input Voltage: 24 V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.	७८५.००	७८५.००	७८५.००
	0-10 Dimmable Driver: Power: 50 W, 0-10V dimmable	गोटा	४२१२.००	४२१२.००	४२१२.००
	Aluminium Channel Option 2: Channel With Cover, 3m/Pc	र.मि.	५४२.००	५४२.००	५४२.००
	LED Strip Light : SL1a, Flexible Led Strip Light Wattage: 4.8 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.	४१४.००	४१४.००	४१४.००
	Non Dimmable Driver: 150w IP20 Non Dimmable Driver	गोटा	१७८५.००	१७८५.००	१७८५.००
	LED Strip Light : SL3, Flexible Led Strip Light Wattage: 14.4 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.	११०६.००	११०६.००	११०६.००
	0-10 Dimmable Driver: Power: 150 W, 0-10V dimmable	गोटा	९९००.००	९९००.००	९९००.००
	Aluminium Channel: Channel With Cover, 3m/Pc	र.मि.	६७८.००	६७८.००	६७८.००
	Gateway: DIN-Rail Mounted Intelligent Gateway, as per the confirmed technical details	गोटा	१३५६६०.००	१३५६६०.००	१३५६६०.००
	Power Supply: DIN System Power Supply, as per the confirmed technical details	गोटा	१८५६४.००	१८५६४.००	१८५६४.००
	Central Distribution Box: Suitable with modules	सेट	३५७००.००	३५७००.००	३५७००.००
	Central Control Panel: Touch screen, Adroid System Control Computer, 18.5 inches	सेट	२५७०४०.००	२५७०४०.००	२५७०४०.००
	Software: PPS Programming software, we can also program and customize as per client request	सेट	३९९८४०.००	३९९८४०.००	३९९८४०.००
	Leading Edge Dimmer Module: 4 Channels Leading Edge Dimmer Module, as per the confirmed technical details	गोटा	९९९६०.००	९९९६०.००	९९९६०.००
	0-10V Dimmer Module: 4 Channels of 0-10 V Dimmer Module with 4*16A Switch, as per the confirmed technical details	गोटा	८८५३६.००	८८५३६.००	८८५३६.००
	Switch Module: 4 Channel 16A, as per the confirmed technical details	गोटा	७२८२८.००	७२८२८.००	७२८२८.००
	8-Key Intelligent Wallplate: 8 Keys, as per the confirmed technical details	गोटा	५९९७६.००	५९९७६.००	५९९७६.००
	Bus Cascade Module with power supply: AC110-220V wide voltage power supply, as per the confirmed technical details	गोटा	३२८४४.००	३२८४४.००	३२८४४.००
	DIN System Power Supply: Supplies 24 V, 2.5 A DC Power, as per the confirmed technical details	गोटा	२५७०४.००	२५७०४.००	२५७०४.००
	Distribution Box 1: Suitable with modules	सेट	६४२६०.००	६४२६०.००	६४२६०.००
	Ceiling Light: Suitable with modules	गोटा	१२१३८०.००	१२१३८०.००	१२१३८०.००

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.ब.क. बाहेकको दरलेसितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१३९	Smart Automation and Control System:				
	Dimmable Driver 6W-50W	गोटा	४२१२.००	४२१२.००	४२१२.००
	Dimmable-Tunable Driver 6W-50W	गोटा	४२१२.००	४२१२.००	४२१२.००
	Dali-Dimmable Driver 6W-50W	गोटा	४२१२.००	४२१२.००	४२१२.००
	Dali-Dimmable-Tunable Driver 6W-50W	गोटा	४२१२.००	४२१२.००	४२१२.००
	Smart PIR Sensor Ceiling Mount Type	गोटा	२१३०७.००	२१३०७.००	२१३०७.००
	Smart PIR Sensor Surface Mount Type	गोटा	२२४४४.००	२२४४४.००	२२४४४.००
	Smart PIR Sensors Recessed Mount Type	गोटा	४४०३.००	४४०३.००	४४०३.००
	6 Button Keypad	गोटा	६३९२३.००	६३९२३.००	६३९२३.००
	4 Button Keypad	गोटा	४२५५९.००	४२५५९.००	४२५५९.००
	3 Channel Relay Dali Controller	गोटा	१८३८१५.००	१८३८१५.००	१८३८१५.००
	4 Channel Relay Controller	गोटा	८४६६२.००	८४६६२.००	८४६६२.००
	DMX Controller	सेट	७१०२६०.००	७१०२६०.००	७१०२६०.००
	DMX Amplifier	सेट	२१३०७८.००	२१३०७८.००	२१३०७८.००
	15 V DC 1.5 Amps regulated power supply	गोटा	६२५०२.००	६२५०२.००	६२५०२.००
	TCP/IP Protocol network gateway	गोटा	१३४९४९.००	१३४९४९.००	१३४९४९.००
	PDTs Networked Touch Screen intelligent control	गोटा	५६०५३७.००	५६०५३७.००	५६०५३७.००
	server for Software with specification Windows 10 Pro / Education / Enterprise 64 Bit, Windows Server 2008 R2 64 Bit, Windows Server 2012 R2 64 Bit Windows Server 2016, Windows Server 2019 Intel i5, i7, Xeon ≥2.7 GHz, 4-8 cores, Xeon ≥2.5 GHz 8-16+ cores, RAM ≥ 4 GB, HDD ≥ 5 GB available, Video Intel i5 or later integrated graphics, or > 500 MB PCIe video card with latest drivers	गोटा	१८३२४७०.००	१८३२४७०.००	१८३२४७०.००
I	SURVEILLANCE SYSTEM				
१४०	ANALOG CCTV				
	2MP, Analog Turret Camera, 1080p, Smart IR, DWDR, DNR	गोटा	२३२७.०८	२३२७.०८	२३२७.०८
	2MP, Analog Bullet Camera, 1080p, Smart IR, DWDR, 3D DNR	गोटा	२४३०.४४	२४३०.४४	२४३०.४४
	5MP, Analog Turret Camera, Smart IR, DWDR, DNR, BLC	गोटा	३१७३.८१	३१७३.८१	३१७३.८१
	5MP, Analog Bullet Camera, Smart IR, DWDR, DNR, BLC	गोटा	३१७३.८१	३१७३.८१	३१७३.८१
	DVR 4 channel, H.265+/H.265, 2MP, 1 SATA interface	गोटा	५१४८.३२	५१४८.३२	५१४८.३२
	DVR 8 channel, H.265+/H.265, 2MP, 1 SATA interface	गोटा	६६१४.५१	६६१४.५१	६६१४.५१
	DVR 16 channel, H.265+/H.265, 2MP, 1 SATA interface	गोटा	११७६७.७९	११७६७.७९	११७६७.७९
	DVR 8 channel, H.265+/H.265, 8MP, 2 SATA interface	गोटा	१३७५९.२९	१३७५९.२९	१३७५९.२९
	DVR 32 channel, H.265+/H.265, 4 SATA interface	गोटा			
१४१	Mid Segment CCTV				
	2MP, IP based Turret Camera, Smart IR, DWDR, 3D DNR, BLC, HLC	गोटा	४५७४.१६	४५७४.१६	४५७४.१६
	2MP, IP based Dome Camera, Smart IR, DWDR, 3D DNR, BLC, HLC, IK10	गोटा	४००१.६०	४००१.६०	४००१.६०
	2MP, IP based Bullet Camera, Smart IR, DWDR, 3D DNR, BLC, HLC	गोटा	४५७४.१६	४५७४.१६	४५७४.१६
	2MP, IP based Turret Camera, Color, White Light, DWDR, 3D DNR, BLC, HLC	गोटा	६६८६.४०	६६८६.४०	६६८६.४०
	2MP, IP based Dome Camera, Color, White Light, DWDR, 3D DNR, BLC, HLC, IK10	गोटा	९१४४.०७	९१४४.०७	९१४४.०७
	2MP, IP based Bullet Camera, Color, White Light, DWDR, 3D DNR, BLC, HLC	गोटा	६६८६.४०	६६८६.४०	६६८६.४०
	4/5MP, IP based Dome/Turret Camera, Smart IR, DWDR, 3D DNR, BLC, HLC	गोटा	६९२१.०६	६९२१.०६	६९२१.०६
	4/5MP, IP based Bullet Camera, Smart IR, DWDR, 3D DNR, BLC, HLC	गोटा	६९८३.३६	६९८३.३६	६९८३.३६
	8MP, IP based Turret Camera, Smart IR, DWDR, 3D DNR, BLC, HLC	गोटा	११६८०.००	११६८०.००	११६८०.००
	8MP, IP based Bullet Camera, Smart IR, DWDR, 3D DNR, BLC, HLC	गोटा	१५४२९.६०	१५४२९.६०	१५४२९.६०

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	NVR 8 channel, H.265+/H.265, 8MP, 1 SATA interface	गोटा	९३९९.२०	९३९९.२०	९३९९.२०
	NVR 16 channel, H.265+/H.265, 8MP, 1 SATA interface	गोटा	११८२४.४२	११८२४.४२	११८२४.४२
	NVR 8 channel, H.265+/H.265, 8MP, 2 SATA interface	गोटा	१२५३३.८१	१२५३३.८१	१२५३३.८१
	NVR 16 channel, H.265+/H.265, 8MP, 2 SATA interface	गोटा	१४१८८.३२	१४१८८.३२	१४१८८.३२
	NVR 16 channel, H.265+/H.265, 8MP, 4 SATA interface	गोटा			
		गोटा	१९६००.००		
१४२	Standard Segment CCTV				
	4/5MP, AI based Dome Camera, Min illumination 0.008, Motorised VF, Smart IR, 3D DNR,BLC, HLC, Defog, Ambrella Chipset, 1 TB SD Card Support with Encryption, Pirs	गोटा	४६४००.००	४६४००.००	४६४००.००
	4/5MP, AI based Bullet Camera, Min illumination 0.008, Motorised VF, Smart IR, 3D DNR,BLC, HLC, Defog, Ambrella Chipset, 1 TB SD Card Support with Encryption, Pirs	गोटा	४६४००.००	४६४००.००	४६४००.००
	2MP, AI based PTZ Camera, 30x Optical Zoom, Smart IR, 3D DNR,BLC, HLC, Defog, Ambrella Chipset, 1 TB SD Card Support with Encryption	गोटा	२३८४००.००	२३८४००.००	२३८४००.००
१४३	Accessories of CCTV				
	Unmanaged PoE switch 4 PoE port, 1 Uplink port	गोटा	२८८०.००	२८८०.००	२८८०.००
	Unmanaged PoE switch 8 PoE port, 1 Uplink port	गोटा	४१६०.००	४१६०.००	४१६०.००
	Unmanaged PoE switch 16 PoE port, 2 Ggabit Uplink ports	गोटा	१०८००.००	१०८००.००	१०८००.००
	KVM	गोटा	२२४०.००	२२४०.००	२२४०.००
	1TB Surveillance hard disk	गोटा	४०४०.००	४०४०.००	४०४०.००
	2TB Surveillance hard disk	गोटा	७३६०.००	७३६०.००	७३६०.००
	4TB Surveillance hard disk	गोटा	११२००.००	११२००.००	११२००.००
	6TB Surveillance hard disk	गोटा	२१२००.००	२१२००.००	२१२००.००
	17/18.5/19" LCD Monitor	गोटा	६५६०.००	६५६०.००	६५६०.००
	21/22" LCD Monitor	गोटा	१०२४०.००	१०२४०.००	१०२४०.००
	24" LCD Monitor	गोटा	११८४०.००	११८४०.००	११८४०.००
	27/28" LED Monitor	गोटा	१५०४०.००	१५०४०.००	१५०४०.००
	32" LED Monitor, FHD	गोटा	१९६००.००	१९६००.००	१९६००.००
	42/44/45" LED Monitor, FHD	गोटा	४९६००.००	४९६००.००	४९६००.००
	52/55" LED Monitor, FHD		९२०००.००	९२०००.००	९२०००.००
J	FIRE ALARM CONTROL PANEL				
१४४	Conventional Type Fire Alarm Control Panel				
	2 Zone Fire Alarm Control Panel	सेट	११३६०.००	११३६०.००	११३६०.००
	4 Zone Fire Alarm Control Panel	सेट	१४०८०.००	१४०८०.००	१४०८०.००
	6 Zone Fire Alarm Control Panel	सेट	२३०६८.००	२३०६८.००	२३०६८.००
	8 Zone Fire Alarm Control Panel	सेट	२७८५२.००	२७८५२.००	२७८५२.००
	Conventional smoke detector	गोटा	१६००.००	१६००.००	१६००.००
	Conventional heat detector	गोटा	१६००.००	१६००.००	१६००.००
	Conventional manual control point	गोटा	१५२०.००	१५२०.००	१५२०.००
	Conventional hooter cum strobe	गोटा	४८००.००	४८००.००	४८००.००
१४५	Digital Addressable Type Fire Alarm Control Panel				
	2 Zone Fire Alarm Control Panel, UL/EN Certified	सेट	३६९६०.००		
	4 Zone Fire Alarm Control Panel, UL/EN Certified	सेट	४००८०.००		

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको प्रत्येकन		
			आ.व. २०८१/८२	आ.व. २०८२/८३	ललितपुर आ.व. २०८३/८४
	6 Zone Fire Alarm Control Panel , UL/EN Certified	सेट	४२९७८.४०		
	8 Zone Fire Alarm Control Panel , UL/EN Certified	सेट	४६१४०.००		
	Digital addressable smoke detector	गोटा	२१६०.००		
	Digital addressable heat detector	गोटा	२२४०.००		
	Digital addressable manual control point	गोटा	१५२०.००		
	Digital addressable hooter cum strobe	गोटा	४८००.००		
१४६	Addressable Type Fire Alarm Control Panel (FACP)				
	1/2 Loop Fire Alarm Control Panel with minimum 190 Detectors , UL/EN Certified	सेट	१७१२००.००	१७१२००.००	१७१२००.००
	2/4 Loop Fire Alarm Control Panel with minimum 380 Detectors , UL/EN Certified	सेट	३२००००.००	३२००००.००	३२००००.००
	4/8 Loop Fire Alarm Control Panel with minimum 760 Detectors , UL/EN Certified	सेट	४८०५०३.२०	४८०५०३.२०	४८०५०३.२०
	Addressable Smoke detector with Standard Base	गोटा	३२२१.६०	३२२१.६०	३२२१.६०
	Addressable Heat Detector with Standard Base	गोटा	३३६०.००	३३६०.००	३३६०.००
	Addressabl Hooter Sounder	गोटा	७१०८.००	७१०८.००	७१०८.००
	Addressabl Hooter with Strobe	गोटा	११३६४.८०	११३६४.८०	११३६४.८०
	Addressable Manual Call Point	गोटा	४१६०.००	४१६०.००	४१६०.००
	Addressabl Control Module	गोटा	५७६०.००	५७६०.००	५७६०.००
	Addressabl Monitor Module	गोटा	५०२८.८०	५०२८.८०	५०२८.८०
K	TELEPHONE SYSTEM				
	ANALOG PABX SYSTEM				
१४७	Telephone Drop wire/pair cable				
	2/30 Telephone drop wire	क्वायल	१०३३.००	१०३३.००	१०३३.००
	2/22 - - -	क्वायल	६९९.००	६९९.००	६९९.००
	2- pair cable wire (2×2×0.45) mm Heavy	र.मी	१४.००	१४.००	१४.००
	3- pair cable wire (3×2×0.45) mm Heavy	र.मी	२०.००	२०.००	२०.००
	5- pair cable wire (5×2×0.45) mm Heavy	र.मी	३३.००	३३.००	३३.००
	10- pair cable wire (10×2×0.45) mm Heavy	र.मी	६४.००	६४.००	६४.००
	15- pair cable wire (15×2×0.45) mm Heavy	र.मी	९५.००	९५.००	९५.००
	20- pair cable wire (20×2×0.45) mm Heavy	र.मी	१२४.००	१२४.००	१२४.००
	1mm drop wire	र.मी	१०.००	१०.००	१०.००
	50 Pair Telephone D.B.with crown tag	सेट	५६८८.००	५६८८.००	५६८८.००
१४८	Analog PABX System				
	1-4 Line EPABX with 1set programmable master telephone set of corresponding brand	सेट	७९८८.००	७९८८.००	७९८८.००
	2-6 Line EPABX "	सेट	१९२३०.००	१९२३०.००	१९२३०.००
	3-8 Line EPABX "	सेट	२१४५१.००	२१४५१.००	२१४५१.००
	4-12 Line EPABX "	सेट	३८४६१.००	३८४६१.००	३८४६१.००
	6-16 Line EPABX "	सेट	५१७७४.००	५१७७४.००	५१७७४.००
	8-24 Line EPABX "	सेट	८८७५६.००	८८७५६.००	८८७५६.००
	8-48 Line EPABX "	सेट	९४९६९.००	९४९६९.००	९४९६९.००
	8-72 Line EPABX "	सेट	१०१६१७.००	१०१६१७.००	१०१६१७.००
L	NETWORKING SYSEM				
१४९	Cables				

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट ललितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	RG6 Coaxial cable	र.मी	२४.००	२४.००	२४.००
	RG59 Coaxial cable	र.मी	२७.००	२७.००	२७.००
	UTP cat -5 networking cable	र.मी	२७.००	२७.००	२७.००
	Cat6A, 23 AWG, Pure Copper, 10G, U/UTP, 4P, LSZH	र.मी	८०.००	८०.००	८८.००
	Cat6, 24 AWG, Pure Copper, 1G, U/UTP, 4P	र.मी	३४.१०	३४.१०	३४.१०
	Cat6, 23 AWG, Pure Copper, 1G, U/UTP, 4P	र.मी	४१.९७	४१.९७	४१.९७
	Patch Cord, Cat 6A, U/UTP, 4P, LSZH - 1m	गोटा	४६०.००	४६०.००	४६०.००
	Patch Cord, Cat 6A, U/UTP, 4P, LSZH - 2m	गोटा	५४४.००	५४४.००	५४४.००
	Patch Cord, Cat 6A, U/UTP, 4P, LSZH - 3m	गोटा	६०८.००	६०८.००	६०८.००
	Patch Cord, Cat 6, U/UTP, 4P, LSZH - 0.5m	गोटा	१९२.००	१९२.००	१९२.००
	Patch Cord, Cat 6, U/UTP, 4P, LSZH - 1m	गोटा	२४०.००	२४०.००	२४०.००
	Patch Cord, Cat 6, U/UTP, 4P, LSZH - 2m	गोटा	२८०.००	२८०.००	२८०.००
	Patch Cord, Cat 6, U/UTP, 4P, LSZH - 3m	गोटा	३३६.००	३३६.००	३३६.००
१५०	Patch Panel [SMB Series (or Mid Segment)]				
	24 Port Patch Panel	सेट	२०००.००	२०००.००	२०००.००
	48 Port Patch Panel	सेट	४१६०.००	४१६०.००	४१६०.००
	24 Port Patch with keystone Panel	सेट	५६००.००	५६००.००	५६००.००
	48 Port Patch with keystone Panel	सेट	११२००.००	११२००.००	११२००.००
१५१	Network Rack [SMB Series (or Mid Segment)]				
	6U Network Rack	सेट	६६४०.००	६६४०.००	६६४०.००
	9U Network Rack	सेट	७९२०.००	७९२०.००	७९२०.००
	12U Network Rack	सेट	९४४०.००	९४४०.००	९४४०.००
	17 / 18 / 21 / 22U Network Rack	सेट			
	27U Network Rack	सेट	५४४००.००	५४४००.००	५४४००.००
	42U Network Rack	सेट	८८०००.००	८८०००.००	८८०००.००
	Power Distribution Unit (PDU)	सेट	३०४०.००	३०४०.००	३०४०.००
	Single/ Double Fan	सेट	१४४०.००	१४४०.००	१४४०.००
	1U Cable Manager	सेट	११२०.००	११२०.००	११२०.००
१५२	Network Switch [SMB Series (or Mid Segment)]				
	5/8 Port, Fast Ethernet, Unmanaged Switch	सेट	१६००.००	१६००.००	१६००.००
	5/8 Port, Gigabit, Unmanaged Switch	सेट	२५६०.३४	२५६०.३४	२५६०.३४
	16 Port, Fast Ethernet, Unmanaged Switch	सेट	३२००.००	३२००.००	३२००.००
	16 Port, Gigabit, Unmanaged Switch	सेट	७२००.००	७२००.००	७२००.००
	24 Port, Fast Ethernet, Unmanaged Switch	सेट	५२००.००	५२००.००	५२००.००
	24 Port, Gigabit, Unmanaged Switch	सेट	१४४००.००	१४४००.००	१४४००.००
	5/8 Port, Fast Ethernet, managed Switch	सेट	५६००.००	५६००.००	५६००.००
	5/8 Port, Gigabit, managed Switch	सेट	७२००.००	७२००.००	७२००.००
	16 Port, Fast Ethernet, managed Switch	सेट	१०४००.००	१०४००.००	१०४००.००
	16 Port, Gigabit, managed Switch	सेट	१२८००.००	१२८००.००	१२८००.००
	24 Port, Fast Ethernet, managed Switch	सेट	१६०००.००	१६०००.००	१६०००.००
	24 Port, Gigabit, managed Switch	सेट	२१६००.००		
M	SECURITY SYSTEM				

नेपाल सरकार
शुद्ध मन्त्रालय

विद्युतिय सामाग्रीहरु

सि.न	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	ललितपुर २०८३/८४
१५३	Steel Security Gate				
	Metal detector	गोटा	१७६७४.००	१७६७४.००	१७६७४.००
	Access Controller (Standard Series)	गोटा	२९९९३.००	२९९९३.००	२९९९३.००
	Access Controller (General Series)	गोटा	१४४६१.००	१४४६१.००	१४४६१.००
१५४	Steel Security Door				
	Single leaf :- 50 mm, 70 mm, 100mm	ब. मि.	९०६९.००	९०६९.००	९०६९.००
	Half leaf :- 50 mm, 70 mm, 100mm	ब. मि.	१०३७१.००	१०३७१.००	१०३७१.००
	Double leaf :- 50 mm, 70 mm, 100mm	ब. मि.	१०८३५.००	१०८३५.००	१०८३५.००
१५५	Security System				
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2)	गोटा	३५७०६.००	३५७०६.००	३५७०६.००
	iii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	गोटा	२१४२४.००	२१४२४.००	२१४२४.००
	iv) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	गोटा	१३३९०.००	१३३९०.००	१३३९०.००
	v) Finger print access system with software	गोटा	३७४९२.००	३७४९२.००	३७४९२.००
	vi) Security from Panic Alarm	गोटा	३७४९२.००	३७४९२.००	३७४९२.००
१५६	Access Controller				
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door	सेट	२१५१६.००	२१५१६.००	२१५१६.००
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Local)	सेट	१४५२३.००	१४५२३.००	१४५२३.००
१५७	Intrusion Detection System				
	Main Controller-CONTROL,FIRE/BURG	सेट	४०५७९.००	४०५७९.००	४०५७९.००
	Door Contact-Wireless Door Contact with transmitter	सेट	२७९७.००	२७९७.००	२७९७.००
	Motion Detector-Wireless Passive Infrared, Pet Immune Motion Detector	सेट	४३६३.००	४३६३.००	४३६३.००
	Panic Switch-Wireless Panic Transmitter	सेट	५१३९.००	५१३९.००	५१३९.००
	Key -Wireless Key to Arm and Disarm the System	सेट	४९९२.००	४९९२.००	४९९२.००
	Window Contact- Wired door Contact with transmitter slim	सेट	२९३७.००	२९३७.००	२९३७.००
	Earth Quake Detector(JDS Inc, USA)-Quake Alarm	पिस	३७६१.००	३७६१.००	३७६१.००
N	AIR CONDITIONING SYSTEM				
	Single Split (1:1) Wall mounted/ Ceiling Casser type Air Conditioner (Heat Pump) with Complete Silence, Powerful operation, Intelligent control, Filter Cleaning Indicator, PMV Control and power saving features included wireless remote controller, Installation between indoor to outdoor unit with all required materials like copper tube, insulation tube, should also be included with in the cost. Note: AC shall have its manufacturing plant.				
१५८	Wall Mounted Inverter type Split Units with Wireless remote Controller.				
	0.75 Ton	सेट	८१०००.००		
	1.0 Ton	सेट	५६९००.००	०.००	०.००
	1.5Ton	सेट	७६५००.००	०.००	०.००
	2.0 Ton	सेट	९९४००.००	०.००	०.००

प्रमुख जिल्ला अधिकारी

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको मूल्य		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१५९	Ceiling Cassette Inverter type Split Units with Wireless remote Controller.				
	1.0 Ton	सेट	११८८००.००	११८८००.००	११८८००.००
	1.5Ton	सेट	१४५८००.००	१४५८००.००	१४५८००.००
	2.0 Ton	सेट	१६२०००.००	१६२०००.००	१६२०००.००
	3.0 Ton (3Ph)	सेट	२६१९५०.००	२६१९५०.००	२६१९५०.००
	4 Ton(3Ph)	सेट	२६५५००.००	२६५५००.००	२६५५००.००
१६०	Wall Mounted Non-Inverter Type Split Type AC with Wireless display remote Controller.				
	0.75 Ton	सेट	५२२००.००	५२२००.००	५२२००.००
	1.0 Ton	सेट	५१५५०.४४	५१५५०.४४	५१५५०.४४
	1.5Ton	सेट	६८०५०.४४	६८०५०.४४	६८०५०.४४
	2.0 Ton	सेट	८४२५०.४४	८४२५०.४४	८४२५०.४४
१६१	Ceiling Cassette Non- Inverter Type Split Type AC with Wireless display remote Controller.				
	1.0 Ton	सेट	८६६००.००	८६६००.००	८६६००.००
	1.5Ton	सेट	९९३००.००	९९३००.००	९९३००.००
	2.0 Ton	सेट	१२८६००.००	१२८६००.००	१२८६००.००
	3.0 Ton	सेट	१७६०००.००	१७६०००.००	१७६०००.००
O	TRANSFORMER and ALLIED MATERIALS				
१६२	Copper wound Distribution Outdoor Transformar with first filling of oil				
	15 KVA , 11/0.23kv, 3 phase,50 Hz ONAN	गोटा	२१२५००.००	२१२५००.००	
	25 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	२५०७५०.००	२५०७५०.००	
	50 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	३५७०००.००	३५७०००.००	
	75 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	५१००००.००	५१००००.००	
	100 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	५३५५००.००	५३५५००.००	
	125 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	७४८०००.००	७४८०००.००	
	150 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	७७३५००.००	७७३५००.००	
	200 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	९५६२५०.००	९५६२५०.००	
	250 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	१०४१२५०.००	१०४१२५०.००	
	300 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	११३०५००.००	११३०५००.००	
	400 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	१२७५०००.००	१२७५०००.००	
	500 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	१४०२५००.००	१४०२५००.००	
	630 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	१५३००००.००	१५३००००.००	
	750 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	२१८८७५०.००	२१८८७५०.००	
	800 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	१८२७५००.००	१८२७५००.००	
	1000 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	२२९५०००.००	२२९५०००.००	
१६३	Low Loss Transformar				
	No Load-75,Load loss 460(25 KVA)	गोटा	२२९७९०.००		
	No Load-120,Load loss750(50 KVA)	गोटा	३३४२४०.००		
	No Load-220,Load loss 1210(100 KVA)	गोटा	४३८६९०.००		
१६४	Supply of aluminium ABC cable				
	25mm square 4 core ABC cable	मी	१६१.००	१६१.००	१६१.००
	50 mm square 4 core ABC cable	मी	२६९.००	२६९.००	२६९.००

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	95 mm square 4 core ABC cable	खमी	५२७.००	५२७.००	५२७.००
१६५	Lightening Arrestor for 3 Phase .				
	0.5 KV	सेट	१२९१.००	१२९१.००	१२९१.००
	11 KV	सेट	४५१८.००	४५१८.००	४५१८.००
	Cross Arms V Channel.	गेछ	३२२७.००	३२२७.००	३२२७.००
	Stay set with accessories.				
	GI wire	गोरा	१२३४.००	१२३४.००	१२३४.००
	GI Plate	गोरा	१२३७.००	१२३७.००	१२३७.००
	Gay Insulator.	गोरा	५८.००	५८.००	५८.००
	Elbow	गोरा	१०७.००	१०७.००	१०७.००
	Rod , Nut	गोरा	४६४.००	४६४.००	४६४.००
	Grip	गोरा	५१.००	५१.००	५१.००
१६६	Overhead Insulators (0.4KV)				
	Sackle Insulator	गोरा	३२.००	३२.००	३२.००
	D-Iron	गोरा	९७.००	९७.००	९७.००
	Nut Bolt (3" with 8 mm Ø)	गोरा	१५.००	१५.००	१५.००
	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	गोरा	२४.००	२४.००	२४.००
१६७	Overhead Insulators with fixing accessories (11KV)				
	Pin Insulator	गोरा	१९३.००	१९३.००	१९३.००
	Disc Insulator	गोरा	१०३३.००	१०३३.००	१०३३.००
	Cross Arms V Channel.	गोरा	२८३९.००	२८३९.००	२८३९.००
	Squarel ACSR conductor 20mm ²	खमी	१७.००	१७.००	१७.००
	weasel ACSR conductor 30 mm ²	खमी	२६.००	२६.००	२६.००
	Rabbit ACSR conductor 50 mm ²	खमी	४२.००	४२.००	४२.००
	Dog ACSR conductor 100 mm ²	खमी	८५.००	८५.००	८५.००
१६८	LT/HT Accessories				
	11 kv Disc insulator with grapher(3 Bolt)	सेट	१४१४.००	१४१४.००	१४१४.००
	11kv Pin insulator with spindel	सेट	२६६.००	२६६.००	२६६.००
	11 KVA Drop out fuse	सेट	१२६१२.००	१२६१२.००	१२६१२.००
	D-iron det with shakle insulator	सेट	१५६.००	१५६.००	१५६.००
	Stay Assembly Complete Set	सेट	१४१४.००	१४१४.००	१४१४.००
	Stay wirw (NS 7/12 guage)	केजी	१०६.००	१०६.००	१०६.००
	Lighting Arrestor	सेट	६६०६.००	६६०६.००	६६०६.००
	Earthing Set	सेट	२९२४.००	२९२४.००	२९२४.००
	H T Tape	थान	१७७.००	१७७.००	१७७.००
	Stay Wire 7/12	केजी	१२५.००	१२५.००	१२५.००
	Stay Wire set 12x12, 6mm thick	सेट	१६७१.००	१६७१.००	१६७१.००
P	POLES				
१६९	Steel tubuler pole				
	Steel tubuler pole 11 mtr.Long (Folding/Non Folding) with nut,bolt & washer	प्रति पोल	२०४१९.००	२०४१९.००	
	Steel tubuler pole 10 mtr.Long (Folding/Non Folding) with nut,bolt & washer	प्रति पोल	१८९७८.००	१८९७८.००	
	Steel tubuler pole 9 mtr.Long (Folding/Non Folding) with nut,bolt & washer	प्रति पोल	१६९३६.००	१६९३६.००	
	Steel tubuler pole 8 mtr.Long (Folding/Non Folding) with nut,bolt & washer	प्रति पोल	१२९३१.००	१२९३१.००	

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१७०	WOODEN POLE				
	7 mtr.length Wooden Pole	गोटा	५२१८.००	५२१८.००	
	9 mtr.length Wooden Pole	गोटा	७१००.००	७१००.००	
१७१	FRP/GRP Poles shall be ultraviolet resistance, corrosion proof, electrically insulated and shall have no reaction to direct contact with water, having FRP material $\geq 55\%$, thickness shall be $>5.5\text{mm}$ for all poles with the cost of single/double GRP arm				
	3 mtr with base plate	सेट	३२६२५.८२	३२६२५.८२	३२६२५.८२
	4 mtr with base plate	सेट	४०१२०.८९	४०१२०.८९	४०१२०.८९
	5 mtr with base plate	सेट	४२९४८.२७	४२९४८.२७	४२९४८.२७
	6 mtr with base plate	सेट	४६०७९.३८	४६०७९.३८	४६०७९.३८
	7 mtr with base plate	सेट	५६५१९.७२	५६५१९.७२	५६५१९.७२
	8 mtr with base plate	सेट	६०७२५.८३	६०७२५.८३	६०७२५.८३
	9 mtr with base plate	सेट	६४४७०.३६	६४४७०.३६	६४४७०.३६
	10 mtr with base plate	सेट	८२१८५.९८	८२१८५.९८	८२१८५.९८
	11 mtr with base plate	सेट	८६२९०.१८	८६२९०.१८	८६२९०.१८
	12 mtr with base plate	सेट	१०४३३१.४९	१०४३३१.४९	१०४३३१.४९
Q	GENERATOR SYSTEM				
	Generator set conforming complies with current CPCB emission norms, Critical grade silencers, coupled and aligned with continuous rated KVA of DG, industrial type brushless AC Alternator on a common base frame in factory fabricated acoustic enclosure with all standard accessories such as MS painted day oil tank & valves, fully charged lead-acid batteries with angle iron stand, battery leads, engine protection unit, sensors for winding & bearing temp. monitoring, antivibration mountings complete in all respects as per the manufacturer's drawing, specification, and instruction				
१७२	Disel Generator, Single Phase				
	0.7	सेट	७७८५३.९८	७७८५३.९८	७७८५३.९८
	2	सेट	९६२८३.१९	९६२८३.१९	९६२८३.१९
	2.9	सेट	१८९९३३.६३	१८९९३३.६३	१८९९३३.६३
	3.8	सेट	२०२३४५.१३	२०२३४५.१३	२०२३४५.१३
	3.8	सेट	२१७३८९.३८	२१७३८९.३८	२१७३८९.३८
	5	सेट	२२७१६८.१४	२२७१६८.१४	२२७१६८.१४
	7.5	सेट	३९१०००.००	३९१०००.००	३९१०००.००
	10	सेट	४२९२५०.००	४२९२५०.००	४२९२५०.००
१७३	Disel Generator, Three Phase with ATS panel				
	10	सेट	५३९७५०.००	५३९७५०.००	५३९७५०.००
	15	सेट	५३९७५०.००	५३९७५०.००	५३९७५०.००
	20	सेट	६२०५७.५२	६२०५७.५२	६२०५७.५२
	30	सेट	७०१२५०.००	७०१२५०.००	७०१२५०.००
	40	सेट	८३११९४.६९	८३११९४.६९	८३११९४.६९
	62.5	सेट	९९०२५०.००	९९०२५०.००	९९०२५०.००
	82.5	सेट	११९००००.००	११९००००.००	११९००००.००
	100	सेट	१३७२७५०.००	१३७२७५०.००	१३७२७५०.००
	125	सेट	१४२९२०३.५४	१४२९२०३.५४	१४२९२०३.५४

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको सरसफा सलितपुर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	160	सेट	१९०४०००.००	१९०४०००.००	१९०४०००.००
	200	सेट	२३३१८५८.४१	२३३१८५८.४१	२३३१८५८.४१
	250	सेट	२७८३७५०.००	२७८३७५०.००	२७८३७५०.००
	320	सेट	३४८५०००.००	३४८५०००.००	३४८५०००.००
	400	सेट	४२५८५००.००	४२५८५००.००	४२५८५००.००
	500	सेट	५४९८७५०.००	५४९८७५०.००	५४९८७५०.००
R	EARTHING SYSTEM				
१७४	Earthing System				
	Copper plate per kg (sp.gr. copper =8930kg/m3)	के.जी	९५७.००	९५७.००	९५७.००
	6 mm thick 600mm× 600 mm G.I. Plate	गोटा	२९५४.००	२९५४.००	२९५४.००
	3.2 mm thick 600mm× 600 mm Copper Plate	गोटा	९९४०.००	९९४०.००	९९४०.००
	Copper Strip (25 x 3)mm (Appox 60"=1kg)	के.जी	११३०.००	११३०.००	११३०.००
	Copper Strip (20mm breadth x 3mm thick)	के.जी	११३०.००	११३०.००	११३०.००
	Copper Strip (12 x 3)mm	के.जी	११३०.००	११३०.००	११३०.००
	Lightning rod copper conductor Air termination set	गोटा	२८५१.००	२८५१.००	२८५१.००
	8 SWG bare copper wire	र.मी	१५०.००	१५०.००	१५०.००
	Copper wire (10 SWG)	र.मी	१६१.००	१६१.००	१६१.००
	29 mm Diameter GI Pipe of 1m length	र.मी	२६३.००	२६३.००	२६३.००
	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	६४५.००	६४५.००	६४५.००
	5/16 nuts & bolt with spring washer cadmium maker	गोटा	१५.००	१५.००	१५.००
	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	२०४.००	२०४.००	२०४.००
	Funneling Mechanism with pit cover (mild steel)	सेट	६४५.००	६४५.००	६४५.००
	Funnel with wire mesh	गोटा	३७७.००	३७७.००	३७७.००
	Charcoal	ब्याग	३२२.००	३२२.००	३२२.००
	Salt	के.जी	१२.००	१२.००	१२.००
	Earthing System consisting of 1 Nos copper bonded steel electrode of 20/25/17/14 mm dia. with a min. coating thickness of 250 microns and length of 3 meters. 25 kgs/Electrode of earth enhancing compound needs to be considered to fill the 100-125mm augured hole surrounding to the electrode. The rate shall include excavation of earth, filling with back fill compound, and earth pit marking.				
	Low carbon copper coated earth rod of 3 metre electrode having diameter of 20/25 mm with copper coating thickness of 250micron tested as per IEC 62561-2	सेट	७७७२.००	७७७२.००	७७७२.००
	Low carbon copper coated earth rod of 3 metre electrode having diameter of 17/14 mm with copper coating thickness of 250micron tested as per IEC 62561-2	सेट	४५९६.८०	४५९६.८०	४५९६.८०
	Universal Clamp of Required Size 175X50X3 mm made of SS to connect rod with flat conductor	सेट	१०३९.२०	१०३९.२०	१०३९.२०
	Earth enhancing compound tested as per IEC 62561-7	सेट	३११८.४०	३११८.४०	३११८.४०
	Heavy duty Pit cover tested	सेट	२३८४.००	२३८४.००	२३८४.००
S	MISCELLANEOUS ITEMS				
१७५	WATER HEATER RATES				
	15 LTRS ABS WATER HEATER	सेट	२०१००.००	२०१००.००	२०१००.००
	25 LTRS ABS WATER HEATER	सेट	२२३००.००	२२३००.००	२२३००.००
	15 LTRS METAL WATER HEATER	सेट	१७९००.००	१७९००.००	१७९००.००
	25 LTRS METAL WATER HEATER	सेट	१९७००.००	१९७००.००	१९७००.००

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट प्रशासन कार्यालय		
			बा.व. २०८१/८२	बा.व. २०८२/८३	बा.व. २०८३/८४
	3 LTR ABS INSTANT	सेट	७५२५.००	७५२५.००	७५२५.००
	6 LTR GAS	सेट	११७२५.००	११७२५.००	११७२५.००
२७६	Automatic Water Level Pump Controller: housed in metal enclosure with MCBs, Contactor, Phase sequence protection, Overload Protection and sensor set for single/three phase water pump with all necessary work as per drawing, specification and instruction all complete.Equivalent Nepali Make				
	Upto 1/2 HP single phase motor	सेट	४३०३.००	४३०३.००	४३०३.००
	Upto 1-3 HP single phase motor	सेट	५९१७.००	५९१७.००	५९१७.००
	Upto 1-5 HP three phase motor	सेट	९६८२.००	९६८२.००	९६८२.००





ललितपुर जिल्ला उपायुक्त

Solar Power

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क. बाहिरको प्रभावित		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१	Solar PV Module	प्रति.वाट	९२.००	९२.००	९२.००
२	Solar Tubular Battery (200Ah@20,12v)	गोटा	३३०६३.००	३३०६३.००	३३०६३.००
३	Solar Tubular Battery (150 Ah@20,12v)	गोटा	२५२३५.००	२५२३५.००	२५२३५.००
४	Solar Tubular Battery (100 Ah@20,12v)	गोटा	१७५१०.००	१७५१०.००	१७५१०.००
५	Solar Tubular Battery (80 Ah@20,12v)	गोटा	१७४०७.००	१७४०७.००	१७४०७.००
६	Solar Tubular Battery (60 Ah@20,12v)	गोटा	१२५६६.००	१२५६६.००	१२५६६.००
७	Solar Tubular Battery (40 Ah@20,12v)	गोटा	८२४०.००	८२४०.००	८२४०.००
८	Solar Gel Battery (200 Ah@20,12v)	गोटा	६८७०१.००	६८७०१.००	६८७०१.००
९	Solar Gel Battery (150 Ah@20,12v)	गोटा	५१७०६.००	५१७०६.००	५१७०६.००
१०	Solar Gel Battery (100 Ah@20,12v)	गोटा	३७१८३.००	३७१८३.००	३७१८३.००
११	Solar Gel Battery (80 Ah@20,12v)	गोटा	३२०३३.००	३२०३३.००	३२०३३.००
१२	Solar Gel Battery (75 Ah@20,12v)	गोटा	२८४२८.००	२८४२८.००	२८४२८.००
१३	Solar Gel Battery (40 Ah@20,12v)	गोटा	१६२७४.००	१६२७४.००	१६२७४.००
१४	Solar Lithium Ion Battery (100AH@10,12V)	गोटा	३७८०१.००	३७८०१.००	३७८०१.००
१५	Solar Lithium Ion Battery (80AH@10,12V)	गोटा	३३५७८.००	३३५७८.००	३३५७८.००
१६	Solar Lithium Ion Battery (50AH@10,12V)	गोटा	१९२६१.००	१९२६१.००	१९२६१.००
१७	Charge controller (60A/24-48V)	गोटा	३३४७५.००	३३४७५.००	३३४७५.००
१८	Charge controller 45A/12-24-48 V	गोटा	२४६१७.००	२४६१७.००	२४६१७.००
१९	Charge controller 30A/12-24-48 V	गोटा	२०३९४.००	२०३९४.००	२०३९४.००
२०	Charge controller 25A/12-24-48 V	गोटा	१५२४४.००	१५२४४.००	१५२४४.००
२१	Charge controller 20a/12-24 V	गोटा	६१८०.००	६१८०.००	६१८०.००
२२	Charge controller 15a/12-24 V	गोटा	५०४७.००	५०४७.००	५०४७.००
२३	Charge controller 10a/12-24 V	गोटा	२७८१.००	२७८१.००	२७८१.००
२४	Charge controller 5a/12-24 V	गोटा	१६४८.००	१६४८.००	१६४८.००
२५	Solar dusk to down controller 20A/12Vwith driver curcit	गोटा	४६३५.००	४६३५.००	४६३५.००
२६	Solar street light 40W- 12V DC with autodimming system	गोटा	२५०२९.००	२५०२९.००	२५०२९.००
२७	Solar street light 30W- 12V DC with autodimming system	गोटा	१५७५९.००	१५७५९.००	१५७५९.००
२८	Solar street light 20W- 12V DC with autodimming system	गोटा	१४००८.००	१४००८.००	१४००८.००
२९	Solar street light 100W	गोटा	४३५६९.००	४३५६९.००	४३५६९.००
३०	Solar street light 80W	गोटा	३६८७४.००	३६८७४.००	३६८७४.००
३१	Solar street light 60W	गोटा	२७६०४.००	२७६०४.००	२७६०४.००
३२	Solar street light 40W	गोटा	१५५५३.००	१५५५३.००	१५५५३.००
३३	Solar street light 30W	गोटा	१२३६०.००	१२३६०.००	१२३६०.००
३४	Solar street light 20W	गोटा	८८५८.००	८८५८.००	८८५८.००
३५	Solar street light 12W	गोटा	५७६८.००	५७६८.००	५७६८.००
३६	Ms pole 6 m high with rustproof enamel paint dimension 4" for bottom 3 m 3" for top 3 m	गोटा	१७९२२.००	१७९२२.००	१७९२२.००
३७	Ms pole 7 m high with rustproof enamel paint dimension 4" for bottom 4m 6" for top 3 m	गोटा	१९७७६.००	१९७७६.००	१९७७६.००
३८	Ms pole 8 m high with rustproof enamel paint dimension 4" for bottom 5m 6" for top 3 m	गोटा	२२०४२.००	२२०४२.००	२२०४२.००

Solar Power



सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाह्यको प्रयोगको लागि		
			बा.व. २०८१/८२	बा.व. २०८२/८३	बा.व. २०८३/८४
३९	Ms pole 9 m high with rustproof enamel paint dimension 4" for bottom 6 m 6" for top 3 m	गोटा	२२३५१.००	२२३५१.००	२२३५१.००
४०	7 m Hot Deep Galvanized Pole with Diameter of Pole section 4" for bottom 4.5 m and 3" for top 2.5 m	गोटा	२२०४२.००	२२०४२.००	२२०४२.००
४१	8 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 4.5 m, 4" for Middle 1.75 m and 3" for top 1.75 m	गोटा	२५४४१.००	२५४४१.००	२५४४१.००
४२	9 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 5 m, 4" for Middle 2m and 3" for top 2m	गोटा	२७७०७.००	२७७०७.००	२७७०७.००
४३	10 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 5.2 m, 4" for Middle 2.4m and 3" for top 2.4m	गोटा	२९९७३.००	२९९७३.००	२९९७३.००
४४	Pure sine wave Inverter 250 VA /12 V	गोटा	७४९६.००	७४९६.००	७४९६.००
४५	Pure sine wave inverter 400 VA /12 V	गोटा	९३९०५.००	९३९०५.००	९३९०५.००
४६	Pure sine wave inverter 850 VA /12 V	गोटा	९६९९५.००	९६९९५.००	९६९९५.००
४७	Pure sine wave inverter 1000 VA /12 V	गोटा	२३५८७.००	२३५८७.००	२३५८७.००
४८	pure sine wave inverter 1400 VA	गोटा	२५०२९.००	२५०२९.००	२५०२९.००
४९	Pure sine wave Solar Hybrid Inverter 850VA with inbuilt charge controller	गोटा	२०८०६.००	२०८०६.००	२०८०६.००
५०	Pure sine wave Solar Hybrid Inverter 1000VA with inbuilt charge controller	गोटा	२४९२६.००	२४९२६.००	२४९२६.००
५१	Pure sine wave Solar Hybrid Inverter 3KVA with 50A inbuilt charge controller	गोटा	७३६४५.००	७३६४५.००	७३६४५.००
५२	Pure sine wave Solar Hybrid Inverter 5KVA with 50A inbuilt charge controller	गोटा	९४५८६०.००	९४५८६०.००	९४५८६०.००
५३	Ms light Arms	सेट	२२६६.००	२२६६.००	२२६६.००
५४	SPV mounting frame	सेट	५९७४.००	५९७४.००	५९७४.००
५५	Battery box	सेट	४६३५.००	४६३५.००	४६३५.००
५६	Battery stand	सेट	४६३५.००	४६३५.००	४६३५.००
५७	12W SENSOR SOLAR POLE LIGHT	सेट	९७०७२.००	९७०७२.००	९७०७२.००
५८	18W SENSOR SOLAR POLE LIGHT	सेट	२०३२९.००	२०३२९.००	२०३२९.००
५९	Solar Lights:				
	All in one solar street light - 2000 Lumens	गोटा	२३५८२४.००		
	All in one solar street light - 3000 Lumens	गोटा	२६३५६८.००		
	All in one solar street light - 4500 Lumens	गोटा	२९९३९२.००		
	Solar Poles with Post Top Luminaries - 2500 Lumens	गोटा	५४९००८.००		
	Solar Poles with street lights luminaries 6000 Lumens	गोटा	६५९९८४.००		
	All in One solar Street Light - 5000 Lumens	गोटा	३९९०५६.००		
	All in one solar street light - 8500 Lumens	गोटा	३५५९२३.००		
	All in one solar street light - 12000 lumens	गोटा	३९३९६४.००		

